

**BBC** ASTEROID IMPACT: HAYABUSA 2 MISSION'S NEXT STAGE

THE UK'S BIGGEST SELLING  
ASTRONOMY MAGAZINE

# Sky at Night

#168 MAY 2019

## THE SILENT SUN

IS OUR LOCAL STAR  
ON THE VERGE OF A  
NEW SOLAR CYCLE?

**PLUS: YOUR GUIDE TO  
SOLAR OBSERVING**

**ON LOCATION: KIELDER  
FOREST'S DARK SKIES**

**MISSING EXOPLANETS:  
THE SEARCH IS ON**

**ON TEST**

STARWAVE  
ASCENT 102ED  
REFRACTOR



**GOOD LIBRATIONS: SEE HIDDEN LUNAR FEATURES**



george  
fisher



ABRAHAM'S CAFÉ



WATERPROOFS

INSULATION, RUNNING & BASELAYERS

RUCKSACKS & TRAVEL  
GUIDE BOOKS & MAPS



JUNIOR BOOT EXCHANGE  
THE BOOT ROOM

IN-STORE BOOT  
PODIATRY FITTING



SKI HARDWARE

CLIMBING & CAMPING



TENTS & SLEEPING BAGS  
GPS & NAVIGATION CENTRE

ONE STORE  
SO MUCH TO  
EXPLORE

OPEN 7 DAYS A WEEK



Since 1957 generations of families have been coming to George Fisher in Keswick. Located in the World Heritage listed Lake District National Park we are the perfect place to prepare yourselves for your next adventure.

With five floors of the very best outdoor gear and equipment, along with well trained staff with great knowledge and expert advice, you are sure to find everything you need.

At the very top of our shop we have our cosy Abraham's Café serving great coffee, cakes and hearty homemade meals. We have a kids play area, customer toilets, free wifi and a dog zone for tired paws.



Keep up to date with the latest news, blogs and stories  
from George Fisher at [www.georgefisher.co.uk](http://www.georgefisher.co.uk)

#GetInspiredGetOutside



GeorgeFisherUK



georgefisheruk



@georgefisheruk

2 Borrowdale Road, Keswick, Cumbria CA12 5DA | 017687 72178





# Welcome

Your solar observations reveal clues about our star's condition

Dark evenings rapidly become a distant memory at this time of year, but for us astronomers there is always our local star to observe. Indeed, the Sun can be one of the most rewarding targets to view as its visible surface can change in a matter of hours, bringing sunspots, prominences and other features into view. This month, director of the British Astronomical Association's Solar Section, Lyn Smith, is our guide to conducting solar astronomy safely, with an article on page 66.

Regular observers of the Sun will know that it has been rather quiet of late: while there have been sunspots, they've been fewer in number than compared to, say, four or five years ago. Solar activity occurs in a pattern, and the current level could be a signal that our star is reaching an important turning point in its 11-year cycle. Solar researcher, Professor Lucie Green of the Mullard Space Science Lab, takes up the story on page 30.

From the Sun to the Moon, and our pull-out Sky Guide this month has plenty of great lunar sights to take in, including a relatively rare chance to get a good look at the large crater Humboldt. Because this 200km-diameter impact crater is right on the edge of the Moon's eastern limb, it's not always easy to see. But this month, the slight wobble of the Moon's orbit brings it nicely into view at around the same time that the terminator, the line between the sunlit and dark parts of the Moon, is close by. You'll find more details of this, other lunar targets and many more of the month's best observing sights from page 43.

Enjoy the issue,

Chris Bramley, Editor

PS Our next issue goes on sale 23 May.

## HOW TO CONTACT US

**Subscriptions, binders and back issues**  
03330 162119\*  
Mon–Fri 8am–6pm; Sat 9am–1pm

\*Calls from landlines will cost up to 9p per minute. Call charges from mobile phones will cost between 3p and 55p per minute but are included in free call packages. If calling from overseas, please dial +44 (0)1604 973727

**Editorial enquiries**  
+44 (0)117 300 8754  
9.30am–5.30pm, Mon–Fri

**Advertising enquiries**  
+44 (0)117 300 8276

**Print subscription enquiries**  
bbcskyatnight@buysubscriptions.com

**Digital subscription enquiries**  
bbcskyatnightdigital@buysubscriptions.com

**Editorial enquiries**  
contactus@skyatnightmagazine.com

**Subscription enquiries**  
UK enquiries: FREEPOST IMMEDIATE  
MEDIA (please write in capitals)  
Overseas enquiries: PO Box 3320,  
3 Queensbridge, Northampton  
NN4 7BF, UK

**Editorial enquiries**  
BBC Sky at Night Magazine,  
Immediate Media Co Bristol Ltd,  
Tower House, Fairfax Street, Bristol BS1 3BN

## Become an Insider



The more we know about what you like, the better placed we are to bring you the best magazine possible. So we'd like to invite you to join our online reader panel 'Insiders'. Just log on to **www.immediateinsiders.com/register** to fill out the short registration survey and we'll be in touch from time to time to ask for your opinions on the magazine and other relevant issues.

## Sky at Night – lots of ways to enjoy the night sky...



### Television

Find out what *The Sky at Night* team will be exploring in this month's episode on page 19



### Online

Visit our website for reviews, competitions, astrophotos, observing guides and our forum




### Facebook

All the details of our latest issue, plus news from the magazine and updates to our website



### Podcast

The *BBC Sky at Night Magazine* team and guests discuss the latest astro news



### iPhone/iPad

Get each month's issue on your iPad or iPhone, now with bonus image galleries




### eNewsletter

The best targets to observe each week, delivered direct to your inbox: [bit.ly/sky-eneus](http://bit.ly/sky-eneus)




30

# CONTENTS


 = on the cover

## Features

**30** Are sunspots really in decline?

 Our recent solar activity has seen a tailing off of sunspot numbers. Is this the start of a new solar cycle?

**36** Deep sky, dark forest

 We visit Northumberland's Kielder Observatory, set in Europe's largest dark sky park

**61** A buyer's guide to telescopes – Part 2

From eyepieces to planispheres, we look at the best accessories to enhance your stargazing sessions

**68** Apollo 10: May 1969

The story of NASA's test mission for the Moon landing, which did everything but touch the surface

## Regulars

**8** Eye on the sky

**11** Bulletin / Cutting edge 

**18** Inside *The Sky at Night*

**20** Interactive

**25** What's on

**27** Field of view

**28** Subscribe to *BBC Sky at Night Magazine*

**66** Explainer 

**72** DIY astronomy

**98** Q&A: Hayabusa 2 mission scientist Patrick Michel 

## Astrophotography

**74** Capture

**76** Processing

**78** Gallery

## Reviews

**86** Altair Starwave ASCENT 102ED F7 refractor telescope 

**90** ZWO ASlair smart Wi-Fi, ASI120MM Mini camera and 30F4 Mini guidescope

**94** Books

**96** Gear

## The Sky Guide

**44** Highlights 

**46** The big three

**48** The planets

**50** May's all-sky chart

**52** Moonwatch

**53** Comets and asteroids

**53** Star of the month

**54** Binocular tour

**55** The sky guide challenge

**56** Deep-sky tour

**58** May at a glance

16-PAGE  
CENTRE  
PULLOUT



## New to astronomy?

To get started, check out our guides and glossary at  
[www.skyatnightmagazine.com/astronomy-for-beginners](http://www.skyatnightmagazine.com/astronomy-for-beginners)



## This month's contributors

### Lucie Green

#### Solar scientist



The Mullard Space Science Lab professor looks at what's behind the drop in sunspots. See page 30

### Lyn Smith

#### BAA's Solar Section director



Lyn reveals the secrets you can discover about our nearest star by observing solar activity. See page 66

### Niamh Shaw

#### Analogue astronaut



As we approach the Moon landing's 50th anniversary, Niamh recounts NASA's test run. See page 68

### Stephen Tonkin

#### Binocular astronomer



Join Stephen's wide-field tour, from the Sombrero Galaxy to Markarian's Chain. Turn to page 54

## Extra content ONLINE

- Visit [www.skyatnightmagazine.com/bonuscontent](http://www.skyatnightmagazine.com/bonuscontent)
- Select May's Bonus Content
- Enter the code **MUUZQDP**

## May highlights




### Watch a classic episode

In this episode of *The Sky at Night* from 1 August 1973, Patrick takes a look at the Russian launches of the Mars 4 and 5 missions to the Red Planet. He then sets to sea on the cruise ship Monte Umbe with Commander Henry Hatfield for a spot of navigational astronomy.



### Interview: new results from New Horizons

This month we speak to NASA's Carey Lisse, who reveals the latest updates from New Horizons' close flyby at the Kuiper Belt.




### Sample the latest astro audio books

Download and listen to chapters from new titles exploring the history of astronomy and the future of spaceflight.

Hotshots gallery, extra EQMOD files, binocular tour, observing forms, deep-sky tour chart, desktop wallpapers...**and much more**

## PLUS: Every month



### The virtual planetarium

May's night-sky highlights with Paul Abel and Pete Lawrence



# Black hole blowing bubbles

EYE ON THE SKY

Supermassive black holes produce a lot of energy. Some generate huge bubble-like structures that create shockwaves felt on Earth

CHANDRA X-RAY OBSERVATORY, HUBBLE SPACE TELESCOPE, 28 FEBRUARY 2019

Galaxy NGC 3079 contains two 'superbubbles' stretching 4,900 and 3,600 lightyears across, respectively. These giant cosmic structures may be formed from matter falling into a supermassive black hole at the centre of a galaxy, releasing vast amounts of energy that produce cavities of hot gas.

At the bright centre of the galaxy is a pink blob, which is X-ray light emitted by the supermassive black hole, as seen by the Chandra X-ray Observatory. The pink structures emanating above and below this are the superbubbles.

Astronomers are still learning more about the processes that occur at these bubbles. As their outer edges collide with surrounding gas, it may accelerate particles to energies hundreds of times greater than those in the Large Hadron Collider on Earth. This could even be a source of the most powerful cosmic rays that bombard our planet. The bubbles themselves are not wholly immune to the chaos of space, and may be shaped and sculpted by powerful winds from hot young stars.









## △ Two become one

**HUBBLE SPACE TELESCOPE,  
4 MARCH 2019**

Not all galaxies are beautiful spirals. This object, NGC 6052, is the product of a collision between two separate galaxies that were pulled together by gravity over time. Despite the merger, individual stars within the galaxies are unlikely to collide because the distances between them are so vast.

## Studying the lives of stars ▷


**VERY LARGE TELESCOPE, 18 MARCH 2019**

The Tau Canis Majoris Cluster is found in the constellation of Canis Major and is an example of an open cluster. Each star was formed from the same molecular cloud but has evolved differently according to its mass. The fact that they are the same age provides an opportunity for astronomers to learn more about how stars are born, grow and eventually die.

8 BBC Sky at Night Magazine **May 2019**







## ◁ Shadow of the Moon

**NASA SOLAR DYNAMICS OBSERVATORY,  
6 MARCH 2019**

While on Earth we can wait years for the next solar eclipse to occur, they are a regular sight for NASA's Earth-orbiting solar telescope, as it often observes the Moon passing in front of the Sun from its position in geosynchronous orbit. Note the crisp edge of the lunar silhouette; a result of our satellite's position beyond Earth's atmosphere.

## Bright eyes ▷

**VERY LARGE  
TELESCOPE,  
14 MARCH 2019**

A pair of glowing eyes seem to peer out from behind a dark cloud of dust in this image of nebula NGC 1788. The two bright young stars illuminate gas in the background, and are powerful enough even to penetrate the dark, opaque dust in the foreground. This nebula's appearance has led it to be dubbed the Cosmic Bat.



More  
**ONLINE**

A gallery of these  
and more stunning  
space images





# STARGAZING WITH SUPERHERO VISION

With Omegon wide-field binoculars 2.1x42, see more stars and objects in the night sky!

Scan for more info.



With Omegon wide-field binoculars, you can take your stargazing to the next level. See entire constellations and star fields, with brighter, clearer and more numerous stars, than with the naked eye. As if you had superhero vision!

**£149**



Filter threads unlock possibilities: Use your binoculars with 2-inch filters from your astronomy tool kit.



## 2.1x magnification

With a magnification of 2.1, you see objects at twice the size and more light from the cosmos.



## Large field of view

See entire constellations, with a massive 20° field of view. Explore the Milky Way, deep-sky objects and bright comets.



## See more stars than ever before

As comfortable as a pair of glasses, you can explore the cosmos. Under a dark, or even light-polluted sky, you can recognize stars 1.5 - 2 mag fainter.



## A fantastic sight

With an independent focus, you can adjust each eyepiece to make stargazing an amazing and crystal clear experience! - even with glasses!



### Customers say:

"Seeing the night sky with these is quite a treat. These handy binoculars fantastically magnify objects in the night sky, and all with greater field of view."

#### Binoculars 2.1x42\*

#### Article No.

#### Price in £

WxHxD in mm 54x128x46, weight 375g

50354

**149.00**

\*Included in delivery: star field binoculars, lens and eyepiece covers, wrist strap, nylon bag with strap, 1/4-inch camera thread (for connection to a camera tripod with adapter)

Available at

**Astroshop.co.uk**



For online orders, enter the article number in the search field.




**+44 203 8688042**



The latest astronomy and space news, written by Elizabeth Pearson

# BULLETIN



NASA's OSIRIS-REx has discovered particles being ejected from asteroid Bennu, and inset, its rocky surface



## Comment

by Chris Lintott

The ejection of particles isn't the only surprise OSIRIS-REx has uncovered at Bennu. While the particles thrown into space pose no threat to the mission, the rugged surface is a serious problem.

The scientific pay-off from OSIRIS-REx's voyage is supposed to come from its return of asteroid samples to Earth, where a range of analysis techniques can be used.

First, you have to get your sample back home, though the lack of a large smooth surface makes that harder. It might be possible to access a couple of patches of dirt, 10cm across. To understand this inexplicable world – having travelled over two billion km – we might need the spacecraft to hit a bullseye.

**Chris Lintott**  
co-presents  
*The Sky at Night*

## Scientists in a spin over BENNU AND THE JETS

Fast-spinning asteroid sends plumes of particles into space

**Asteroid Bennu** is proving to be an enigmatic body for planetary scientists exploring with NASA's OSIRIS-REx (Origins, Spectral Interpretation, Resource Identification, Security-Regolith Explorer) spacecraft. They have discovered that it is ejecting plumes of particles from the surface into space.

The first close-up pictures revealed the asteroid's surface is littered with rocks and boulders, leaving mission planners struggling to find a spot to touch down next year and take a sample to return to Earth in 2023. But the ejection of jets of particles, observed since early January, was completely unexpected.

"The discovery of plumes is one of the biggest surprises of my career," says principal investigator Dante Lauretta, of the University of Arizona.


Some particles were observed to orbit Bennu as satellites before falling back to the surface. None of

the plumes are seen as a threat to the probe as it orbits at a distance of around 1.6km.

The ejected plumes are unlike those from comets as they are warmed by the Sun. A clue to their cause may come from the balance that exists between Bennu's weak gravitational pull and its spin, which gives rocks enough energy to escape into space. "When you spin this guy up, you create a competition between the gravity that's holding you down and the centrifugal acceleration, which is trying to throw you off," says Daniel Scheeres, of the mission's radio science team at the University of Colorado Boulder.

Bennu's orbit brings it close to Earth as a potentially hazardous object. Dust particles ejected in the past may even produce a minor meteor shower. [www.asteroidmission.org](http://www.asteroidmission.org)





The unusual trajectory of the star LAMOST-HVS1, out of the Milky Way, raises questions about where hypervelocity stars originate

## What gave runaway star the boot?

A hypervelocity star escaping the Milky Way may have been sent flying by a star cluster

**A runaway** star that has been ejected from the Milky Way at high speed is intriguing astronomers investigating where it came from.

Such fast-moving stars are usually thought to have been sent flying by the actions of the supermassive black hole at the centre of our Galaxy. However, detailed measurements of the motion and trajectory of the escaping star, labelled LAMOST-HVS1, show that it did not originate from the heart of our Galaxy.

Instead it appears to have originated from a location within the main disk of the Milky Way. Astronomers at the University of Michigan suggest that the massive star was ejected by a cluster of young stars, 33 million years ago.

The first so-called hypervelocity star – one that travels at more than 500km per

second – was discovered in 2005, and still fewer than 30 are known. Normal stars generally move around 200km per second.

It was thought that stars reach such terrific speeds when a binary system of stars orbiting each other passes too close to a black hole. One gets captured by the black hole and the other is flung away at very great speed.

Astronomers have assumed that because a supermassive black hole appears to lie at the centre of the Milky Way, that must be responsible for most of the hypervelocity stars observed.

“This discovery changes our view on the origin of fast-moving stars,” says professor Monica Valluri. “It indicates that the extreme environments needed to eject fast-moving stars can arise in places other than around supermassive black holes.”

Valluri and University of Michigan postdoctoral researcher Kohei Hattori used one of the Magellan telescopes in Chile to determine the distance and velocity of the star. Hattori then joined a group of international scientists who analysed data from the European Space Agency’s Gaia mission that precisely mapped stars within the Milky Way in 3D.

By combining the Magellan observations with Gaia data, the astronomers were able to trace back the star’s path. They found, much to their surprise, that it originated from within the Norma spiral arm of the Milky Way.

The authors theorise that the star may have been kicked out by a close encounter with several massive stars or a moderate-sized black hole in a stellar cluster.

<http://sci.esa.int/gaia/>



## NEWS IN BRIEF



### Binaries boost for life

The chances of life occurring on planets can be boosted in binary star systems, suggests a new study. In young star clusters, a passing third star can push a pair of others closer together, increasing the size of the warm habitable zone around them where water can exist as a liquid, says the University of Sheffield's Bethany Wootton and Dr Richard Parker.

### Cannonball pulsar

A pulsar discovered by citizen scientists in the Einstein@home project is rocketing through space at 4 million km/h. Dubbed PSR J0002+6216, and lying in Cassiopeia, 6,500 lightyears away, it has a radio-emitting tail, 13 lightyears long, which points towards the site of a recent supernova explosion.

### Pathfinder's sea visit

NASA's first rover mission to Mars, Pathfinder, landed on the edge of an ancient sea, new studies show. Its rover, Sojourner, arrived in 1997 and imaged features that suggest flooding 3.4 billion years ago. The landing site marked a spillway between a northern ocean and an inland sea, writes Planetary Science Institute head scientist Alexis Rodriguez.



▲ An artist's impression of PDS 27, the pair of high-mass binary stars found in Canis Major

## Closest high-mass binary stars discovered

Young companions allow us to test theories of stellar formation

**Astronomers have** found the closest known pair of high-mass stars, 8,000 lightyears away in Canis Major. Catalogued as PDS 27, the stars in the binary system lie just 4.5 billion km apart, which is similar to the distance in our Solar System between Neptune and the Sun.

The pair of stars, which will have a comparatively short lifespan of only a few million years before they explode as a supernova, are at least 10 times more massive than the Sun when combined.

Dr Evgenia Koumpia, of the University of Leeds, led an international team in studying


the star system, which shines at a dim mag. +13 because of its distance. They say the findings made using Europe's Very Large Telescope (VLT) in Chile, provides them with a valuable 'laboratory' to test theories on how high-mass binary stars form.

[www.eso.org](http://www.eso.org)

## Ultima Thule gives up more secrets

**NASA scientists** are learning more about Ultima Thule, the 35-km long object in the Kuiper Belt that its New Horizons spacecraft flew past on 1 January.

The twin-lobed body appears to resemble a gingerbread man more than a snowman because it is flat rather than round. It is thought to have formed when two pristine relics of the early Solar System, called planetesimals, gently merged. This seems to be a demonstration of how the collisions by planetesimals built up the planets.



▲ Gingerbread man? Ultima Thule has whetted the New Horizons team's appetite for finding another Kuiper Belt object

Geologists are also trying to understand the surface features, including bright spots, hills and troughs, craters and pits.

An 8km-wide depression has been nicknamed Maryland crater. But the team are unsure whether this and other depressions are craters caused by impacts or have other causes such as ice escaping as gas.

New Horizons, now 6.6 billion km from Earth, is still in good health and principal investigator Alan Stern hopes NASA will approve an extended mission to find a third Kuiper Belt target. <http://pluto.jhuapl.edu>



## NEWS IN BRIEF



### Exoplanet storm detected

The first direct observation of an exoplanet has been made using the Very Large Telescope (VLT) in Chile. Astronomers combined its four giant instruments, a technique called interferometry, to observe a super-Jupiter, HR 8799e, orbiting a young star 129 lightyears away in Pegasus. Sylvestre Lacour, of the Observatoire de Paris, suggests a storm is raging in the exoplanet's atmosphere.

### Weighing the Milky Way

Astronomers have 'weighed' our Milky Way and conclude that it is equivalent to around 1.5 trillion Suns. The team used the Hubble Space Telescope and data from ESA's Gaia satellite. A small proportion of the mass is from about 200 billion stars and the Galaxy's supermassive black hole; the rest could be dark matter.

### Early astrolabe found


An astrolabe excavated from a Portuguese shipwreck has been certified as the earliest known by Guinness World Records. The thin, 175-mm diameter device, a forerunner of the modern planisphere, was used for navigation on Vasco da Gama's second voyage to India in 1502–03.

ESO/L. CALÇADA, NASA, QUEEN'S UNIVERSITY BELFAST

## BULLETIN

# NASA told to accelerate return to the Moon

Trump wants astronauts to prepare for base at lunar south pole



The space race is back: an artist's impression of America's return to the Moon

establish a permanent presence on the Moon and prepare to put American astronauts on Mars."

Jim Bridenstine, Administrator of NASA, responded: "I know NASA is ready for the challenge of moving forward to the Moon, this time to stay."

**The Trump** administration has told NASA to speed up the return of humans to the Moon with a crewed mission to its south pole within five years. Vice President Mike Pence issued the challenge at a meeting of the National

Space Council in Alabama, saying the US was in a race with China.

Pence said: "That next giant leap is to return American astronauts to the Moon within the next five years by any means necessary, and to

To meet the timeline, NASA will have to accelerate the launch of their Space Launch System rocket, but it is currently unclear how this will be done within the current budget of \$21.5 billion.

[www.nasa.gov](http://www.nasa.gov)

# Is the Sun as strong as a fridge magnet?

### A serendipitous

measurement has led to the most accurate measurement of the Sun's magnetic field, it's been recently announced. The finding has revealed the field is 10 times stronger than previously thought, but still no stronger than a fridge magnet.

Astronomers have struggled to measure the Sun's magnetic field, as the Sun is too bright for most telescopes. The observatory which made the discovery – the Swedish Solar Telescope in La Palma – can only focus on 1 per cent of the Sun's disc at a time. However, on 10 September 2017, it happened to be in the right place to observe a powerful flare, allowing David Kuridze from Aberystwyth University to determine our star's magnetic field.



The Sun's magnetic field is 10 times more powerful than previously believed

"This is the first time we have been able to measure accurately the magnetic field of the coronal loops – the building blocks of the Sun's magnetic corona – with such a level of accuracy," says Kuridze.

To find out more about the Sun's ever-changing magnetic field and recent trends of solar activity, turn to page 30.

[www.isf.astro.su.se](http://www.isf.astro.su.se)






Image courtesy of Joe Canzoneri

## Atik Infinity

Entry level

Perfect for the entry-level astronomer, the Atik Infinity is the first Atik CCD camera dedicated to video astronomy. It is supplied with our new, intuitive, in-house software dedicated to video astronomy, and is well suited to a broad range of telescopes, bringing the wonders of deep-sky imaging to your screen in just seconds.

# CCD TECHNOLOGY IMAGING WITHOUT COMPROMISE

## Atik 16200

Large Format




Image courtesy of Sven Junge

The Atik 16200 boasts a sensor specifically designed for astronomy and having a generous 35mm diagonal. The 16million, 6µm pixel sensor can be freely binned so offers a huge amount of flexibility for both wide field and long focal length imaging. Argon purging, deep cooling and a mechanical shutter make this a camera for professionals and amateurs alike. The Atik 16200 is the camera capable of taking your imaging to the next level.

## Atik 460EX

Mid range



Image courtesy of George Chatzifrantzis

The Atik 460EX is renowned for its perfect balance of sensitivity and resolution. It utilises a Sony ICX694, which is the sensor of choice for astronomers looking for the highest-quality data. Its efficiency and generous sky coverage make the 460EX one of the most versatile astrophotography cameras around, ideal for a large range of telescopes.

 **ATIK**  
CAMERAS




See the full Atik range at  
[www.atik-cameras.com](http://www.atik-cameras.com)



Our experts examine the hottest new research

# CUTTING EDGE




◀ WFIRST, the Wide Field Infrared Survey Telescope, will be launched in the 2020s to detect planet masses

So we know lots of near-in planets, but not as much about possible siblings further out in these planetary systems. This is a problem for a number of reasons. Firstly, to improve our understanding of how planetary systems form and evolve over time we need a complete picture of both inner and outer planets – theories can only be refined or refuted based on observations. Secondly, the presence of outer planets can influence the habitability of inner rocky worlds like Earth, such as by affecting how much water they form with or how often they are hit by large impactors. This is why David Bennett, at NASA's Goddard Space Flight Center, and his colleagues argue that we need more effort to find these more distant planets. Luckily, says Bennett, there are a number of missions that ought to be able to provide this missing information.

WFIRST (Wide Field Infrared Survey Telescope), for example, was approved for development and launch

## Filling in the gaps in exoplanet systems

While our searches for distant worlds have been fruitful, there are types that are being left out



Our hunt for planets orbiting other stars in the Galaxy has been successful so far. We've now discovered over 4,000 such extrasolar planets, and the catalogue of known alien worlds

gets longer every year. Space telescopes such as Kepler and TESS have been productive in this search, looking for the tell-tale dipping in the brightness of a star as an orbiting exoplanet transits across its disk.

But we are also aware that our knowledge of the full architectures of other planetary systems is incomplete due to the ways that we search for them. The transit method has been highly successful, but mostly at detecting relatively large planets orbiting closely to their star. The radial velocity technique is more effective at detecting planets orbiting further out, but the fact that such worlds can take a decade or more to complete each orbit creates problems. We must ensure that we conduct observations over a long-enough time and that datasets are consistent.



**Prof Lewis Dartnell** is an astrobiologist at the University of Westminster and author of *Origins: How the Earth Made Us* ([geni.us/origins](http://geni.us/origins))

*We know lots of near-in planets, but not as much about possible further out siblings in these planetary systems*

in 2016. This space-based telescope will use microlensing – detecting the mass of unseen planets and stars by the gravitational lensing effect they have on brighter stars behind them – to find planets in a wide range of orbits from their suns. WFIRST will be over 100 times more sensitive than other methods, and should also be able to detect exomoons in systems similar to that of our own Earth and Moon.

There's also a mission already operational that can provide this crucial information on wide-orbit planets. ESA's Gaia space telescope was launched in 2013 and has been measuring the positions of millions of main sequence stars in our Galaxy. By 2023 it is hoped that tell-tale cyclical wobbles in these stellar positions, known as the astrometry method, will reveal tens of thousands of new planets, out to 5 AU from their star.

By combining these different datasets, Bennett says we'll be able to add wide-orbit worlds to our planetary demographics and finally produce a complete picture of the architectures of diverse planetary systems.

**Lewis Dartnell** was reading... *Wide-Orbit Exoplanet Demographics* by David P Bennett et al. **Read it online at** [arxiv.org/abs/1903.08187](https://arxiv.org/abs/1903.08187)



# Sharpening the distant Universe

ALMA is allowing astronomers to image far away galaxies in more detail than ever before

Studying galaxies in the early Universe can be a thankless task. While those of us who study local systems get beautiful pictures which grace magazines like this one, peering at faint light from distant systems can be little more than 'blobology'. This month's paper, though, reveals one such system in all its glory.

Light from the galaxy in question, J0305-3150, has been travelling towards us since the Universe was less than a billion years old, revealing a glimpse of the early days. That light was captured by ALMA, a scope set high up in the Chilean Atacama Desert, which is sensitive to what astronomers call 'sub-mm' radiation; the light that was emitted in the visible or even the infrared region of the spectrum has been shifted all the way to the sub-mm region by the expansion of the Universe.

Longer wavelengths normally mean poorer resolution, but ALMA is an interferometer, combining light from different dishes to build up a sharper image than any single dish could ever achieve. That's why I'm excited by the image which, though still somewhat blobby, looks like a galaxy. Transport this galaxy to the present day, though, and it would stand out. It is forming stars at a prodigious rate. The observations show that J0305-3150 is turning 1,500 solar masses of gas and dust into stars each year, compared to a measly one to three solar masses in the Milky Way.

Moreover, the real action is at the galaxy's centre. Here, a black hole weighing in at a billion solar masses lurks. The hot gas falling towards it shines brightly, making this galaxy host to a quasar – a bright source of light at its centre.



**Prof Chris Lintott** is an astrophysicist and co-presenter of *The Sky at Night* on BBC TV. He is also director of the Zooniverse project

*Peering at light from distant systems can be 'blobology'. This month's paper reveals one such system in all its glory*


Using ALMA to map the central region reveals how this activity around the black hole is affecting its surroundings. Gas is sculpted into odd shapes, with large bubbles or cavities appearing within the central 10 lightyears. What's strange is that these holes are not centred on the black hole, but are offset. This makes it difficult to blame the black hole for what is seen, but the alternative hypothesis, of several hundred million supernovae in more or less the same place over the course of 40 million years is hard to fathom.

Another mystery is why the system is in such a state of frenzied activity. One possibility lies in the discovery of three new sources, which seem to be companion galaxies, at the same distance as the main host. They

are fainter, no more than a tenth as luminous, but gravitational interactions with such satellites may have kicked off the burst of star

formation and fuelled the central black hole.

This is what life is like in the first billion years of the Universe. Galaxies collide and merge, and the resulting effects sculpt the systems that will grow into the galaxies we see today. It's wonderful to get a proper look at the drama from a ringside seat.



The ALMA telescope's blobby image of galaxy J0305-3150 (top left) indicates a bubble effect taking place around a black hole, as depicted in this artist's impression


**Chris Lintott** was reading... *400 pc imaging of a quasar host galaxy at  $z=6.6$*  by Bram Venemans et al. **Read it online at [arxiv.org/abs/1903.09202](https://arxiv.org/abs/1903.09202)**



The Sky at Night TV show, past, present and future

# INSIDE THE SKY AT NIGHT


The InSight mission's first selfie on Mars, taken on 6 December 2018 by a camera attached to a robotic arm



April's *Sky at Night* episode looked at what the InSight mission will tell us about Mars's interior. Seismologist **Anna Horleston** reveals how the lander's equipment is peering inside the Red Planet



▲ A Martian view, taken by the InSight lander on 22 March, shows the mission's seismometer (SEIS) under its dome-shaped shield



On 19 December 2018 NASA's InSight lander placed SEIS, its six-component seismometer, onto the surface of Mars. On 4 February 2019 SEIS was covered by a wind and thermal shield, protecting the

sensitive instrument from Mars's 95°C daily temperature swings and creating the environment for listening to every little vibration from the planet.

SEIS contains two different seismometers. Three components are designed and built in the UK. Etched from silicon wafers, these are optimised to record high frequency signals and are ideal for detecting local earthquakes and meteorite impacts. Three other components, designed and manufactured in France, are tuned to measure longer period waves associated with larger earthquakes, tidal effects and planetary resonances. The combination – of sensors designed to pick up short and long duration signals – makes SEIS capable of monitoring a wide range of seismic activity.

By placing SEIS directly onto the surface of Mars and by protecting it from wind and temperature changes, InSight has removed many of the constraints the Viking missions' seismometers encountered. Their seismometers were on each Viking lander's deck and mostly detected wind vibrations. SEIS is performing exceptionally well and is now entering the monitoring phase where we will seek out seismic events and meteorite impacts.

## Learning from Earth

But why put a seismometer on Mars? Well, because the vast majority of our knowledge of Earth's interior comes from seismic data. Seismic signals are interpreted, a bit like MRI scans, to identify layering and compositional changes within the Earth. Seismometers are the best probes for understanding the interior of planets, but they are not the only instruments we have sent with InSight. The mission also has a temperature probe (HP3) designed to





**Dr Anna Horleston** is a planetary seismologist at the University of Bristol, and member of the international MarsQuake Service

burrow as deep as 5m to measure the heat flow out of the planet and a radio positioning experiment (RISE) to measure the precise wobble of Mars during its orbit, giving us an idea of the state of the Martian core, solid or liquid.

Mars is often said to be in the 'Goldilocks' zone – the habitable region around our Sun, and yet it is barren and seemingly dead. It once had oceans, liquid water and an atmosphere; there is the largest volcano in the Solar System and huge canyons run across its surface. And yet now the planet appears to be dusty, dry and cold with almost no atmosphere. Understanding the interior of Mars will tell us about

the evolution of the planet and how it is so different from Earth, and it will give us clues as to where else in the Galaxy we might find habitable planets.

It is still early days for InSight, but the seismometer is perfectly deployed and has detected many atmospheric effects including signals from vortices (dust devils) and atmospheric pressure waves. The MarsQuake Service, an international team of seismologists led out of ETH Zurich and including members from France, the US and the UK, is fully operational, scanning the seismic data as soon as it arrives. After four months, I'm still amazed every day when I see new data from another planet. 🌌

## Looking back: The Sky at Night May 1986



On the 25 May 1986 episode of *The Sky at Night*, Patrick Moore looked at the latest results from the Giotto spacecraft, which flew past Halley's Comet on 14 March that year.

The comet orbits around the Sun once every 75 years, and in 1986 it passed through the inner Solar System – the first such close approach since the start of the space race. To take advantage, an armada of five spacecraft was launched to explore the comet, including ESA's Giotto.

The spacecraft passed just 1,373km from the comet nucleus. At this distance, it was

bombarded by dust from the comet, and one large impact sent the spacecraft spinning just 7.6 seconds before closest approach. Thankfully, Giotto recovered, and was able to take the first close-up images of a

comet nucleus, revealing the comet as peanut shaped and roughly 15km in length.

Giotto analysed the composition of Halley's Comet, finding it was largely the same as the solar nebula.

This implied it was a primitive body that had remained relatively

unchanged since the beginning of the Solar System.




▲ Giotto (inset) unlocked mysteries about the size and shape of Halley's Comet



### Supermassive Black Hole

It is thought that there is a supermassive black hole at the centre of almost every galaxy, including our own. This month the *Sky at Night* team look into Sagittarius A\*, the supermassive black hole at the Milky Way's centre, to discover what astronomers know about it. Plus, they reveal the first ever direct image of a black hole, newly captured by the Event Horizon Telescope.

**BBC Four, 12 May, 10pm** (first repeat  
**BBC Four, 16 May, 7.30pm**  
Check [www.bbc.co.uk/skyatnight](http://www.bbc.co.uk/skyatnight)  
for subsequent repeat times



▲ A supermassive black hole lies buried at the core of the Milky Way



Emails – Letters – Tweets – Facebook – Kit questions

# INTERACTIVE

Email us at [inbox@skyatnightmagazine.com](mailto:inbox@skyatnightmagazine.com)

MESSAGE  
OF THE  
MONTH


This month's top prize:  
four Philip's books



**PHILIP'S** The  
'Message  
of the Month' writer will  
receive four top titles  
courtesy of astronomy  
publisher Philip's: Robin  
Scagell's *Complete Guide  
to Stargazing*, Sir Patrick  
Moore's *The Night Sky*, Mark  
Thompson's *Stargazing  
with Mark Thompson* and  
Heather Couper and Nigel  
Henbest's *2019 Stargazing*.

Winner's details will be passed on to  
Octopus Publishing to fulfil the prize

## Defying light pollution



▲ For his Orion Nebula image, James stacked  
619 (25-second) exposures, plus 120 dark, 120 bias  
and 100 flat frames using Astro Pixel Processor


I live in just about the worst location for anyone  
interested in astronomy and astrophotography,  
which is Birmingham. My house is 5km from  
Birmingham International Airport and the  
National Exhibition Centre (NEC). The light  
pollution levels are among the highest in the  
UK, possibly even in Europe generally. For years,

I had fooled myself into thinking that the light  
pollution of our major cities meant that  
astrophotography was probably an exercise in  
futility, but last year I decided to see what could  
be achieved. I got this image of the Orion  
Nebula, taken over five nights in February, using  
a Canon EOS 5DSR at the prime focus of a  
Vixen 105mm refractor on a guided equatorial  
mount. It is definitely not the best image ever  
captured and is probably the best I can hope  
to achieve given my location, but it most  
definitely gives me a buzz having got this result.  
I suppose the lesson is to just have a go and see  
what is possible.

**James Edwards, Birmingham**

Well done James, it's heartening to see what  
can be achieved even from one of the most  
brightly-lit places in the UK! – **Ed**


## Tweets



**Stuart Hough**

@Stutree • Mar 21

Helped a lovely guy today to set  
up his telescope, our newest  
member @AstroBrighton Ken is  
101 and he used to train pilots  
during WW2 to navigate using  
the stars! Wanted a telescope  
to look at the moon, but not the  
best! @JPMajor @  
skyatnightmag @  
AstronomyMag @VirtualAstro



## South Island sights

We were lucky enough to spend three  
weeks touring New Zealand's South Island  
earlier this year. It's a fantastic location for

casual stargazing. When planning our  
holiday we did consider taking a small  
scope but decided against doing so on  
weight grounds. However, we were lucky



enough to see the sights of the southern skies most nights, using nothing more than our own eyes. The view of the southern Milky Way (below) was taken at the easily accessible location of Lake Pearson just off Arthur's Pass; a fantastic place for stargazing – and the wine there isn't too bad either.

**David Palferman, Tattenhall**

## Glory days

Can someone explain why nearly all NASA missions have expected lifespans of time measured in days rather than years? For example, the Opportunity rover's lifespan on Mars was 90 days; and Voyager was a little longer, but still just five years. Yet Opportunity

lasted 15 years and Voyager so far has lasted well over 30 years. It's the same with many other Mars rovers and planetary missions – all lasting hundreds of times longer than expected. Why is that?

**Philip Coates, Accrington**

## Rocket science

We use rockets to launch satellites and cargo to space, which is like using a 50-tonne lorry to transport 1 cwt (hundredweight; 50.8kg). Most of a rocket's mass is fuel; very little is cargo. In the 1960s, the US and Canada developed Project HARP, using a 16-inch naval gun to test ballistics. Did the brains behind it, Canadian engineer Gerald Bull, ever consider using the recoilless ▶



## ON FACEBOOK

**WE ASKED:** What is your favourite astronomy accessory?

**Richard Leighton**

My elastic band to stop my telephoto lens retracting.

**Mick Cassidy**

My Wixey angle gauge: basically a digital level. It's magnetic and sits under the front of the finderscope of my Dobsonian. Makes looking for deep sky objects a lot easier.

**Peter McNulty**

A Pentax zoom eyepiece 8-24mm.

**Brendan Scoular**

A binoviewer. It's good at fooling the brain into making the object appear 3D. Also, with two eyes open you can tease out more detail on the planets, like Jupiter's belts and zones.

**Rav Langotr**

My Polemaster. It's a great tool to get an accurate polar alignment in a short time without the pain of getting stiff neck and knees looking through a polar scope.

**Roy Alexander**

I've tried a few different gloves and the best I've found are my Cashmere lined Italian leather gloves which give the best warmth/digital dexterity ratio.

**Michael Landon**

My eyes, as I can see a lot more of the sky than looking through a scope; followed by my binoculars.

**Gillian Rushforth**

A 32mm good-quality eyepiece. I start any observing session with one of these because you get the wide-field experience of viewing and it gets you oriented in the sky, so you can then move on to higher magnitude ones and more specific targets

**David Jones**

An umbrella

**Stephen Webber**

My mate's car boot. It takes all my kit when we go out to observe dark skies.

# SCOPE DOCTOR




Our equipment specialist cures your optical ailments and technical maladies

With **Steve Richards**

Email your queries to  
[scopedoctor@skyatnightmagazine.com](mailto:scopedoctor@skyatnightmagazine.com)

***I'm having trouble setting up Maxlm DL software for autofocus. Any advice?***

**ROY PLENTY**



▲ **Get your facts straight: the Maxlm DL Autofocuser equipment settings need to be accurate**

Maxlm DL is a powerful image capture program, but the key to getting the autofocus routine to work well is ensuring that the equipment settings are accurately entered. The system needs to know how far your focuser moves for one step of the focus motor, so select View – Observatory Control Window – Focus. With the focuser set at half its extension, enter 100 in the Incremental box and then click on the 'Move In' button to take up any backlash. When the motor stops, measure the extension of the focus tube from the focuser housing in millimetres. Next, enter 1000 in the Incremental box and click on the 'Move In' button. Re-measure the extension and calculate the distance moved in millimetres. Click on the 'Options' button and enter this value in the Focuser Step Size box – never use the 'Auto' button. Select the Microns radio button and enter your telescope's focal ratio in the box. In the Target ½ Flux Dia. box enter a value between 7 and 9 as this sets a higher than desirable focus target. This is required as the measurements are made on either side of focus, not at focus.

## Steve's top tip

***What is a guidescope?***

A guidescope is used to correct for small errors in a mount's tracking. The guidescope is a small refractor or even a modified finderscope that is mounted along with the imaging telescope and camera and its job is to capture an image of a single star using its own small camera and then to analyse the movement of that star in the field of view using guiding software. If the star moves, the software sends corrections to the mount to 'keep it on track'. Because the guidescope and imaging scope are mounted together, corrections in the guidescope produce matching corrections in the imaging scope.

**Steve Richards is a keen astro imager and an astronomy equipment expert**



BBC Sky at Night Magazine is published by Immediate Media Company Bristol Limited under licence from BBC Studios, which helps fund new BBC programmes.

#### EDITORIAL

**Editor** Chris Bramley  
**Art Editor** Steve Marsh  
**Production Editor** Neil McKim  
**News Editor** Elizabeth Pearson  
**Staff Writer** Iain Todd  
**Reviews Editor** Paul Money

#### CONTRIBUTORS

Shaoni Bhattacharya, Sean Blair, Ethan Chappel, Stuart Clark, Lewis Dartnell, Glenn Dawes, Dr Lucie Green, Anne Horleston, Tim Jardine, Moira Johnson-Groh, Sandra Kropa, Pete Lawrence, Jia-yi Liu, Chris Lintott, John Maclean, Paul Money, Laura Nuttall, Mark Parrish, Jonathan Powell, Steve Richards, Steve Sayers, Niamh Shaw, Lyn Smith, Paul Sutherland, Stephen Tonkin, Paul Wootton

#### ADVERTISING SALES

**Advertising Managers**  
Neil Lloyd +44 (0)117 300 8276,  
Tony Robinson +44 (0)117 314 8811  
**Inserts** Laurence Robertson +353 (0)87 690 2208

#### PRODUCTION

**Production Director** Sarah Powell  
**Production Coordinator** Derrick Andrews  
**Ad Services Manager** Paul Thornton  
**Ad Coordinator** Georgia Tolley  
**Ad Designers** Cee Pike, Andrew Hobson  
**Reprographics** Tony Hunt, Chris Sutch

#### LICENSING

**Director of Licensing and Syndication** Tim Hudson  
**International Partners' Manager** Anna Genevier

#### MARKETING

**Head of Circulation** Rob Brock  
**Head of Marketing** Jacky Perales-Morris  
**Marketing Executive** Craig Ramsay  
**Press and PR Manager** Emma Cooney

#### PUBLISHING & MANAGEMENT

**Publisher** Jemima Dixon  
**Managing Director** Andy Healy  
**Group Managing Director** Andy Marshall  
**CEO** Tom Bureau

#### BBC STUDIOS, UK PUBLISHING

**Director of Editorial Governance** Nicholas Brett  
**Director of Consumer Products and Publishing** Andrew Moultrie  
**Head of Publishing** Mandy Thwaites  
**UK Publishing Coordinator** Eva Abramik  
**UK.Publishing@bbc.com**

**EDITORIAL REVIEW BOARD** Andrew Cohen, Head, BBC Studios Science Unit; Deborah Cohen, Editor, BBC Science Radio; Steve Crabtree, Executive Producer, BBC Studios; Carmen Pryce; Robin McKie

#### SUBSCRIPTION RATES

Annual subscription rates (inc. P&P): UK cheque/credit card £62.40; Europe & Eire Airmail £75; rest of world airmail £85. To order, call 03330 162119 (UK); overseas +44 (0)1604 973727

We abide by IPSO's rules and regulations. To give feedback about our magazines, please visit [immediate.co.uk](http://immediate.co.uk), email [editorialcomplaints@immediate.co.uk](mailto:editorialcomplaints@immediate.co.uk) or write to The Editor, BBC Sky at Night Magazine, Immediate Media Co., Tower House, Fairfax Street, Bristol, BS1 3BN.

**abc** Audit Bureau of Circulations  
19,202 (combined; Jan-Dec 2018)

© Immediate Media Company Bristol Limited 2019  
ISSN 1745-9869

All rights reserved. No part of BBC Sky at Night Magazine may be reproduced in any form or by means either wholly or in part, without prior written permission of the publisher. Not to be re-sold, lent or hired out or otherwise disposed of by way of trade at more than the recommended retail price (subject to VAT in the Republic of Ireland) or in mutilated condition. Immediate Media Company Bristol Limited is working to ensure that all of its paper is sourced from well-managed forests. This magazine is printed on Forest Stewardship Council (FSC) certified paper. This magazine can be recycled, for use in newspapers and packaging. Please remove any gifts, samples or wrapping and dispose of it at your local collection point.



The publisher, editor and authors accept no responsibility in respect of any products, goods or services that may be advertised or referred to in this issue for any errors, omissions, mis-statements or mistakes in any such advertisements or references.

► gun principle to launch a satellite?  
Rockets are like the propeller in the 1930s; there must be something better.

**John G Phimister, Kirkcaldy**

## Smashing plates

Earth is the only planet we know so far that has plate tectonics, a process which some believe began around 4 billion years ago. Is it possible that the Earth's collision with Theia, or another external body, could have triggered the initiation of fracturing across Earth's surface?

**David Mayston**



## Rille seeker

Your recent items on the Apollo missions prompted me to send in this mixed media picture of Dave Scott at Hadley Rille. It's a

pencil drawing with watercolour highlights. I am fascinated by all aspects of the Moon and enjoy observing and photographing it, as well as drawing it.

**Andy Bucknell, Doncaster**

## And finally...

Here's a joke you may like. Did you hear all the seats for the end of the world are sold out.

So it's expanding gloom only.

**Tom Mexbass, via email**

## Tweets



**Jeremy Flint**  
@JeremyFlint50 • Mar 20  
@skyatnightmag 67P/  
Churyumov-Gerasimenko  
#potato



## SOCIETY IN FOCUS

Recently, on a bright St Patrick's Day, Southport Astronomical Society opened the Hesketh Park Observatory to the public. The park and observatory are both Grade II-listed, both having recently celebrated their 150th anniversaries.

For many years the dome was located at the home of Joseph Baxendell in Southport. A meteorologist, in 1871 he relocated his family to Southport to manage a newly built weather station in Hesketh Park. He used the telescope to detect variable stars and was elected a Fellow of the Royal Astronomical Society and the Royal Society.

The telescope is a 6-inch achromatic refractor with a focal length of 90 inches. Manufactured in 1869 by Thomas Cooke



& Sons of York, it is the only one of its type to retain the gravity-powered mechanical drive system with which it was fitted.

The observatory was opened to the public in 1901, when local dignitaries were among the crowds attending. Our recent open day was also busy, with queues to get in. Visitors were shown the interior by society members who explained the

operation, history and purpose of the telescope, and answered countless questions. In total, 167 visitors came, including 65 young people, to enjoy a novel experience that stirred their minds.

**Robert Mount FRAS,**  
**Southport Astronomical Society.**  
[www.southportastro.org](http://www.southportastro.org)





# Mission Discovery Space & STEM Camp

## Team-up with TWO Astronauts & launch your experiment into space

Students aged 14-18 can meet and work with Astronauts Michael Foale (left) and Tony Antonelli (right) for 5 days at ISSET's Mission Discovery programme, hosted at King's College London **8th - 12th July 2019** and compete to launch an experiment they design into space to be carried out by astronauts aboard the International Space Station!

“It was simply brilliant and I will recommend it to many others! I learned so much but it didn't feel like school.”

- Joanna, Mission Discovery 2018 participant

# BLAST YOUR EXPERIMENT INTO SPACE!


- Meet & work with TWO Astronauts
- Learn all about space & STEM
- Make your UCAS application stand out
- Improve your teamwork skills
- Make friends for life!
- Optional meals & accommodation available

ISSET PRESENTS  
**MISSION**  
DISCOVERY

**KING'S**  
College  
LONDON



## Special Offer WORTH £150



Purchase a Serious  
Light and get a  
FREE Serious Compact  
Light worth £150.

Quote Promotion Code  
5648 when ordering  
by phone or online.

Do you find yourself  
struggling to read  
for any length of time?

Revolutionary reading light  
gives you back crystal clear  
clarity and vivid colour again.

*“It’s like having a brand  
new pair of eyes!”*

Ms Sherliker Surrey

- Up to TEN TIMES more light on your page than a traditional 60w filament bulb
- Words are crisp and clear
- Delivered fully assembled
- Reading is easier, faster and more enjoyable
- Recommended by over 500 independent qualified opticians
- 5 year guarantee



*“For reading,  
this light is better  
than daylight.”*

Mrs Watkins London

See the  
difference  
for yourself  
**risk free**  
for 30 days

Serious Readers is a British company totally dedicated to the purity of light and as our name implies we take it rather seriously. So much so, we design and build our reading and task lights like no other. Whilst other lights rely on aesthetics for their appeal rather than light output, our primary focus is on performance.

### **TVs aren’t the only technology to use high definition**

A Serious Light offers incredible clarity and brightness. In fact, our lights are used by surgeons, forensic scientists and fine art restorers – basically anyone who needs to see clearly and accurately.

### **The smaller the text the greater the clarity**

Small text is a test for both light and eye and with a Serious Light this is where you’ll really notice the difference. Everything looks sharper, clearer and easier to read. Fine detail is more defined and colour has a new vibrancy and richness. If you’re an avid reader or have a hobby that requires close work, a Serious Light will completely transform your enjoyment in a way you never thought possible.

For advice or to request a brochure  
**Call Free 0800 085 1088**  
or visit [seriousreaders.com/5648](http://seriousreaders.com/5648)



Choose  
from Floor  
or Table  
models



Our pick of the best events from around the UK

# WHAT'S ON

## More listings online

Visit our website at [www.skyatnightmagazine.com/whats-on](http://www.skyatnightmagazine.com/whats-on)

If you want to tell the world about your event, fill in the online submission form



## Apollo 10 anniversary dinner

National Space Centre, Leicester,  
18 May, 6.30pm

Join special guests for an Apollo-themed dinner to mark the 50th anniversary of the Apollo 10 launch, including a Q&A and documentary screening. Tickets are £50.

[www.spacecentre.co.uk](http://www.spacecentre.co.uk)

## Shrinking Mercury

Royal College, Strathclyde University,  
Glasgow, 16 May, 6.45pm

The Astronomical Society of Glasgow gives a guide to the visible objects in the night sky, followed by a lecture from Dr Simon Cuthbert on how Mercury is shrinking.

[www.theasg.org.uk](http://www.theasg.org.uk)

## Family planetarium shows

Armagh Planetarium, County Armagh, May  
During May there is a range of shows at the planetarium, teaching pre-school children about the planets and taking adults and young astronomers on a Solar System tour.

[www.armagh.ac.uk](http://www.armagh.ac.uk)

## Bath astronomers

Wellow public car park, Wellow, Nr Bath,  
2-5 May (weather depending), 9.30pm  
One stargazing session will take place during 2-5 May, so check the group's Facebook page or visit their website.

[www.bathastronomers.org.uk](http://www.bathastronomers.org.uk)

## PICK OF THE MONTH



▲ The SDSO's hillside setting gives visitors access to some of the UK's best dark skies

## Stargazing under Scottish dark skies

Scottish Dark Sky Observatory, throughout May

The Scottish Dark Sky Observatory (SDSO) is located on a hilltop on the edge of Galloway Dark Sky Park and operates under some of the darkest skies in the UK.

As the summer approaches and the nights get shorter, you can take advantage of the pristine sky conditions at one of the observatory's many stargazing sessions held over the month.

Each session begins at 10pm and involves an evening of guided stargazing with expert astronomers, as well as viewing the night sky through the observatory's telescopes. The event also

involves an introductory astronomy talk and a tour of the observatory.

This month, stargazing events are being held every weekend as well as both bank holidays. Sessions are suitable for newcomers and seasoned observers, young and old alike. Tickets are £16 for adults, £12 for concessions and £10 for children. As observing sessions are weather-dependent, always check with the observatory before beginning your journey. More information can be found on the SDSO website.

[scottishdarkskyobservatory.co.uk](http://scottishdarkskyobservatory.co.uk)

## Telescope tour

Grizedale Forest, Lake District,  
4, 12, 24, 25 May, 8.30/10pm

Astronomer Robert Ince presents a telescopic tour of the constellations and the Milky Way, plus lessons in how to navigate the night sky for yourself. Tickets are £15.

[www.eventbrite.co.uk/o/robert-ince-7214874047](http://www.eventbrite.co.uk/o/robert-ince-7214874047)

## Stargazing in central Wales

Newtown Catholic Church, Long Bridge  
Street, Newtown, 11 May, 7pm


Newtown Astronomical Society meet for some telescope surgery, stargazing and a talk on music in astronomy. The event is £3.50 for visitors, free for under-16s.

[www.facebook.com/groups/1412459148966189](https://www.facebook.com/groups/1412459148966189)



# GLAMPING WITH THE STARS

Here's a great selection of places to stay where you can relax in comfort and enjoy the experience of a dark sky above



## LUXURY GLAMPING IN SNOWDONIA'S DARK SKY RESERVE

Explore beautiful Snowdonia by day, and crystal clear dark skies at night before drifting off to sleep to the sound of owls calling. Snowdonia Glamping Holidays' accommodation is designed for outdoor comfort with private kitchen and dining areas, firepits, binoculars, blankets, and giant beanbags for stargazing comfort. What you won't find is a mobile signal, internet, TV or even radio. No traffic or noisy neighbours either – unless you count birdsong and baa-ing! Just peace, tranquility and nature.

**01690 710067**

[www.snowdonia-glamping-holidays.co.uk](http://www.snowdonia-glamping-holidays.co.uk)

## SEREN

Nestled in the corner of a field, this whimsical hut has everything you need to relax and unwind, with its log burning hot tub to watch the stars, before drifting off in your kingsize bed. Includes private bathroom, hot shower, gas BBQ & fire pit. From £100 a night. **07528 343881**  
[www.jubileeabarn.net](http://www.jubileeabarn.net)



## EAST JORDESTON COTTAGES

5-star Scandi-styled cottages located 4 miles from Tenby on the south Pembrokeshire coast. Excellent standards of comfort and friendly Welsh hospitality, with panoramic views – the perfect spot for a night with the stars.

**01834 871627**

[www.ejcottages.com](http://www.ejcottages.com)

## CIDER MILL COTTAGE

Cider Mill Cottage is well and truly off the beaten track with stupendous views of the beautiful Teme Valley. Wonderfully converted with open-plan living area, wood burning stove and a contemporary kitchen with AGA. Ideal for short breaks and enjoying dark sky stargazing.

**07590 073 084**

[www.cidermill-cottage.co.uk](http://www.cidermill-cottage.co.uk)



## RUBERSLAW WILD WOODS CAMPING

The Scottish Borders has no other camp site like this. 500 acres of unspoilt upland. Camp in comfort on the slopes of Ruberslaw, hidden away in woodland clearings. Perfect to relax with nature on your veranda or around a campfire enjoying the stars. Everything you need to arrange a special stay under canvas is here.

**01450 870 812**


[www.ruberslaw.co.uk](http://www.ruberslaw.co.uk)

## STARGAZING AT KAYA LODGE

At the end of a day spent exploring Suffolk, why not cook up a storm on the BBQ, toast marshmallows or retire to the deck as the stars come out? Stay in our luxurious safari tent and experience the magic of sleeping out with the added comforts of a hot shower and cosy woodburner.

**07919405594**

[www.kayalodge.co.uk](http://www.kayalodge.co.uk)





# FIELD OF VIEW

## *Never the twain shall meet?*

While astronomy and astrology are clearly poles apart,  
**Jonathan Powell** discovers a shared passion for the stars



**Jonathan Powell**  
is the astronomy  
correspondent  
for the *South  
Wales Argus*

Ask me to talk about astronomy to anyone showing an interest, and I immediately download the classic Patrick Moore delivery technique, high-speed, detailed and wonderfully passionate. My interest in astronomy began at such a young age that no one else was into it, they all preferred football and cricket. And while I followed these sports and still do, I've developed the habit of talking to anyone showing even the slightest interest in the stars as if I was a missionary, enlightening those with time to listen about the stars and planets, and attempting to match my output with anything currently on view in the night sky. A chance to show rather than just talk about astronomy.

Therefore, when a friend of mine said that a newly found mutual friend didn't realise I had such a passion for the stars, I was understandably keen to impart all I could; not to impress, but to show that astronomy is very accessible.

When I've talked to others about the subject over the years, it's been a surprise exactly how many people, of all ages, have an interest in astronomy but have never taken it beyond the point of it just being a casual affair. Their enthusiasm intermittently rekindles upon the arrival of a bright comet in our skies, a supermoon perhaps, or just sighting Venus in the morning or evening sky. One only has to look at the interest shown UK-wide during the last return of Halley's Comet to see how people react to something they can see, rather than just be told about it. It makes a world of difference.


As soon as possible, my newly discovered friend and I met up and, bubbling with excitement, I reeled off a summary of my involvement in astronomy since prehistoric times. As I delivered my keenly expressed words, her eyes lit up and were accompanied by a broad smile – it appeared as if common ground had been reached. Indeed, I thought 'first contact' had been established.

When I had finished delivering my verbal barrage, she replied positively but with a dialogue that included words such as 'zodiac' and 'spiritual'. I realised quickly I had followed the right rabbit but down the wrong hole, as it was astrology she was interested in, not astronomy. Having quickly returned up and out of the hole I'd gone down, the conversation from that point remained pleasant and civilised, but at cross-purposes.

The stars to some mean something completely different to the science of astronomy. However, one must respect the chosen passion, pursuit, and interest that others have, as to them, it is held in the same regard as that which we astronomers invest in our own field.

History tells us that for many ancient civilisations, the two subjects of astrology and astronomy were once very much intertwined, with a great deal of time, care, and attention taken to recording events in the night sky. Coupled with a belief system, this early approach resonated throughout many cultures across the globe.

However, I do recall Sir Patrick's lead weight definition of astrology – "Bunkum!" 🌌





**BBC**

# Sky at Night MAGAZINE

SAVE WHEN YOU SUBSCRIBE  
TO THE DIGITAL EDITION



Available from



Download on the  
**App Store**



Available on  
**kindle fire**



GET IT ON  
**Google play**


**zinio**<sup>TM</sup>



The perfect addition to your stargazing, *BBC Sky at Night Magazine* is your practical guide to astronomy, helping you to discover the night skies, understand the Universe around us and learn exciting techniques for using your telescope.



Enjoy our Premium App experience now available from



zinio™

**BBC**  
**Sky at Night**  
**MAGAZINE**





**Prof Lucie Green** is a Professor of Physics at Mullard Space Science Laboratory. She is author of *15 Million Degrees: Journey to the Centre of the Sun*

This montage of 365 images from ESA's Proba-2 satellite shows the low activity of our Sun throughout 2018. At the extreme ultraviolet wavelengths pictured, active regions are shown as bright spots

# Are sunspots really in DECLINE?

**Lucie Green** reveals how the science of the Sun's magnetic heartbeat explains a drop in solar activity

The number of sunspots observed on the solar surface follows a roughly 11-year pattern of peaks and troughs known as the solar cycle. I started my career in solar physics in cycle 23 and we are currently coming to the end of cycle 24. While we still have a lot to learn to accurately estimate the patterns of future solar cycles, predictions over the past decade suggested that our current cycle would be smaller than average. Does this mean an overall waning of solar activity? New research over the coming years may help us get a better idea of what the future holds for our host star.


Sunspots have been observed for thousands of years, even before the development of the solar telescope provided a way to safely view our dazzling local star. Systematic records of sunspot numbers and their positions didn't begin, though, until the mid-1800s. Still, these records represent the longest running dataset of any cosmic phenomenon and reveal an intriguing side to the Sun's character.

That the solar cycle was ever noticed is thanks to astronomers spurred on by the possibility of discovering a new planet. In 1846 Neptune had been discovered in the search to understand whether irregularities in the orbit of Uranus were due to problems with Newton's theory of gravity, or the gravitational effect of a then undiscovered planet. The latter idea won. So when irregularities were discovered in Mercury's orbit, it seemed only sensible to take the same approach and the existence of ▶

ESA/ROYAL OBSERVATORY OF BELGIUM










► the planet Vulcan orbiting close to the Sun was proposed. The theory could be tested observationally by looking for the planet as it transited the Sun.

One person who took up this challenge was German pharmacist-turned-astronomer Heinrich Schwabe, who observed the Sun every clear day from 1826 to 1843. Although he found no evidence for the hypothetical planet Vulcan, his sunspot records did reveal a 10-year period or so during which their numbers rose. A repetitive process seemed to be at work. Soon astronomers across Europe were being encouraged by the director of Bern Observatory – Rudolf Wolf – to make regular observations of the Sun and record their findings. Wolf combined the new sunspot records with those taken in the centuries before and was able to reconstruct sunspot cycles back to 1755. He called this ‘cycle 1’ and numbered all the following cycles consecutively.

## What causes sunspots?

Solar cycle studies focused for many years on data collection, such as sunspot number, location and shape, until the true origin of sunspots was shown by George Ellery Hale in 1908. Hale discovered that these dark spots on the Sun are actually the intersection of colossal tubes of magnetism penetrating the photosphere. This discovery started a revolution in solar physics and showed us that the solar cycle is actually a magnetic one.




Today we understand that flows of electrically charged gas inside the Sun both sustain and evolve the global magnetic field. The solar cycle captures all the stages of this evolution. At the start of the cycle, the Sun’s global field is aligned in a north-south direction. The flows then drag out this field so it becomes more aligned with the east-west direction. When portions of the interior field grow too strong, they become buoyant and a loop rises to penetrate the Sun’s surface. Sunspots form at the two foot points of the loop: one sunspot with a south magnetic pole next to a spot with a north pole. Just like the configuration of a magnet.

The fluid nature of the Sun means sunspots don’t live forever. The solar cycle progresses because flows at the surface of the Sun start to tear apart the magnetic fields of the sunspots, spreading the field over ever-larger areas. As the field disperses, the sunspots disappear. Eventually, more fluid flows take the magnetic field up towards both poles of the Sun where it gets reprocessed, ready to feed into the next cycle.

Overall, the evolution of the Sun’s magnetic field that drives the solar cycle might seem straightforward.

▲ Solar cycle 23, captured in extreme ultraviolet light by NASA’s SOHO spacecraft, reveals maximum activity in 2001



▲ Looking back at recent solar cycles reveals a decline in sunspot numbers. Early indications suggest this trend is likely to continue in cycle 25




# How the solar cycle works

This diagram reveals the inner workings of the Sun during the solar cycle. The magnetic field evolves from being aligned north-south at solar minimum (a)

to aligning east-west (b), and eventually being multipolar at solar maximum (c).

The photosphere is the visible layer of the Sun that we are familiar with,

where sunspots are formed; the tachocline is a region inside the Sun where the magnetic field gets distorted and moved.




But consider this: cycles can be large or small, and cycles of different sizes do not follow each other at random. Instead, a few large cycles will be followed by a few small cycles. Analysing this trend has also revealed an 80-year so-called 'Gleissberg cycle' on top of the 11-year cycle. And on top of this are the 200-year de Vries and the 2,300-year Hallstat cycles too. Developing a model that can explain all these details is an important area in modern solar physics.

The discovery of the Sun's magnetism was also key to understanding the violent side of the Sun's character: solar flares and coronal mass ejections (CMEs) driven by colossal releases of energy stored in the solar magnetic field. The frequency of solar flares and CMEs peaks at the apex of each solar cycle, as does the amount of light that the Sun emits. At cycle maximum, with the most sunspots, the Sun is fraction of a per cent brighter.

Certain rules are obeyed during a solar cycle. Sunspots appear at high latitudes at the start,


with the sunspots that form during subsequent years appearing at progressively lower latitudes. This pattern is shown wonderfully clearly in the so-called 'butterfly' diagram published by astronomers Annie and Walter Maunder in 1904 (see page 34). When pairs of sunspots appear, one with a north pole and one with a south, sunspots in each hemisphere will nearly always appear in the same order as the Sun rotates. For cycle 24, pairs of sunspots in the northern hemisphere that came into view as the Sun rotated had the south pole spot appear slightly ahead of the north. In the southern hemisphere, it was the opposite way round. This swaps every solar cycle, meaning you can use the magnetic field of sunspots to determine which cycle they formed in. The rules apply to the overall global field of the Sun too, and at the peak of each cycle the polar magnetic fields swap their magnetic polarity.

All this prompted the American National Oceanic and Atmospheric Administration and NASA to form ►



▲ The 11-year solar cycle (shown here as black lines) can be further grouped into 80-100 year Gleissberg cycles (shown here as a yellow arc) as seen when we look back at the last 200 years of sunspot data





► a 'Solar Cycle 24 Prediction Panel' to see what models and theories are best able to predict solar cycle size, duration and peak.

## Making predictions

Prediction methods vary. One uses the finding that the number and frequency of sunspot formation at the start of a cycle is linked to the size and timing of that cycle's peak. Another assesses the strength of the polar magnetic field, that is the 'seed' from which each cycle grows. Another looks at the strength of the gas flows that ultimately drive the cycle. Yet, another approach is to consider solar activity over timescales much longer than a single 11-year cycle.

The challenge is that it is easier to forecast once the sunspots of a new cycle have started to appear. Then the rate at which the sunspots are forming can be compared with that of previous cycles to get

an idea of how the new cycle will play out in terms of size and duration.

Initial predictions for cycle 24 came in 2006, even before the first sunspots of that cycle formed. Solar minimum – when the number of sunspots is lowest – was forecast for March 2008 with a moderately large maximum in 2011. In January 2008 the first sunspots of the cycle were seen and by 2009 there were enough to be used in cycle prediction methods. A revised statement from the Solar Cycle Prediction Panel followed in May 2009, downgrading the forecast to a smaller than average cycle that would peak in May 2013. Another slight downgrade came again in 2011. At this time the solar physics community was feeling pessimistic about the status of the Sun's cycles, with some even suggesting that in the coming decades we might experience a strong downturn of the type seen in the Maunder Minimum,

▲ The 'butterfly' diagram shows the latitude of sunspot occurrence versus time in years. When pairs of sunspots form, one with a north pole and one with a south, they appear at the same place in each hemisphere


# Spying sunspots through history

Astronomical records paint a picture of solar activity, giving scientists today an invaluable glimpse at the Sun's past




## GEOLOGICAL HISTORY

Planet Earth creates its own solar record. Scientists can analyse the amount of certain isotopes in deep drilled Antarctic ice cores to determine the impact of solar flares up to 1.5 million years ago. This will, in turn, help to make forecasts about the future of solar activity.




1128

The first-known sunspot drawing, by John of Worcester, who may have observed them through clouds with the naked eye. Arabic, European and Mayan astronomers also observed sunspots, and they were recorded in China over 1,000 years earlier, although no visual records exist.




1612

Galileo was one of the first to systematically observe sunspots, like in this drawing. Galileo began projecting the Sun's image through a telescope in order to study it and surmised that sunspots were features on the surface; a ground-breaking revelation.



1845

The first photograph of the solar surface, captured by Léon Foucault and Louis Fizeau. With an exposure 1/60th of a second, the French physicists created a scientific record of our host star, revealing detail that would be impossible to see with the naked eye.



NOW

Today's fleet of solar telescopes can create multi-wavelength views of the Sun, as this image by NASA's Solar Dynamics Observatory shows. This enables solar scientists to observe the Sun's outer layers, but also peer beneath sunspot areas to get a deeper view of internal solar activity.



# A threat to life on Earth?

Predicting irregular solar activity can help to keep us safe

The Sun's evolving magnetic field, along with the associated flares, eruptions and light output, have very real consequences for life on Earth. Flares and coronal mass ejections can create stormy space weather and the varying radiation we receive needs to be fed into climate models on top of changes caused by increasing greenhouse gases.

The solar cycle controls the space environment around Earth. In turn, a range of technological services can be disrupted, from electricity distribution to accuracy of global positioning data and timing information, to the aviation sector and communication networks.

A recent study showed that the magnitude of the solar activity events we have experienced during the last 70 years of the space age might not represent the worst the Sun can do. Around 2,500 years ago a particle radiation storm occurred that was 10 times stronger than anything we have seen: something that, today, we are under-prepared for.

At cycle minimum the Sun's magnetic field diminishes, but Earth is still enveloped in it although we get less protection from harmful particles known as cosmic rays. Predicting upcoming solar cycle sizes and timings enables long-term planning to protect our technology.



**BBC**  
RADIO



Listen to a BBC podcast in which Lucie Green looks at solar superstorms and the threats they pose to our planet.  
<https://bbc.in/2HCgiN7>

when the solar cycle appeared to switch off for several decades in the mid-1600s. If felt like the Sun was fading in front of our eyes.


The Sun eventually reached solar maximum in April 2014 and although the predictions didn't do too badly, it was clear we have a lot to learn. We are now in the waning phase of cycle 24, with a prediction that the cycle won't fully end until well into 2020.

It is never possible to say exactly when minimum occurs until we have passed that point. We need to see the sunspot number drop and then start to rise again with spots that have the new cycle's magnetic field orientation. What we can say, though, is that


some very small and short-lived magnetic field bipoles have emerged at high latitudes with the correct, swapped, orientation for cycle 25. However, they never grew into fully-fledged sunspots groups that were officially recognised.

## How bright is the future?

What might cycle 25 have in store? Well, the challenges with predictions in previous years have motivated new research. New physical models are being developed along with new analysis of the observations. A recent forecast by a team from the Indian Institute of Science Education and Research in Kolkata has published their prediction for a cycle similar in size or slightly larger than the current one, with a peak in 2024. If correct, it could mean that the previous opinions that the Sun's activity is fading might be reversed.

With still so much to learn about processes that play out over the full surface of the Sun is it clear that we need more data. But one of the limiting factors comes from our viewpoint. All our telescopes take images from close to the plane of the Sun's equator, when many of the important processes take place near the poles. The solution to this predicament is the European Space Agency's Solar Orbiter mission. Due to launch next year, it will become the first spacecraft to take images of the Sun from a high-latitude vantage point. We will be able to track the magnetic field that drives one cycle into the next, filling in the gaps in our knowledge. From this new physical theories will be developed and, we hope, we will finally unlock the secrets of the solar cycle. 

► The ESA Solar Orbiter mission, scheduled for 2020, will be able to image solar activity much closer to the Sun's poles











# Deep sky, DARK FOREST

**Elizabeth Pearson**

explores the  
extraordinary dark  
skies found above  
Kielder Observatory

**W**ith every metre I drive through the winding roads of Kielder Water and Forest Park the trees around me seem to grow taller. Despite being just an hour away from Newcastle, I feel like I am in the wilderness, heading ever deeper into the forest.

Then I turn a corner and the tree line stops and the landscape opens out, revealing a large valley. In the distance a lake glistens in the late afternoon Sun and, in front of me, a hillside is covered with Christmas trees. Nestled in the middle of them is a wooden building, seemingly sailing out into the sky. This is Kielder Observatory.

Kielder Forest has long been a place for visitors who appreciate nature and wildlife, but it's also somewhere you can enjoy one of our most overlooked natural resources – the night sky. ►

The striking wooden design of the Kielder Observatory was the winning entry in a competition organised by astronomer Gary Fildes

GARY FILDES



► With the Sun still up we'll have to wait for the headline act. For now, my fellow visitors and I are invited inside to hear about the aurora.

Since opening in 2008, Kielder Observatory has run thousands of similar sessions, talking about all aspects of the cosmos around us – from the Moon, through to distant exoplanets, all the way to the far reaches of the Universe.

"We welcome everyone and try to engage with them on their level," says Becky Cooper, a science presenter at Kielder. "We get a wide range of visitors, from really young kids to senior citizens; people who've never studied space before and those who have. Kielder is accessible to everyone, we don't want to alienate anyone – pardon the pun."

## Darkness visible

When our talk is over, we head outside once again and the view around the observatory has completely transformed. The Sun has set, revealing one of the darkest skies I have ever seen, studded with hundreds of stars. Immediately my eyes are drawn to Orion, hanging directly above the observatory. Though I can see the Hunter from my suburban home, out here I can see the constellation is filled with stars that are usually invisible from my back garden. As my



eyes adapt to the dark, ever more stars seem to come into view.


While the sky is dotted with lights, the valley below is completely dark, without a single streetlight visible. No distant orange glow stains the horizon.

"One of the reasons we are so rural is to escape light pollution," says Cooper. Kielder Forest is home to

▲ **Getting away from it all: the treelined road through Kielder Forest**

# Stargazing steeped in nature

From its opening in 2008, Kielder Observatory is now entering its second decade of operations



**Kielder was designed to blend in to its natural surroundings**

After witnessing the incredible dark skies at Kielder Forest during a star party in the early 2000s, former bricklayer Gary Fildes knew he had to encourage as many people as

possible to come and share the wonder.

The long journey towards making the observatory a reality started in 2005, when Fildes ran a competition to

design the building. It received over 200 entries. While many of these featured futuristic forms made of glass and metal, the ultimate winner was London-based architect Charles Barclay. When it was finished in 2008, Barclay's wooden creation blended into the surrounding forest and now, 10 years after being built, moss and lichen have softened the edges, making it seem as if the building has always been there.

The main observatory building houses a 'warm room', kept toasty by a wood-burning stove and where 40 people can sit and learn about the Universe around them. There are no windows here; to see

the stars you have to wait until it's time to step up into one of the two telescope turrets, the roofs of which open up like a portal to the night sky above.

Both turrets have a full 360°-view of the night sky, and are rotated by hand. The remote location means the observatory is completely off-grid, and the only power is generated by a single wind turbine. While this is enough to run the computers, lights and telescopes, turning two six-tonne roofs would be far too taxing.

Cut off from civilisation, Kielder Observatory is the perfect place to reconnect with the natural world not just around us, but above us too.



*"If you're away from those urban lights you can see so much more, even with the naked eye"*

Kielder Observatory is situated in the largest dark sky park of protected night sky in Europe, covering 1,500 square kilometres



▲ Above left: "We're lucky enough to get the Northern Lights," explains Kielder's resident aurora expert Becky Cooper

Above right: the computer controls that allow visitors a chance to steer a Kielder telescope to a nearby star



the darkest skies in England, and it's Europe's largest accredited dark sky park, covering 1,500 square kilometres of the Northumberland countryside.

"It does make one hell of a difference," says Cooper. "If you're away from those urban lights you can see so much more, even with the naked eye."

Guests don't have to rely on their eyes alone, however, as Kielder is home to a multitude of high-end telescopes. We are invited back inside to one of Kielder's two main turrets, named the Sir Patrick Moore Observatory, which houses a 16-inch Ritchey-Chrétien telescope. It was dedicated to the memory of *The Sky at Night*'s legendary presenter at an unveiling ceremony in 2013.

"We go for a very classic eye-to-eyepiece experience," says Dan Pye, another of the observatory's presenters. "We feel it's the nicest experience."

His point is proved when a younger member of the group is invited to look through the eyepiece, catching her first ever glimpse of the star Sirius.

"It looks like a rainbow!" she says, clearly excited at finding out why Sirius is known as the Rainbow Star.

Afterwards, one of the parents is visibly gleeful as he is allowed to steer the telescope to a nearby star cluster using its computer controls. Unfortunately, the bright Moon prevents us from seeing the best deep sky sights, such as the Milky Way, but the dozens of sparkling stars give us a tantalising hint of what the darkness here can reveal.

Situated just south of the border between England and Scotland, Kielder's northerly location means it is sometimes home to more than just a dark sky.

"We're lucky enough to get the northern lights maybe a handful of times a year," says Cooper, whose ▶



► love of the lights has earned her the moniker 'Aurora girl' among the staff.

"It's quite common if you go further north, but it does sometimes stretch this far south. You've got to be quite lucky, but we're always on the lookout because every sighting is special."

On the back wall of the warm room, four screens give a constant update showing the auroral oval and space weather conditions, so that the observatory staff can get all the guests – and themselves – out to see the rare sight, should the lights decide to dance in the sky above.

Unfortunately for us, activity remains stubbornly low. Despite the clear skies, it seems we won't be treated to one of the few times the night sky seems to come alive with colour, even to the naked eye.

## Adding colour

As our eyes aren't as good at picking up colour at low-light levels, the generations brought up on incredible Hubble images can sometimes find the dim view through an eyepiece disappointing. "We get asked 'why can't we see colour' a lot," says Pye.

And so last year Kielder Observatory built the Gillian Dickinson Astro-imaging Academy. This



second building not only allows the team to take on more guests, but also has space for another two telescopes on piers, this time set up for astroimaging. Housed in a roll-top observatory, where the entire ceiling can be rolled back to give telescopes – and the astronomers using them – a complete view of the sky.

"Now we can say, 'Look, this is what you can see with your eye', and then take a picture of it and show how different it looks," says Pye.

As well as giving a deeper view of the cosmos through imaging, the new building allows them to delve deeper into the practicalities of astronomy.

"We hold astrophotography classes, where we encourage everyone to bring along their own equipment and we help to guide them through the set-up process."

The Kielder facilities are still growing, and there are currently plans to build another new building at the site; a permanent planetarium, with construction due to begin later this year.

▲ The impressive 16-inch Ritchey-Chrétien scope at Kielder's Sir Patrick Moore Observatory



**Dr Elizabeth Pearson** is BBC Sky at Night Magazine's news editor. She gained her PhD in extragalactic astronomy at Cardiff University


# Things to do by day

There is plenty to entertain the entire family while you wait for darkness to fall




△ Kielder Water and Forest Park  
Explore the Park's miles of trails, viewing the many artworks and sculptures, and perhaps even catching sight of a rare red squirrel. In summer canoeing, sailing and water skiing is available on the lake.  
[www.visitkielder.com](http://www.visitkielder.com)

▽ Kielder Water Birds of Prey Centre  
Home to the largest collection of birds in the north of England, the bird of prey centre aims to promote understanding and conservation of the many wild birds found around the UK.  
[www.kielderbopc.com](http://www.kielderbopc.com)



△ Hadrian's Wall  
The remains of Hadrian's wall, first built in 122AD, lie just a short drive south of the forest. Visit one of the several Roman forts along its length, or hike along the Hadrian's Wall Footpath. Remains of the Wall can also be seen in Newcastle.  
[www.english-heritage.org.uk](http://www.english-heritage.org.uk)

▽ Newcastle upon Tyne  
The park is just an hour away from the historic city of Newcastle. Explore the city's Roman roots, admire the acclaimed architecture or visit one of the city's many galleries and museums.  
[www.newcastlehead.com](http://www.newcastlehead.com)








◀ Kielder is Europe's largest accredited Dark Sky Park.

Key places to visit are:

- 1** The Observatory
- 2** Kielder visitor centre
- 3** Kielder Water Birds of Prey Centre
- 4** Tower Knowe visitor centre
- 5** Housesteads Roman fort and Hadrian's Wall



▲ A stunning view of the Milky Way, extending up from the rooftop of the Kielder Observatory

"It's going to be great for those nights when the weather is a bit ropey – this is England after all, and we do experience cloud," says Pye.

As well as opening up the potential to accommodate day-time visitors, the planetarium will mean the stars are visible even when the weather conditions are overcast. While not the same as a

clear, dark sky it will give guests a hint of the experience. Meanwhile, Kielder has already been reaching out to one vital group of people who struggle to get to the observatory in the first place.

"With schools we've found the transport costs can be prohibitive," says Cooper. And so, Kielder decided that rather than bring the kids to the observatory, the observatory would go to them.


"We recently got a big, inflatable planetarium dome – think of a big, blue igloo – that we take to school halls to show them how the night sky would look from there. We've got all these demonstrations with infrared cameras and we take meteorites out to them as well. The kids get really excited because it's different, fun and interactive. Teachers do a great job, but if we can inject a little jazz for the kids that will bring it to life for them," says Cooper.

The Kielder Observatory has funding for the next three years, allowing its presenters to travel to schools throughout the north of England, teaching students all about the wonder of the Universe that surrounds us.

Hopefully, most visitors to Kielder won't have to rely on either planetarium, as nothing can truly match seeing the star-studded darkness above first hand. It's a sight I, for one, will always remember. 🌌

For more information about the Kielder Observatory visit: [www.kielderobservatory.org](http://www.kielderobservatory.org)







RRP £22.99



RRP £22.99




RRP £22.99



RRP £22.99

AVAILABLE AT [HAYNES.COM/SPACE](http://HAYNES.COM/SPACE)  
AND ALL GOOD BOOKSHOPS



## Stay in the wonderfully unique Treehouse Yurt

Stay in the wonderfully unique Treehouse Yurt just 25 minutes from the Kielder Observatory or cosy Shepherds Hut with a private hottub under the stars. Wild Northumbrian offers unique Yurts and Huts in stunning wild landscape in the middle of Northumberland National Park and Dark Sky Park. Set amongst the wild woods, meadows and fells and with views of some the darkest skies in Europe. Wild Northumbrian has its own 12 inch Dobsonian telescope and each accommodation has stargazing binoculars and star charts.

[www.wildnorthumbrian.co.uk](http://www.wildnorthumbrian.co.uk)  
01699 650166 • 07720053724

# SHERWOODS



## Special Offer £100

**POLARIS™ 80MM**

**GERMAN EQUATORIAL REFRACTOR**

The Polaris 80mm telescope comes complete with everything you need to view the wonders of the night sky the first time out. This 80mm Refracting Telescope delivers bright & detailed images and is perfect for viewing both land and celestial objects.

The Polaris Features a stable equatorial mount with slow motion controls that makes it easy to track celestial objects as they move across the night sky.


Supplied with three eyepieces and a 2x barlow to provide low, medium and high powered magnifications for viewing a wide range of objects including Moon & planets.



**The Arden Centre Little Alne  
Wootton Waven  
Warwickshire B95 6HW  
Tel. 01789-488880**

[www.BinocularHouse.com](http://www.BinocularHouse.com)





# The Sky Guide

MAY 2019

## GOOD LIBRATIONS

A favourable libration reveals  
the Moon's magnificent  
Humboldt crater

## ASTEROID BONANZA

From Ceres to Fortuna, we explore  
a collection of bright minor planets

## SKY GUIDE CHALLENGE

Can you find your way through  
Virgo by hopping galaxies?

PETE LAWRENCE

### About the writers



Astronomy expert **Pete Lawrence** is a skilled astro imager and a presenter on *The Sky at Night* monthly on BBC Four



**Stephen Tonkin** is a binocular observer. Find his tour of the best sights for both eyes on page 54

### Red light friendly



To preserve your night vision, this Sky Guide can be read using a red light under dark skies

### Don't miss...

- ◆ Eta Aquariid meteor shower peak
- ◆ Ceres at opposition in Ophiuchus
- ◆ Saturn's appearance near dwarf planet Pluto – a photo opportunity

### Get the Sky Guide weekly

For weekly updates on what to look out for in the night sky, sign up to our newsletter: [www.skyatnightmagazine.com/iframe/newsletter-signup](http://www.skyatnightmagazine.com/iframe/newsletter-signup)



# MAY HIGHLIGHTS

Your guide to the night sky this month

## Wednesday

**1** 📷 Callisto, Jupiter's outermost Galilean moon, will be positioned to the north of Jupiter's disc this morning.



## Thursday

**2** 📷 Venus and the Moon will remain close throughout the day. At 11:30 BST (10:30 UT), both objects appear due south, approximately one-third of the way up the sky. Venus will be 4.5° north and slightly east of the 6%-lit waning crescent Moon.

## Friday


**3** Today, it's the turn of Mercury to appear close to a 2%-lit waning crescent Moon in the daylight sky. However, unlike Venus, mag. -0.4 Mercury is not visible to the naked eye in a blue sky. Both objects are a little over 40° up, due south at 12:00 BST (11:00 UT).



## Saturday


**11** 📷 Minor planet 8 Flora reaches opposition at mag. +9.7 in Libra.

📷 The clair obscur effects known as the Lunar X and V reach peak visibility at 18:45 BST (17:45 UT).




## Saturday

**18** 📷 Tonight and tomorrow night Mars passes very close, clipping even, the open cluster Messier 35. The event is visible low in the evening sky following sunset.



## Sunday

**19** 📷 The Moon's small rocking and rolling action, known as libration, favours the southeast limb. This evening the massive crater Humboldt is well presented close to the terminator, the divide between lunar day and night.



## Family stargazing – Star hopping



Star hopping is a great way of navigating the night sky to learn at a young age. Look overhead as the sky darkens and try to find the Saucepan. The sides of the pan point down towards the bright star Regulus in Leo – easily identified because of the backward question mark of stars rising above it. Return to the Saucepan and extend the line of the two stars in the pan furthest from the handle in the opposite direction to Regulus to arrive at Polaris, the North Star. Finally, extend the curve of the Saucepan's handle away from the pan to arrive at bright orange Arcturus. Keep going along the arc and you'll arrive at white Spica.



## Thursday

**23** 📷 This morning's 82%-lit waning gibbous Moon sits 1.9° southeast of mag. +0.7 Saturn as it rises above the southeast horizon just after 01:00 BST (00:00 UT).





## Saturday

**4** 📷 Saturn is currently 2.7° west of Pluto in the morning sky.

## Sunday

**5** 📷 Tonight sees the peak of the Eta Aquariid meteor shower. Conditions this year are favourable as the Moon will be out of the way. The shower has a peak Zenithal Hourly Rate (ZHR) of 28 meteors per hour, but favours the southern hemisphere.

## Monday

**6** With the Moon out of the way, why not try this month's Deep Sky Tour (see page 56) which looks at objects close to Scorpio's heart?

## Tuesday

**7** Mag. +1.7 Mars is currently positioned between the Bull's horn tips of Taurus. This evening it is joined by a 9%-lit waxing crescent Moon 4.5° to the south-southwest.

## Friday

**10** Tonight is the maximum hourly rate of the weak Eta Lyrid meteor shower, which has a peak ZHR of 3 meteors per hour.

Our Moonwatch target, the crater Dionysius, is revealed tonight (see page 52).

## Tuesday

**14** 📷 The minor planet 11 Parthenope reaches opposition at mag. +9.5 in Libra.

## Thursday

**16** 📷 This evening represents an opportunity to see the clair obscur effect known as Cassini's Moon Maiden. The maiden is part of Promontorium Heraclides, marking the southern end of Sinus Iridum and best seen with south up.



## Monday

**20** 📷 Minor planet 20 Massalia reaches opposition at mag. +9.7 in Libra (page 53).

📷 As the Moon rises above the southeast horizon, after 23:00 BST, mag. -2.4 Jupiter is 3.3° to the west of it.

## Tuesday

**28** 📷 Dwarf planet 1 Ceres reaches opposition at mag. +7.0 in Ophiuchus.

Ganymede and its shadow will be in transit as Jupiter rises.

## Tuesday

**21** We have now reached the approximate start of noctilucent cloud (NLC) spotting season.



# NEED TO KNOW

The terms and symbols used in The Sky Guide

## Universal time (UT) and British Summer Time (BST)

Universal Time (UT) is the standard time used by astronomers around the world. British Summer Time (BST) is one hour ahead of UT.

## RA (Right ascension) and dec. (declination)

These coordinates are the night sky's equivalent of longitude and latitude, describing where an object is on the celestial 'globe'.

## Family friendly

Objects marked with this icon are perfect for showing to children

## Naked eye

Allow 20 minutes for your eyes to become dark-adapted

## Photo opp

Use a CCD, planetary camera or standard DSLR

## Binoculars

10x50 recommended

## Small/medium scope

Reflector/SCT under 6 inches, refractor under 4 inches

## Large scope

Reflector/SCT over 6 inches, refractor over 4 inches




## GETTING STARTED IN ASTRONOMY

If you're new to astronomy, you'll find two essential reads on our website. Visit [http://bit.ly/10\\_Lessons](http://bit.ly/10_Lessons) for our 10-step guide to getting started and [http://bit.ly/First\\_Tel](http://bit.ly/First_Tel) for advice on choosing a scope.



# THE BIG THREE

The three top sights to observe or image this month



A collection of bright asteroids is visible this month, including (from left) 1 Ceres, 32 Pomona 20, Massalia, 11 Parthenope, 8 Flora, 68 Leto and 19 Fortuna

## DON'T MISS

### Asteroids GALORE

**BEST TIME TO SEE:** All month with darkest skies 1-10 May




There are hundreds of thousands of asteroids in orbit around the Sun. Most are small but there are some big ones out there too. The largest, Ceres, was snatched from the asteroid belt in 2006 when it was reclassified as a new type of object known as a dwarf planet. Ceres has a diameter of 946km and was historically the first asteroid discovered. This month it comes to opposition in Ophiuchus, appearing not too far from the planet Jupiter as it does so.

Ceres begins the month at mag. +7.6 and brightens to reach mag. +7.0 at opposition on 28 May. It then remains at this brightness until the

end of the month. This makes it an easy target for a small telescope or binoculars and photographing its progress throughout May is a relatively straightforward task.

As well as Ceres there are a number of other relatively bright minor planets reaching opposition this month. Asteroid 8 Flora reaches opposition in Libra. Its magnitude variation throughout the month is from +9.9 on 1 May through to +9.7 at opposition on 11 May and +10.0 on 31 May. Not too far away is 11 Parthenope which starts the month at mag. +9.8, reaches +9.5 at opposition on 14 May and dims back to +9.8 by the end of May. Like Flora, Parthenope is located in Libra this month.



▲ The dwarf planet Ceres becomes brighter throughout May, reaching opposition on 28 May at mag. +7.0

Then there's 20 Massalia which moves out of Scorpius and into Libra. This starts May at mag. +10.2, brightens to +9.7 at opposition on 20 May and dims back to +10.1 by 31 May. You can discover more about 20 Massalia on page 53.


This is a good collection of relatively bright asteroids. By using a 35mm or shorter lens on a non-full frame camera or a 55mm or shorter lens on a full frame model, it will be possible to cover the entire star field where these bodies will be moving. If you can catch a number of shots of them throughout the month, and combine them to show how Ceres, Flora, Parthenope and Massalia have moved, this should produce a very interesting result.

Although this is a good collection, it's not the end of the story because in addition to the four listed, there are others in this region which are bright enough for a small telescope or wide field camera to record easily too. Of note are 19 Fortuna which reaches mag. +10.7 on 9 May, 32 Pomona which reaches mag. +10.5 on 23 May and 68 Leto which reaches mag. +10.6 on 15 May. Given clear skies this Solar System gathering will be quite something to record.



# A favourable Eta Aquariid meteor shower

**BEST TIME TO SEE:** 01:30-3.30 BST (00:30-02:30 UT), 6 May

 Most meteor showers are associated with comets although there are a few which have asteroids as their parent bodies. Examples include the Quadrantids, Kappa Cygnids and Geminids. The Eta Aquariid meteor shower has a very famous parentage. This is one of two annual showers associated

with comet P1/Halley, the first comet recognised to have a periodic orbit.

Between 19 April and 28 May, Earth passes through the dust stream strewn around Halley's orbit. The density of the stream reaches its maximum value on the night of 5/6 May and this marks the peak of the Eta Aquariid shower. At peak,


activity rises to a ZHR (zenithal hourly rate) of 40 meteors per hour but there are caveats which need to be considered.

The radiant position, the point at which the shower appears to originate to a terrestrial observer, is close to the asterism known as the Water Jar or, in popular culture, as the Steering Wheel. At this time of year this part of the sky only just rises as the dawn's light starts to kick in.

Consequently, the viewing window for the Eta Aquariids shower is quite short, say from 01:30-03:30 BST (00:30-02:30 UT) on 6 May.

As the radiant position is low – actually below the horizon at 01:30 BST (00:30 UT) – there will be a substantial difference between the ZHR figure and the number of meteors you're actually likely to see.

On the plus side, the Moon is out of the way, being new on 4 May. So despite a low visual rate, at least the sky will be good and dark in the run up to dawn. As ever, the best advice to see them is to find a dark spot away from stray lights. Give your eyes at least 20 minutes in darkness to adjust properly, and view the shower at a height of two-thirds up the sky, in any direction.



▲ With minimal Moon interference, early risers will be rewarded with the best views of the Eta Aquariid meteor shower at its peak activity, from 01:30-03.30 BST on 6 May

## Mars and M35


**BEST TIME TO SEE:** 18-19 May as the sky darkens

 At the start of April, Mars passed south of the Pleiades open cluster, M45, a lovely sight if you had clear skies. This month, the Red Planet will have another apparent encounter with a cluster, the lovely M35 in Gemini. Although this cluster can be glimpsed with the naked eye under dark sky conditions, it lacks the brilliance of the Pleiades. Consequently, you'll need binoculars or a low power

telescope to get the best views.

Unlike the Pleiades pass, which saw Mars approach within 3.5° of M45, the encounter with M35 has Mars passing over the northern reaches of the cluster. The conjunction can be seen on the night of 18 May and again on 19 May, but the position of Mars and M35 is not optimal, both objects appearing rather low as the sky darkens.

Mars will be at mag. +1.7 on 18 May, much dimmer than



▲ A previous encounter between the Red Planet and star cluster M35 in October 2007


when it was last at opposition on 27 July.

On that date the Red Planet shone at mag. -2.8 which was brighter than Jupiter. Despite this, it will still outshine the cluster which has an integrated magnitude of +5.5. M35 has an apparent diameter of 28 arcminutes and contains several hundred stars. There are some beautiful red-hued stars here too, which should provide an interesting comparison with Mars.



# THE PLANETS

## Our celestial neighbourhood in May



▲ From 25–31 May, Mercury will be visible for longer periods after sunset, from 35–70 minutes

## PICK OF THE MONTH

### Mercury

**Best time to see:**

31 May, 30 minutes after sunset

**Altitude:** 4° (very low)

**Location:** Taurus

**Direction:** Northwest

**Features:** mottled surface, phase changes

**Recommended equipment:**

telescope, with 6-inch aperture or larger

To be honest, Mercury is quite poorly positioned for most of the month. On 1 May it is located in the morning sky, rising barely 20 minutes before the Sun. It's best located by the presence of its outer Solar System neighbour, Venus, located 7.5° to the west. Despite this, the low dawn altitude of mag. –0.3 Mercury is probably going to keep it hidden from view.


Things don't improve much over the following days either, the planet gradually creeping closer to the Sun and remaining very low just before sunrise. The only saving grace is that its brightness is increasing. On 12 May it shines

at mag. –1.0 but only reaches a height of 1° before sunrise.

Solar conjunction occurs on 21 May when Mercury lines up with the Sun on the far part of its orbit relative to Earth – a superior conjunction. You might think that this doesn't give Mercury much time to redeem itself in what remains of May, but you'd be wrong. In the following days Mercury pulls further to the east of the Sun and is visible in the evening sky as a consequence.

By 25 May, Mercury will have pulled far enough from the Sun to set 35 minutes after sunset. It will be shining at mag. –1.7, with good prospects for spotting if there's a flat northwest horizon and clear skies.


On following evenings Mercury will increase its apparent distance from the Sun. This will be countered by the planet dimming. By 31 May, Mercury will shine at mag. –1.1, setting 70 minutes after sunset. Being on a far section of its orbit, a telescopic view will show it as a tiny 5 arcsecond disc, almost fully lit on the 25 May at 97% illumination, dropping to 87% on 31 May.




▲ Mercury's phase changes from 97% to 87% from 25 to 31 May

## The planets in May

The phase and relative sizes of the planets this month. Each planet is shown with south at the top, to show its orientation through a telescope







## Venus

**Best time to see:** 31 May, 30 minutes before sunrise

**Altitude:** 1° (extremely low)

**Location:** Aries

**Direction:** East-northeast

On 1 May, in the pre-sunrise sky, Mag. -3.8 Venus, Mag. -0.3 Mercury and a 7%-lit waning crescent Moon all appear close to one another. However, their altitude is low at sunrise so don't expect them to be easy targets. On 1 May, through a telescope Venus appears 88%-lit and 11 arcseconds across, figures which adjust to 93%-lit and 10 arcseconds by the month's end. This is caused by Venus moving along a part of its orbit which is furthest from Earth. The planet isn't particularly well placed at the start of May, rising 30 minutes before the Sun, but this improves slightly by the end of the month, with Venus rising 45 minutes before the Sun. This is despite the fact that Venus's apparent separation from the Sun is decreasing.

A slim 7%-lit waning crescent Moon hangs below and right of Venus on the morning of 2 May. Look for the pair low above the eastern horizon before sunrise.

## Mars

**Best time to see:** 1 May, 22.30 BST (21:30 UT)

**Altitude:** 14°

**Location:** Taurus

**Direction:** west-northwest

We're quickly losing Mars as its altitude drops rapidly following sunset. Telescopically the planet now appears too small for serious observation, showing a disc which is around 3 arcseconds across. There's an attractive arrangement of the planet and a 9%-lit waxing crescent Moon on the evening of 7 May. Look for this from around 23:00 BST (22:00 UT). Although it's getting very low in the evening twilight by 18 May, if you can spot mag. +1.7 Mars

low in the northwest that evening it'll be approaching the open cluster M35 in Gemini. It appears against the northeast edge of the cluster on 19 May.

## Jupiter

**Best time to see:** 31 May, 02:00 BST (01:00 UT)

**Altitude:** 14.5°

**Location:** Ophiuchus

**Direction:** South

Jupiter is a low but bright, mag. -2.4 object located in the southern part of Ophiuchus at present. It's close to the lowest part of the ecliptic seen from the UK. Not surprisingly, it only attains a peak altitude of around 15° when due south as seen from central UK. A bright 94%-lit waning gibbous Moon lies 3.7° to the east of Jupiter on the morning of 20 May.

## Saturn

**Best time to see:** 31 May, 02:45 BST (01:45 UT)

**Altitude:** 13°

**Location:** Sagittarius

**Direction:** South-southeast

Saturn is a morning object, battling the shorter nights to attain a reasonable altitude before morning twilight gets too bright. It's currently located in the constellation of Sagittarius, south of the Teaspoon asterism. Shining at mag. +0.8, Saturn is close to dwarf planet Pluto. Although Pluto is dim at mag. +14.3, it would be interesting to try and photograph both together. A bright 82%-lit waning gibbous Moon sits 2.1° to the southeast of Saturn on the morning of 23 May. If you look at Saturn through a scope, its northern pole is tilted towards Earth by around 23.6°.

Not visible this month


## Uranus, Neptune

**More ONLINE**

Print out observing forms for recording planetary events

## JUPITER'S MOONS: MAY

Using a small scope you'll be able to spot Jupiter's biggest moons. Their positions change during the month, as shown on the diagram. The line by each date represents 01:00 BST (00:00 UT).





# THE NIGHT SKY – MAY


Explore the celestial sphere with our Northern Hemisphere all-sky chart

## KEY TO STAR CHARTS

- **Arcturus** STAR NAME
- PERSEUS CONSTELLATION NAME
-  GALAXY
-  OPEN CLUSTER
-  GLOBULAR CLUSTER
-  PLANETARY NEBULA
-  DIFFUSE NEBULOSITY
-  DOUBLE STAR
-  VARIABLE STAR
-  THE MOON, SHOWING PHASE
-  COMET TRACK
-  ASTEROID TRACK
-  STAR-HOPPING PATH
-  METEOR RADIANT
-  ASTERISM
-  PLANET
-  QUASAR

### STAR BRIGHTNESS:

-  MAG. 0 & BRIGHTER
-  MAG. +1
-  MAG. +2
-  MAG. +3
-  MAG. +4 & FAINTER



MILKY WAY

## When to use this chart

**1 May at 01:00 BST**

**15 May at 00:00 BST**

**31 May at 23:00 BST**

On other dates, stars will be in slightly different positions because of Earth's orbital motion. Stars that cross the sky will set in the west four minutes earlier each night.

## How to use this chart


1. Hold the chart so the direction you're facing is at the bottom.
2. The lower half of the chart shows the sky ahead of you.
3. The centre of the chart is the point directly over your head.



## Sunrise/sunset in May\*
































	Date	Sunrise	Sunset
	1 May 2019	05:36 BST	20:39 BST
	11 May 2019	05:17 BST	20:57 BST
	21 May 2019	05:01 BST	21:13 BST
	31 May 2019	04:49 BST	21:27 BST


## Moonrise in May\*

	Moonrise times
	1 May 2019, 05:01 BST
	5 May 2019, 06:14 BST
	9 May 2019, 08:46 BST
	13 May 2019, 13:48 BST
	17 May 2019, 19:16 BST
	21 May 2019, 00:03 BST
	25 May 2019, 02:03 BST
	29 May 2019, 03:24 BST


\*Times correct for the centre of the UK

## Lunar phases in May

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
		1 	2 	3 	4  NEW MOON	5 
6 	7 	8 	9 	10 	11 	12 
13 	14 	15 	16 	17 	18 	19 
20 	21 	22 	23 	24 	25  FULL MOON	26 
27 	28 	29 	30 	31 		







More  
**ONLINE**  
Paul and  
Pete's Virtual  
Planetarium



# MOONWATCH

May's top lunar feature to observe

## Dionysius

**Type:** Crater


**Diameter:** 18km

**Longitude/latitude:** 17.3° E, 2.8° N

**Age:** Younger than 1.1 billion years

**Best time to see:** Six days after new Moon (10–11 May) and five days after full Moon (24–25 May)

**Minimum equipment:** 100mm refractor



At 18km in diameter, **Dionysius** is a relatively small crater situated on the western shore of Mare Tranquillitatis. Its largest neighbours are 53km Delambre, 144km to the south (centre-to-centre) and 91km Julius Caesar 203km to the north-northwest. The local region is dominated by the strikingly similar pairing of 31km Ritter and 30km Sabine to the southeast.

Dionysius has a distinctive shape. The rim running from the northeast, through north and round to the southwest appears as a circular arc. However, the rim sections to the south, southeast and most strikingly

to the east are straight. The crater has no central mountain complex, but its rim is clearly raised above the level of nearby **Mare Tranquillitatis**.

This is a young crater and sections of its interior appear quite bright. In addition, the outer surrounds are characterised by young ejecta released from the area when the impact occurred that created Dionysius. The streaks of ejecta form a fine spread of radial rays spreading out from Dionysius. These are evident to the northeast, east and southeast, where they cross the darker lava of Mare Tranquillitatis. With care the rays can be traced for distances over 100km.

The young age of the crater means that much of the material here appears quite bright under high

illumination. This is definitely the best time to look for the rays and to experience the brilliance of the crater's interior. Interestingly, careful examination of the ray system shows a number of dark rays. These are relatively rare features

*Careful examination shows a number of dark rays, rare features forged during the crater's formation*


forged when dark material was ejected during the crater's formation.

The region immediately east of Dionysius is interesting to examine under oblique lighting such as that which occurs when the terminator is nearby. Here you should be able to make out up to four sections of a graben. A graben is a rille or groove formed when the surface drops between two parallel fault lines. Known as **Rimae Ritter**, these extend for a total length of 100km and have a width around 3km.

Tracing the graben which forms Rimae Ritter back towards the north will bring you to the 12km crater **Ariadaeus**. This crater appears squashed against 8km Ariadaeus A and it's this crater which appears to stand in the way of the rille. To the north of it the graben can be seen quite clearly once again, swinging around to run west-northwest in the form of the impressive Rima Ariadaeus. This is far better defined than Rimae Ritter and runs for 220km with a width around 7km.

If you're an imager, you may wish to capture the tiny groove carved into the lunar surface 25km to the northeast of the centre of Dionysius. This appears to have been formed from a number of small craterlets and runs perpendicular to the line of Dionysius's rays at this location.

There are only two satellite craters of merit worth mentioning. Situated 34km south-southeast of Dionysius is 3km Dionysius A. Then, located 46km west and slightly north of Dionysius is 4km Dionysius B. Both of these features will require a 200mm or larger telescope to see.





# COMETS AND ASTEROIDS

## Look to Scorpius and Libra to spot rocky Massalia

Asteroid 20 Massalia reaches opposition this month in the constellation of Libra, the Scales. Massalia begins the month in Scorpius, located a fraction north of the pair of stars Omega<sup>1</sup> and Omega<sup>2</sup>. It then edges west parallel to the ecliptic, slipping across the border into Libra on 5 May, where it remains for the rest of the month. At the start of its track in Scorpius it shines at mag. +10.2. It then gradually brightens towards the point


where it reaches opposition on 20 May, reaching a peak magnitude of +9.7. After opposition it gradually decreases in brightness to end the month at mag. +10.1.

Massalia orbits in the inner part of the main asteroid belt and is the parent body of a large group of asteroids known as the

Massalia family. There are in excess of 6,000 Massalian asteroids in this family.

Massalia is a fairly large S-type, or stony, asteroid, with a mean diameter of 145km. Its orbital period is three years, nine months and its mean distance from the Sun is 2.41 AU (361 million kilometres). At aphelion it

sits 2.75 AU from the Sun, moving in as close as 2.07 AU at perihelion. Massalia rotates on its axis once every 8.1 hours. Its apparent magnitude ranges from +8.3 to +12.0 and it is believed to have a near spherical shape with triaxial ellipsoid dimensions of 160x145x132km. It is also thought that there are large flatish areas on its surface. Massalia was discovered by the Italian astronomer Annibale de Gasparis on 19 September 1852, using the Naples Observatory. Interestingly, it was discovered independently on the following night by the French astronomer, Jean Chacornac at the Marseilles Observatory. Massalia became the first body in the Solar System to be given a non-mythological name.



# STAR OF THE MONTH

## Rasalhague, the brightest star in Ophiuchus

At the top of Ophiuchus, the Serpent Bearer, representing his head, is Rasalhague (Alpha (α) Ophiuchi). Close by is Rasalgethi, the head of another giant in the stars, Hercules, the Strong Man.

Rasalhague is a binary star system, 48 lightyears from Earth. It has a faint companion, too close to its primary for amateur instruments to see. The primary is estimated to be 2.4 times as massive as the Sun, while the secondary has about 85 per cent of the Sun's mass. The orbital period is 8.62


years and at the last periastron (where both stars were at minimum separation) in 2011, they appeared separated by just 50 milli-arcseconds.

Rasalhague appears to shine at mag. +2.08 and has a spectral classification of A5 III – a giant star (the 'III' part) that has exhausted the hydrogen fuel at its core. Its companion is redder, with an estimated spectral class of K5 V.

Rasalhague is a fast rotator too, spinning at 240km/s. For comparison the Sun's rotational velocity is a rather leisurely 2km/s. At such a speed Rasalhague is close to its break-up speed of 270 km/s and will be bulging noticeably at its equator. An effect known

as 'gravity darkening' will also be causing the star's poles to be hotter than its equator. Current estimates suggest the equatorial radius is 20 per cent

larger than the polar radius. We get to see the star almost sideways on, its rotational axis being inclined to our line of sight by around 88°.




▲ Rasalhague rotates extremely quickly, 120 times faster than our Sun



# BINOCULAR TOUR

With Stephen Tonkin

The Sombrero Galaxy and Sigma Virginis starfield are among the wide-field highlights



## 1 Sigma Virginis Starfield

**10x 50** Low power binoculars are useful for scanning large starfields, so that's where we'll begin our tour. Find the orange-red mag. +4.8 Sigma ( $\alpha$ ) Virginis and keep it at the north of your field of view. Filling the field are dozens of fainter stars, the brightest of which is the white, 6th magnitude 64 Virginis which is  $1.2^\circ$  east of Sigma. Notice how they are arranged in groups, with several pairs of similar brightness. The most notable is the 7th magnitude optical double  $1.8^\circ$  south of Sigma. ☐ **SEEN IT**

## 2 The Horn

**10x 50** Look  $2^\circ$  northwest of Kappa ( $\kappa$ ) Virginis for a tight trio of stars, the brightest of which is 95 Virginis. This marks the point where two irregular long arcs of stars converge to create a horn-shaped asterism of 5th to 7th magnitude stars that sweep for about  $12^\circ$  to the northwest. ☐ **SEEN IT**

## 3 M53

**10x 50** Next is a faint-ish, easy to find globular cluster: M53. First, you need to identify Diadem (Alpha ( $\alpha$ ) Comae) and hop a degree to the northeast. Here you will find a small circular misty patch, which we will use to practice a useful technique: averted vision. Centre it in your field of view and direct your gaze back to Diadem or beyond. Notice how the misty patch seems to grow and brighten; this technique will be essential later in the tour in our hunt for faint galaxies. ☐ **SEEN IT**

## 4 M49

**10x 50** Our first galaxy is the elliptical radio galaxy, M49. Start by locating Rho ( $\rho$ ) Virginis (mag. +4.9) and placing it on the northeast of your field of view; towards the opposite side of the field you will see a pair of 6th magnitude stars separated by a bit less than  $1.5^\circ$  and orientated southeast-northwest. M49 is the small smudge of light between these two stars. ☐ **SEEN IT**

## 5 The Sombrero Galaxy

**15x 70** The Sombrero Galaxy, M104, has a greater surface brightness than M49, but can be more difficult to see because it is  $20^\circ$  nearer the horizon. If you are going to have a chance with the Sombrero, sky conditions should enable you to see mag. +4.6 Chi ( $\chi$ ) Virginis with your naked eye. The galaxy is where a line south from Chi ( $\chi$ ) intersects a line west from Spica (Alpha ( $\alpha$ ) Virginis). ☐ **SEEN IT**

## 6 Markarian's Chain

**15x 70** You'll need dark skies for Markarian's Chain, a spring binocular delight. This galaxy chain lies mid-way between Vindemiatrix (Epsilon ( $\epsilon$ ) Virginis) and Denebola (Beta ( $\beta$ ) Leonis). Start with M84 and M86, which are the brightest members and, once you have identified those, you should be able to find the chain's seven brightest galaxies. ☐ **SEEN IT**

☒ Tick the box when you've seen each one



# THE SKY GUIDE CHALLENGE

## Taking a spring journey around the riches of Virgo's galactic treasures


The technique of starhopping is an established method for navigating the night sky. By creating imaginary shapes, you can judge distance and direction to other shapes or objects. The shapes are yours to define and there are no rules as to how big, small or complex they can be.

Simple geometric patterns such as lines, triangles or squares are easiest. If you've never star hopped before, look up at the night sky on a clear night and work out how you would move from one bright star to another using your own custom-made pattern system.

This month's task takes this process one step further. The region of sky north of the Bowl of Virgo is known as the Realm of Galaxies because it's littered with examples. The challenge is to use galaxies, rather than stars, to locate other galaxies.

To do this we'd recommend using a telescope of at least six inches aperture. Galaxies are diffuse objects, so the larger the aperture the easier they are to see. Use a low-power eyepiece and ensure your eyes are properly dark-adapted.

We recommend starting at mag. +2.9 Vindemiatrix (Epsilon (ε) Virginis), the easternmost star in the Bowl of Virgo. Slew 5° west and fractionally south to locate mag. +4.9 Rho (ρ) Virginis, easily



▲ The red route takes you to Markarian's Chain and the purple route leads to galaxy NGC 4365

recognised with mag. +6.2 27 Virginis north-northwest of it.

From Rho there are two routes shown on the chart above. Red 2 (R2) takes you to M60, with M59 immediately next door (R3).

Extend the line from M60 through M59 (R4) to eventually arrive at M58. The next leg (R5) requires a slight northward curve, travelling about the same distance as that between M60 and M58 to arrive at M87. Keep the line going, straightened slightly (R6) to arrive at M86, part of a beautiful arrangement of galaxies known as Markarian's Chain.

The purple route starts the same way (P1), but then hops to mag. +5.7 33 Virginis (P2), mag. +5.2 32 Virginis (P3) and finally to mag. +5.6 31 Virginis (P4). The last leg (P5) is crucial because here you have to turn by 90° to head northwest by around twice the distance between 32 and 31 Virginis, arriving at a triangular arrangement of galaxies: NGC 4535, NGC 4526 and M49. NGC 4365 should be easy to hop to from this triangle too.

Stars are shown to magnitude +8.0 in our chart, while some galaxies approach magnitude +12.0. As a consequence, expect some fainter stars to add to the confusion. However, with patience and clear skies, the techniques shown here should allow you to explore this fascinating area and discover its amazing wealth of galactic treasures.

Markarian's Chain  
is a beautiful curve  
of galaxies



# DEEP-SKY TOUR

A clutch of four globular clusters near Antares, plus the beautiful Blue Horsehead Nebula

## 1 M4

Messier 4 is one of the easiest globular clusters to find, yet one of the trickier ones to view well. It is located 1.3° west of Antares (Alpha (α) Scorpii) and forms the downward-pointing apex of a squat isosceles triangle with Antares and Sigma (σ) Scorpii as its base. The cluster shines at mag. +5.8 but only reaches 10° of altitude as seen from the centre of the UK. Its magnitude is misleading too. Only 7,200 lightyears away, the cluster appears quite large at around half-a-degree across, but this means its surface brightness is low and makes it very susceptible to light pollution interference. ☐ **SEEN IT**

## 2 NGC 6144

On paper, globular cluster NGC 6144 looks even harder to see than M4. It lies 0.6° to the northwest of Antares and shines at mag. +9.3. However, it appears smaller to us and so its surface brightness holds up fairly well. Having said that, a dark sky will, as ever, produce a better view. Use a low power to locate its 5-arcminute-diameter glow with Antares in the field. Slew to remove the distracting light of the red supergiant star, and increase magnification. At 100x it should be possible to resolve some of the outer stars. NGC 6144 doesn't show significant condensation, although its core region definitely looks brighter than the outer regions. ☐ **SEEN IT**

## 3 M80

Despite it also having a diminutive apparent diameter compared to M4, M80's visual magnitude of +8.5 means it has a brighter surface brightness and is consequently easier to see. It is located slightly less than half-way along the line from Sigma to Nu (ν) Scorpii. Globular density is measured on the 12-point scale known as the Shapley-Sawyer concentration class; the lower the number, the denser the globular. Where M4 has a value of 9, M80 scores 2. So despite being 28,000 lightyears distant, M80 appears brighter and easier to

see than its better-known neighbour. M80 has a full apparent diameter of 10 arcminutes, although most stargazers will see something significantly smaller than this. ☐ **SEEN IT**

## 4 NGC 6284

We move further east for our final globular cluster, NGC 6284. This is in Ophiuchus, approximately 8° east and 1.8° north of Antares and is an even more remote globular at around 50,000 lightyears. It shines with an integrated magnitude of +7.4 and has a full apparent diameter of 6.2 arcminutes, typically appearing 2–3 arcminutes across through the eyepiece of smaller instruments. Despite its small and relatively bright appearance, this globular cluster's distance works against it; even relatively large scopes will struggle to resolve any of its stars.


☐ **SEEN IT**

## 5 IC 4634

Head 3° north of NGC 6284 and, with a slight nudge to the west, you'll arrive at planetary nebula IC 4634. It shines at mag. +10.9 and presents itself with a small apparent diameter of 10 arcseconds. At low powers it's very easy to mistake IC 4634 for a star, so it pays to be vigilant. Once you suspect you've identified it, gradually increase magnification. If it shows a small extended disc with elongation in a northwest-southeast direction, you have found your target. IC 4634 has a distinctly blue hue when viewed through larger instruments. An O-III filter will help greatly if you have one. ☐ **SEEN IT**

## 6 IC 4592

Our final target is the beautiful blue nebula IC 4592. To find it, return to our starting constellation of Scorpius and the fourth-magnitude Nu Scorpii. Once this star is in your field of view you'll be looking at the nebula. A low power around 20x is recommended, along with patience. It can be seen with smaller instruments but, as ever, the darker the sky, the better the view. Nicknamed the Blue Horsehead Nebula, when viewed inverted it appears like a giant horse's head looking west, with the bridge of its nose running northwest-southeast. Nu forms the horse's eye. Images will make its equine nature very clear. ☐ **SEEN IT**



▲ An inverted view of IC 4592 – the Blue Horsehead Nebula – against a dark sky, will reveal its equine features


More  
**ONLINE**

Print out this chart and take an automated Go-To tour. See page 5 for instructions.

**This Deep-Sky Tour has been automated** ASCOM-enabled Go-To mounts can now take you to this month's targets at the touch of a button, with our Deep-Sky Tour file for the EQTOUR app. Find it online.










# AT A GLANCE

How the Sky Guide events will appear in May



## KEY

### Observability



### Best viewed



### Sky brightness during lunar phases



- IC Inferior conjunction (Mercury & Venus only)
- SC Superior conjunction
- OP Planet at opposition
- Meteor radiant peak
- Planets in conjunction
- Full Moon
- First quarter
- Last quarter
- New Moon

CHART BY PETE LAWRENCE




# GRAVITY'S CENTURY

From Einstein's  
Eclipse to Images  
of Black Holes

Ron Cowen

"Filled with  
vivid descriptions  
of cutting-edge work and  
the scientists behind it,  
Cowen's book is fascinating,  
both a learning experience  
and a pleasure to read."

—Publishers Weekly



Harvard University Press

[hup.harvard.edu](http://hup.harvard.edu)



The Home Counties **Astronomy Specialists**

Tel: **01442 822997**

## The UK's friendly Experts

with over 100 telescopes & binoculars on display

- **Great prices and value**
- **Friendly face-to-face advice**
- **Extensive range of binoculars & spotting scopes**
- **One of the UK's largest displays of telescopes**
- **Excellent aftersales support**
- **Beginner package deals**

ZWO  
ASI294MC  
Pro (colour)  
USB3.0 Cooled  
Camera



SKY-WATCHER  
EQ6-R Pro  
Synscan GOTO  
EQ mount



8" ROWE  
ACKERMANN  
SCHMIDT ASTROGRAPH  
(RASA 8) f/2.0

DAYSTAR  
INSTRUMENTS  
QUARK\*  
Hydrogen Alpha  
eyepiece



CELESTRON CGX-L  
EQ mount  
and tripod  
75lb load capacity  
144mm diameter  
worm wheels.  
270mm  
dovetail saddle

Visit our website for prices and all our latest **Special Offers**  
**Showroom open 5 days a week - Free on-site parking**

Tring Astronomy Centre Ltd, Unit 10 Silk Mill Business Park, Brook St, Tring, Herts, HP23 5EF



[facebook.com/tringastro](https://facebook.com/tringastro)



@Tring\_Astro



[www.tringastro.co.uk](http://www.tringastro.co.uk)



[enquiries@tringastro.co.uk](mailto:enquiries@tringastro.co.uk)



# PULSAR

## OBSERVATORIES

EUROPE'S BEST SELLING OBSERVATORIES

*bringing the stars closer for everyone*

[www.pulsarastro.com](http://www.pulsarastro.com)

[sales@pulsar-observatories.com](mailto:sales@pulsar-observatories.com)

tel:01366 315006



Well-chosen accessories can transform your stargazing, helping with navigation and getting the best view through your scope

# A buyer's guide to TELESCOPES

## PART 2: Astronomy accessories

In the second of our three-part telescope guides, **Tim Jardine** looks at the accessories that will enrich your astronomy experience



**Tim Jardine** is an experienced amateur astronomer and astrophotographer



► A weather-proof planisphere, with two adjustable discs, is a traditional option for navigation

Proud owners of new telescopes often spend their first few stargazing sessions zipping all around the sky, moving quickly from object to object. This can be a very exciting time, and experiences like seeing Saturn's rings for the first time are not easily forgotten.

However, once we start to really explore the vast night sky, it becomes obvious that there is more to it than just looking up through a telescope if we want to observe the most interesting things hidden among the stars. Thankfully, there are many accessories available to help. We can break these down into three groups: accessories that make the sky easier to navigate, gadgets that can improve your view through a telescope, and those that make for an overall more enjoyable experience.


There are thousands of fascinating objects to see while observing, but finding them can be tricky. Even computerised telescope mounts, which automatically locate objects, need aligning on known stars before they can accurately locate targets. Manually operated telescopes rely on the user being able to find the target themselves, of course.

Accessories that can help here are star atlases, planispheres, smartphone apps and finderscopes, all of which make it easier to point your telescope in the right direction.

## Finding your location

Planispheres are the most basic device for recognising the constellations in the night sky and offer a cheap and traditional option for star navigation. Choose one made from weatherproof plastic that is readable at night under red light – as this won't spoil your dark-adapted vision – and which is calibrated for your observing latitude.

Sky maps or star atlases act as a point of reference while stargazing, and also before and after the session. They're helpful for planning what you'd like to see in an evening and revealing how to actually find the objects using nearby stars for reference. Plus, when you stumble across an interesting object, star maps make it easier to determine what you're actually looking at. While they range from fairly



▲ Smartphone apps such as SkySafari will help you find the best objects to observe while you are viewing the sky

► Star atlases are useful for planning and sharing what you intend to locate during a session

*A good astronomy app should have a night vision-friendly red light option and be easy enough to operate even with cold fingers*







◀ A Telrad finderscope is an invaluable aid for helping you to locate your target in the night sky

▼ Laser pointers are useful but must be used with care



straightforward and easily followed maps to extremely detailed documents with thousands of bits of information, any good star atlas should be easy to read at night (again, by red light), contain major objects of interest and offer helpful tips or more detailed maps for trickier objects.

Becoming increasingly popular, astronomy apps for smartphones and tablets make use of GPS to display the appropriate night sky according to the precise time and exact location that you are stargazing. Unlike books they can be updated frequently to provide information for interesting events like eclipses, comets or even asteroids. Many of these apps have a free version, with paid-for upgrades offering more functionality. A particularly useful feature of these apps is the ability to zoom in and out on a target, revealing its position from a wider perspective and making it easier to find with your telescope. Firm favourites among astronomers are the free software Stellarium ([www.stellarium.org](http://www.stellarium.org)), which offers a realistic view against the horizon, and SkySafari ([www.skysafariastromy.com](http://www.skysafariastromy.com)) which details the best objects to see that night, reveals information about them, and makes them easier to find. Some objects have photographs included to give an idea of what you are looking for. A good astronomy app should have a night vision-friendly red light option and be easy enough to operate even with cold fingers.

## Target practice

With a target decided on and its position in the sky determined from an app or star atlas, the next trick is to accurately point the telescope in the right place. Typically, the finderscopes that are included with new telescopes offer a wide view with a central crosshair, but to anyone unfamiliar with the sky, the view can still be confusing.

Some accessories make it easier to see where the telescope is pointing without squinting through a small finderscope. An example is a laser pointer, although extreme care needs to be taken when using them, and they may be unpopular with other astronomers as they can disrupt the view of the night sky. A Telrad finderscope on the other hand safely projects a dimmable reticle onto a screen, and many amateur astronomers find them invaluable aids to night sky navigation.

With the target in sight, we need to be sure that we are enjoying the best view possible. Some of that will come down to eyepiece choice, which we will deal with in part three of this guide in next month's issue. Many newcomers to stargazing will start out observing the Moon or bright planets like Jupiter and ►



► Saturn. The Moon can be quite dazzling to observe, especially near full illumination, and observation is easier through a Moon filter. These screw onto the front of an eyepiece and reduce the glare, and are among the most popular accessories. While the Moon is very bright, planets can appear very small, so another favourite choice is known as a Barlow lens; an extra magnifying lens that goes in front of an eyepiece and enlarges the view. The Moon and the planets are natural candidates for increased magnification, and extra details may be seen on their surface. A nice Barlow lens can effectively double your eyepiece collection, but remember that there is a limit to useful magnification dictated by your equipment and sky conditions.

## Getting in line

Getting the very best views from some telescopes may involve a bit of maintenance and reflectors, including Dobsonians, will likely need to be collimated periodically to produce the sharpest views. Collimation is the process of accurately lining up the telescope mirrors. Poorly-aligned optics can produce odd-shaped stars and soft planetary views. Although the process sounds daunting, it is made simpler with accessories like a Cheshire collimator, or devices that use a reflected laser beam. Video tutorials providing useful instructions can often be found online.

An enjoyable stargazing session can be prematurely cut short if the telescope succumbs to dew, and all varieties of scope can be affected. A simple dew shield that acts as an extension of the main tube can offer some protection and helps improve views by blocking stray light. Alternatively, electronic dew controllers powered with a 12V supply provide a proactive stance against dew, with an adjustable power output connected to heated straps that gently warm the optics to prevent dew forming on them.

Some accessories really help to improve the overall enjoyment of a good observing session. A dedicated observing chair with adjustable height, for instance, is useful for keeping comfortable for the duration. Being able to relax while observing means you are more likely to spend longer at the eyepiece, which in turn means you are more likely to spot extra details and features on your target. While observing chairs can be purchased, they can also be constructed from simple plans (see [www.skyatnightmagazine.com/observing-chair](http://www.skyatnightmagazine.com/observing-chair) for our own).

Where a low voltage electricity supply is required, perhaps for electronic mounts or dew control apparatus, portable battery packs are available with



◀ Eyepieces, Barlow lenses and filters will enhance your viewing




◀ A Cheshire collimator will help keep your scope's mirrors lined up

▲ Warm your scope to keep it free of dew with an electronic dew controller



► Build your own observing chair for added comfort while you observe



*The Moon can be quite dazzling to observe, especially near full illumination, and observation is easier through a Moon filter*



# An astro-gadget guide

From a Moon glare filters, to a long-life power source, we select the most useful pieces of kit to help your stargazing



## Moon Filter

£31 • [www.firstlightoptics.com](http://www.firstlightoptics.com)

The Baader Neutral Density Moon Filter is available for both 1.25- and 2-inch eyepieces and will reduce glare from the Moon and planets. Choose an appropriate density to suit your telescope.



## TeleVue 2x 1.25-inch Barlow lens

£112 • [www.astroshop.eu](http://www.astroshop.eu)

With 2x magnification this premium quality Barlow lens makes a 10mm eyepiece act like a 5mm, and so on, without degrading the view. The TeleVue gave the best performance in our own tests.



## Celestron Powertank Lithium

£119 • [www.celestron.com](http://www.celestron.com)

More environmentally friendly than lead acid batteries, with a long life and 2,000 charge cycles, this power tank provides 12V power to mounts and accessories, with USB charging and red or white lighting options.



## Telrad Finder

£38 • [www.365astronomy.com](http://www.365astronomy.com)

A battery-powered Telrad reflex sight is mounted atop your telescope and displays calibrated circles against the night sky. The larger circle shows the area covered by a standard finderscope, while the smaller shows the area in the eyepiece.



## Turn Left At Orion

£22 • [www.cambridge.org](http://www.cambridge.org)

There are many observing guides on the market and *Turn Left At Orion* is one of my favourites. It is useful for owners of typical home telescopes and Dobsonians, whether astronomy newcomers or seasoned observers.



◀ A weatherproof scope cover allows you the option of dismantling your scope in daytime

▼ A red light torch will enable you to read star maps and move around safely at night

outputs needed for a typical telescope setup. Recent improvements in battery technology and practical additions like USB charging points make these packs very useful accessories.

Over time, glass telescope lenses and eyepieces may require gentle cleansing, and microfibre cloths along with a specialist product like Baader Optical Wonder fluid can remove marks without leaving residues.

A good red torch is pretty much essential while observing. Red light has the least impact on our eyes' adaptation to the dark and can be used to read star maps and move around safely at night. The less light the better, so look for dimmable torches.

At times it may be preferable to leave equipment set up outside, either overnight or for longer periods. Weatherproof telescope covers are available to fit most equipment and can be simply attached over the telescope after use. This may enable subsequent sessions without having to re-do alignments, or just make it easier to dismantle equipment in the daylight.

Whichever telescope you use, and whatever you like to observe, there are always extra accessories to help you get more out of your stargazing sessions. 🌌

## Next month

*Part 3: getting the most out of your new telescope*



The fundamentals of astronomy for beginners

# EXPLAINER

## CAUTION

Never observe or image the Sun with the naked eye or any unfiltered optical instrument


## Solar astronomy

Our nearest star can provide some of the most outstanding astronomical views

**A**stronomy is something you usually associate with the dark, so the Sun can be easily overlooked as an astronomical object for observation. However, with the right equipment and a simple safety routine, solar observing can be one of the most visually rewarding observation projects in amateur astronomy.

One of the easiest things to view is the sunspots on the Sun's visible layer, the photosphere. It's important to never look directly at the Sun through a telescope directly, as you can damage your eyesight. Likewise, you should never look directly at the Sun with sunglasses or darkened glass as these do not block out the most harmful wavelengths of light.

However, you can safely project the Sun's image through a telescope. It's usually a refractor as the intense heat can damage some other types of telescope. With the dust cap on your telescope to stop harmful stray light, place a square of white card behind the telescope eyepiece and adjust the scope until the instrument's shadow is rounded on the card; only then remove the dust cap and the Sun's image




should be projected onto the card. If not, adjust the telescope slightly until it appears but remember to never look down the eyepiece directly.

▲ A refractor can be used for projecting the Sun's image onto a white card

### Using solar filters

White light observing is generally the study of the solar photosphere where dark sunspot groups are found and bright patches called "faculae" are seen more clearly near the solar limb. As an alternative to solar projection, you can also equip your telescope with a glass white light filter which will allow you to look directly through your telescope at the photosphere to see sunspots in fine detail. Such filters can be purchased from any reputable astronomy retailer and fit on the objective end of your telescope. If cost is an issue you can make your own, though it's vital to use certified solar safety film and make sure the final filter has no holes or gaps in it.

However, it is the solar atmosphere or chromosphere where the real action takes place. This can be seen by using a special solar filter which only allows light through towards the red end of the spectrum known




Sunspots in the photosphere can be seen with a white light filter

ALL PICTURES: PETE LAWRENCE




# 7 solar features

From sunspots to solar flares, here's our pick of the Sun sights to look for



## PHOTOSPHERE

As the Sun is gaseous, we refer to the photosphere as the Sun's surface. This is the area where light is released and where sunspots and faculae can be seen.




## CHROMOSPHERE

A thin layer of solar atmosphere exists above the photosphere and below the corona. Hydrogen/alpha filters reveal its prominences, filaments, plage and flares.



## SUNSPOTS

Sunspots are caused by magnetic fields creating patches of cooler plasma. Sunspots have a dark central area, the umbra, and a lighter outer area, the penumbra.




## PROMINENCES

Visible on the solar limb, prominences are dense eruptions of plasma thrown outward from the chromosphere along magnetic field lines.




## FILAMENTS

Seen as dark lines across the solar disk, filaments are the same hydrogen/alpha feature as solar prominences but viewed head on rather than extending sideways into space.




## PLAGE

Plage is a feature in the chromosphere, often seen in association with sunspot groups. Plage can be an indicator of where a sunspot is about to form.



## SOLAR FLARES

Magnetic field lines break and re-connect, producing a release of energy. This event can be seen in hydrogen/alpha as a brightening of the solar chromosphere.




▲ A hydrogen/alpha filter allows you to enjoy amazing views of solar features in the chromosphere

as a hydrogen/alpha filter. Here you can see solar prominences, filaments, plage and flares.

Solar prominences extend from the solar limb out into the darkness of space and are vast emissions of hydrogen travelling along magnetic field lines.

Sometimes, the field lines can loop back down into the chromosphere or break, ejecting plasma into space. Prominences can be short- or long-lived features but the really fascinating ones are the short-lived eruptive prominences that can almost grow and twist as you watch them in real time. Dark filaments can also be seen in this wavelength, streaked across the solar disk. These are actually prominences but seen as dark features across the bright solar disk rather than bright features seen against the dark background of space hence another name to differentiate them.

The only down side is that hydrogen/alpha filters can be very expensive to purchase. You can either buy a specialist solar telescope, or a kit to fit your existing telescope. These have both an energy rejection filter that will reduce the heat entering your telescope and a blocking filter for the eyepiece. Coronado and Daystar produce the cheapest hydrogen/alpha telescopes, around the £700-£800 mark. 



**Lyn Smith** is director of the British Astronomical Association's Solar Section. The BAA's website is updated regularly with images of solar activity. For more details visit [www.britastro.org](http://www.britastro.org)



# 50 YEARS OF APOLLO



## APOLLO 10

**Niamh Shaw** takes a look at NASA's dry run to the Moon, just months before humanity attempted to land on the lunar surface

**B**y May 1969, the US was almost ready to land on the Moon. Before NASA was willing to risk human lives on the landing, they wanted a dress rehearsal to make sure that everything was ready to go. That mission was Apollo 10. Over eight days, the crew of Apollo 10 would perform a mission that was identical to the future lunar landing in every way bar one – they wouldn't touch down on the lunar surface.

It was the same mission duration as Apollo 11, with the same orbit and the same spacecraft, so what stopped NASA allowing Apollo 10's crew to land on the Moon? The main reason was that there were still some uncertainties surrounding calculations involving the moon's gravitational field, which needed further investigation. The powered descent guidance system on the lunar lander needed to be accurate to within one nautical mile (1.85km) for the eventual Apollo 11 landing to be successful. So there was still much to learn from this mission.

There was a risk here: a crew as capable and experienced as Apollo 10 might go rogue and attempt a landing anyway. After all, these were veterans of the Gemini programme and had been the back-up crew for Apollo 7. Thomas Stafford and Eugene Cernan could easily have grazed the Moon

when testing the lunar module. And while NASA doubtlessly trusted the crew, this temptation had been factored into mission design. "A lot of people thought about the kind of people we were", said Cernan. "The ascent module, the part we lifted off the lunar surface with, was short-fuelled. The fuel tanks weren't full. So had we literally tried to land on the Moon, we couldn't have gotten off."

For Stafford, Young and Cernan, it was finally the chance to go beyond low-Earth orbit; to the Moon.

### MISSION BRIEF

**Launch date:** 18 May 1969

**Launch Location:** Launchpad 39B, Kennedy Space Center

**Lunar Orbits:** 31

**Mission Duration:** 8 days, 3 minutes, 23 seconds

**Return Date:** 26 May 1969

**Main goals:** Dress rehearsal for Apollo 11


**Firsts:** Live colour TV transmission from space; highest speed by a crewed vehicle (39,897km/h); first human to fly solo around the Moon (John Young); shave in space

**Menu:** Beef and vegetables, pineapple fruitcake, orange-grapefruit drink, grape punch





## Meet the astronauts




### Commander: Thomas Stafford

Originally a US Air Force flight instructor, Stafford was selected for NASA's Gemini programme in 1962. He was back-up pilot for Gemini 3, pilot for Gemini 6 and command pilot for Gemini 9. After commanding Apollo 10, he commanded the Apollo-Soyuz Test Project in 1975, a joint US & Soviet space flight, before retiring.



### Command module pilot: John Young

A navy test pilot before joining NASA in 1962, Young first flew in space on Gemini 3. After Apollo 10, he went on to be commander of Apollo 16 in 1972 and became the ninth man to walk on the Moon. He commanded the first and ninth Space Shuttle launches, in 1981 and 1983, both aboard Columbia. He died in 2018 aged 88 years.



### Lunar module pilot: Eugene Cernan

Pilot Gene Cernan joined NASA in 1963. His first space mission was Gemini 9 in 1966 when he made the second American spacewalk. After Apollo 10, he returned to the Moon in 1972 as commander of Apollo 17 and became the final astronaut to walk there – the last of only 12 people to have walked on another world. He died in 2017 aged 82.

“Gee, I’m really getting vertigo here.”  
– Thomas Stafford, drifting over the Moon in ‘Snoopy’


A sizeable achievement in its own right and for them, that was enough. They were a team after all, and they hoped that their chance to walk on the Moon would come later. Indeed, Cernan became the last man on the Moon, as part of the Apollo 17 mission. Every element of Apollo 10 was about final checks, and the crew was committed to fulfilling this brief.

### Successful lift-off

Apollo 10’s launch into lower-Earth orbit went without incident. A little over two and half hours later, after 1.5 Earth orbits, the translunar injection was initiated,



► Apollo 10 launched on 18 May 1969 without any hitches



▲ Thomas Stafford holds up a picture of Charlie Brown in a spacesuit to the camera during a TV transmission




▲ Weightlessness was demonstrated by pushing an upside down John Young up and down

increasing the speed of the spacecraft to the velocity required to escape the gravitational attraction of Earth. Shortly afterwards, the crew transmitted the first colour broadcast from space as they extracted and docked with the lunar module, named ‘Snoopy’ in reference to the black and white caps the astronauts wore, which resembled the cartoon character. The command module was named ‘Charlie Brown’, continuing the theme.

Apollo 10’s outward journey proceeded almost exactly as planned. Thanks to the gravitational drag of Earth, the 39,000km/h velocity at which it entered the lunar corridor was reduced to approximately 3,200km/h. Then, as the spacecraft entered the Moon’s gravitational field, the pull of the Moon overcame the braking effect of Earth and the spacecraft picked up speed to a peak of 8,850km/h (relative to the Moon) just before entering lunar orbit. To achieve orbit, it was necessary to use the Service Propulsion System to slow the spacecraft’s speed to roughly 5,800km/h and permit its capture by the Moon’s gravitational field.

They arrived in lunar orbit on the third day. Refreshed by what Stafford termed “a great night’s sleep” and feeling “just tremendous,” the spacecraft commander played a tape of Andy Williams singing “Up, Up and Away!”. They had time for TV broadcasts, where Cernan displayed drawings of Charlie Brown in space coveralls, and his toy beagle Snoopy wearing the scarf of a World War One fighter pilot. Stafford and Young were shown side by side, with Young upside down. To demonstrate the strange effect of weightlessness, Stafford would move Young up and down with little more than a light touch as Young joked, “I do everything he tells me.” ►







► Food on this mission had improved a lot from previous Apollo missions and boosted crew morale as they travelled on their outward journey to the Moon: individually wrapped commercial bread and the ingredients for ham, chicken and tuna salad were added to the usual freeze-dried diet. However, the drinking water didn't go down so well, with a discernible after taste of chlorine with each gulp.

## Flying over the Moon's surface

Then came Thursday 22 May, day four of the mission and the most action-packed. The time had arrived for lunar module 'Snoopy' to descend to the Moon. While Young remained in lunar orbit on 'Charlie Brown',

Stafford and Cernan entered the lunar module and slowly backed it away from the command module. For the next eight hours, as Cernan and Stafford completed their checks, standing throughout, Young became the first person to fly solo around the Moon. It was mid-afternoon in Mission Control before everyone was ready and then around 9.35pm GMT, the descent engine fired, bringing 'Snoopy' closer to the Moon's surface than ever before. An hour later, Cernan excitedly commented, "Hello Houston, we is [sic] down among it!" They had reached 8.4 nautical miles (15.6km) above the Sea of Tranquility, Apollo 11's planned landing zone, all the while describing the lunar surface that was passing beneath them, giving

"You can't imagine the position we can see these things in... It looks like we're not very far above them. It's fantastic."  
– Thomas Stafford



**Dr Niamh Shaw** is an engineer, scientist and analogue astronaut who has participated in Mars missions in Utah, US and Israel

▲ 'Charlie Brown' (left) and 'Snoopy' (right) just after undocking for Apollo 10's landmark approach to the Moon



## MISSION TIMELINE

**18 May 16:49\***

Launch at Pad 39B, Kennedy Space Center.

**18 May 19:28**

Translunar injection begins.

**18 May 19:51**

Command module separates from the S-IVB engine. The command module docks with the lunar module.

**18 May 19:55**

TV coverage of docking procedures transmitted.

**22 May 15:51**

Cernan and Stafford cross over to the lunar module and activate systems.

**22 May 19:00**

Lunar module undocks.

**22 May 20:35**

Lunar module inserted into descent orbit.

**22 May 21:30**

Lunar module makes closest approach, 15km over the surface.

**23 May 03:11**

Lunar module redocks with command module.


**24 May 10:25**

Apollo 10 begins its return trip to Earth.

**26 May 16:52**

Crew splash down in Pacific Ocean and are recovered by *USS Princeton*.

**\*All times are GMT**



The two modules 'Snoopy' and 'Charlie Brown' successfully redocked above the far side of the Moon

the landing radar a thorough checkout and conducting extensive surface photography and landmark tracking.

The lunar module flight was near flawless apart from one chilling moment, as they were preparing to disembark from the lunar surface. Due to a misaligned switch on the ship's abort guidance system, 'Snoopy' suddenly began to spin and gyrate wildly. Caught off-guard, Cernan shouted "Son of a b—!" live on the radio, across an open channel to the world. Thankfully control was regained after a few seconds, and the gyrating spacecraft returned to a normal ascent. A relieved Stafford announced to Mission Control, "We've got all our marbles."

The rendezvous with the command module went without incident. The two craft joined up on the far side of the Moon, and when the crew re-emerged, Stafford radioed, "Snoopy and Charlie Brown are hugging each other." To celebrate, Mission Control in Houston displayed a large cartoon showing Snoopy kissing Charlie Brown. After eight hours apart, Stafford and Cernan re-joined Young in the main craft. The lunar module was cast loose and fired its engine driving it into orbit around the Sun.

Friday 23 May was a day of relaxation and recovery for the crew in lunar orbit. They completed some landmark tracking and lunar photography and more TV broadcasts. When the camera focused on the crew, they had shaved: another first. Previous Apollo crews had ended the mission sporting significant stubble due to concerns that shorn hair might escape in the cabin and cause difficulties with the instruments. Apollo 10's crew avoided this by using tubes of shaving cream and capturing their scrapings in swabs.

"We felt reborn," Cernan later recalled in his autobiography, *The Last Man on the Moon*.

As they left lunar orbit, with a velocity of 39,897km/h, they set a record for the fastest speed ever achieved by a human being. Apollo 10 splashed down east of Samoa on 26 May, and the crew were recovered and flown to Houston for de-briefing. A large sign had already been put up on Mission Control which read "51 days to launch". Focus had already shifted to the Apollo 11 mission. Stafford, Cernan and Young had done their part. Now it was time for Armstrong, Aldrin and Collins. You can see Apollo 10's 'Charlie Brown' at the Science Museum in London which is on permanent display. 'Snoopy', meanwhile, is in permanent orbit around the Sun.



▲ Making a splash: Apollo 10 returns to Earth on 26 May



Practical astronomy projects for every level of expertise

# DIY ASTRONOMY

## Build a portable sundial

A beginner's guide to constructing your own stylish, outdoor timepiece

**T**his month's project is a portable sundial, demonstrating the Earth's rotation with respect to the Sun. Sundial designs vary and ours is a diptych ("two fold"). This refers to the main panels, which open out to 90° like a book cover.

Sundials use a shadow to indicate the time of day. Any object such as a tree will cast a shadow on a sunny day and, as the Earth rotates, the shadow moves around a predictable curve. A simple, vertical pointer sundial works but isn't ideal, as its shadow varies over the day and between summer and winter. Most sundials use a special pointer called a gnomon that is inclined at an angle appropriate for the latitude where it is used. As the Sun moves, the gnomon projects a shadow onto a compact, calibrated dial showing the time over the year. Our design uses a thread for the gnomon, stretching from a hole in the base to one in the lid. The angle between the thread and base should match the latitude. By adding extra holes in the lid you can re-fit the thread to suit different locations where you might use your sundial. We added some horizontal slots so the appropriate latitude can be selected easily.

An accurate gnomon angle will only be achieved if the base is horizontal. To assist alignment there is a plumb bob, a balancing weight, fitted to the spare end



**Mark Parrish** is a bespoke designer. See more of his work on his website: [buttondesigns.co.uk](http://buttondesigns.co.uk)

of the gnomon thread (we used a small nut). This is suspended from a block fitted to the upper part of the open lid and if the plumb bob hangs just above a mark on the base, the dial must be horizontal.

### Making marks

At midday the Sun is due south, so any shadow will be cast northwards. This means we need to align our sundial so that its midday marking is due north. A compass fitted into the base is a way to achieve this. Six hours later, at 6pm, the Sun will be in the west, the Earth having rotated 90°. At this time the shadow will be projected at 90° clockwise from the midday position. This makes it easy to set up the markings on the dial for midday, 6pm (also 6am, which is opposite 6pm). You might divide up the resulting dial with equal spaces for the other hours of the day (7pm, 8pm, 9pm etc) but because of the geometry between the horizontal base and the gnomon, the proper spacing between hour markings becomes closer either side of midday, especially at lower latitudes. There are online dial calculators ([blocklayer.com/sundial.aspx](http://blocklayer.com/sundial.aspx)) and we have three downloadable templates for 50°, 55° and 60°N.

Although the design calls for some precision, it is easy to build and adapt. We used some timber offcuts. We'd love to see your finished and customised sundials.

**More  
ONLINE**  
Download plans,  
diagrams and more  
photos for this  
project. See page 5  
for instructions

### Tools and materials


- ▶ Marking-out tools, including a ruler, square and pencil; a coping saw or similar; a drill and bits for screws, including a large Forstner bit to suit a compass.
- ▶ A small quantity of good-quality wood, measuring approximately 75x15x400mm-long (we used some 18mm-thick oak offcuts); a small piece of thinner wood for the sides such as 6mm-plywood or similar.
- ▶ Sundries include a small inexpensive compass, two woodscrews approximately 25mm (roundhead look nice), two small washers, a length of dark thread or fine string and a small nut or fishing weight.
- ▶ To apply a finish you'll need some oil or varnish, or suitable paint.



By observing the sundial's performance over the year you can make fine adjustments. Don't forget to allow for British Summer Time changes



# Step by step




## Step 1

Print out the downloadable plans and templates from the magazine website and use them to mark out and cut the main wooden parts, before sanding surfaces. Calculate the gnomon dimensions and mark the positions of the holes with a pencil.




## Step 2

Use a small bit to drill the gnomon holes (about 1.5mm diameter). Take your compass apart (you just need the main part, not the body). Measure it and drill a shallow hole. Make another hole to house the plumb bob when the lid is closed.




## Step 3

To enable the gnomon string to be repositioned (and aid simple threading) cut some slots from the left side to meet the gnomon holes for the latitudes you have chosen. We made one slot, which branched off to three holes to avoid too much cutting.




## Step 4

Draw out the shape of the side plates, using the plans to work out the exact position of the screws forming the “hinge”. We experimented with a few profiles and you could too, providing your walls don’t cast a shadow across the dial in use.



## Step 5

To make the block that holds the plumb line we drilled two holes in an offcut of hardwood before cutting through them to form the “spool” shape. Diagonal saw cuts in the block and top of the lid section keep the thread tidy.



## Step 6

Before final assembly we used a sharp point to transfer the hour positions to our dial from the printed template for the latitude we most expected to use. We drilled shallow holes at each hour. You could add lines and numerals. 🌐



Take the perfect astrophoto with our step-by-step guide

# ASTROPHOTOGRAPHY CAPTURE



A high-resolution image taken near the Moon's terminator highlights detail on the crater Langrenus

## High-resolution lunar imaging

How to capture the fine details of the Moon's surface

**T**he Moon is a stunning object to both observe and image. Low-resolution shots that record the whole disc or large areas are straightforward, but getting in closer for high-resolution results takes extra effort. One key skill here is the ability to assess the quality of the atmosphere passing between you and the Moon. Misjudge this and the result will look as if it has been incorrectly focused. Larger image scales can be achieved with a longer focal length, but here again assessing the correct value to match the current seeing is critical.

High-resolution imaging makes certain demands on equipment. As telescope aperture increases so does resolving power, meaning a larger scope will be able to resolve finer detail than a smaller one. This is not an issue per se, but it helps to realise that small scopes can't outperform larger ones under good conditions.

Image scale is proportional to focal length: the longer the focal length, the closer to the subject you will be



**Pete Lawrence** is an expert astro imager and a presenter on *The Sky at Night*

able to get – up to a point. If you create an image scale that tries to deliver a higher resolution than your scope can honestly deliver, you'll end up reducing the quality of the final image for no real gain.

Assessing the correct image scale is a skill earned with experience. You can use the effective focal ratio of your telescope as a guide here. For example, aim to use an effective focal ratio of  $f/20$ – $f/45$  for high-resolution imaging. Effective focal ratio is the focal ratio of your scope after applying optical amplification using devices such as Powermates and Barlow lenses. So, if your scope naturally has  $f/8$  optics, using a  $\times 2.5$  optical amplifier increases its focal ratio to  $(2.5 \times 8)$  or  $f/20$ .

Although focal ratio is a measure of light delivery speed at the camera sensor, the  $f/20$ – $f/45$  rule of thumb does work well. It might be tempting to aim for  $f/45$  straight away, but this is where judgment kicks in. The effective amplification to use should be chosen to match the quality of the atmospheric seeing. If the seeing quality is poor and the Moon's surface looks blurred and distorted in real time, aim for a setup in the  $f/20$ – $f/30$  range. If the quality is good, aim for the  $f/30$ – $f/40$  range. If the seeing quality is excellent, this is the time to try the  $f/40$ – $f/45$  range.


Pushing your scope to its imaging limits will require its optics to be correctly aligned or collimated. This isn't complex and should be done on a regular basis. At very high image scales it's easy for a slight misalignment to deliver less than optimal results.

Make sure the instrument is visually collimated first. Then, just before you attempt to image the Moon's surface, with all optical and camera components in place, turn the scope on a mid-height, medium-brightness star. Defocus the star and examine its diffraction rings. If they show asymmetry, tweak the collimation to correct for this. Keep the defocused star in the centre of the imaging frame. It's also worth noting that this procedure can be hard to carry out in poor seeing conditions. Once this has been achieved, you're ready for the next step – capturing the image.

**Recommended equipment:** HFR camera, telescope, optical amplifiers, laptop, infrared pass filter

✉ **Send your images to:**  
[gallery@skyatnightmagazine.com](mailto:gallery@skyatnightmagazine.com)






## STEP 1

Make an estimate as to the quality of the seeing. This assessment takes experience, but an indication is if the image looks sharp through the eyepiece or blurred and hard to focus. Shadowed features near the Moon's terminator are good for assessment purposes. If in doubt, assume poor seeing conditions.




## STEP 2

Choose your target feature and work out how to get your scope's effective focal ratio in the range of  $f/20$ – $f/45$  using an optical amplifier such as a Barlow lens or Powermate. Fit the amplifier and bring the feature into focus. Check the finder is centered on the feature visible on the screen.




## STEP 3

Slew your telescope to a medium-bright star half-way up the sky. Carefully defocus to reveal the star's diffraction rings. Centre the defocused star and assess how symmetrical the rings are. Consult your telescope's manual for collimation instructions and adjust until the rings appear symmetrical.




## STEP 4

Slew back to your feature of choice on the Moon. One tip to improve high-resolution images is to use an infrared pass filter, because longer wavelengths are less affected by seeing. If you use one, fit it before Step 3. A filter wheel will allow you to use or discard the filter as required.




## STEP 5

Make a high-resolution capture of your target feature using your favourite capture software. A strong signal – a level saturation of 70–80% – is desirable, plus a fast frame rate with the camera gain kept fairly low (below 60% if you can). Balancing the frame rate and gain is another skill that comes with experience.



## STEP 6

Aim to capture 1,000 frames. If you need to set the gain high to maintain a decent frame rate (higher than 30 frames per second), it is advisable to capture 1,000–2,000 frames. Process using AutoStakkert! ([autostakkert.com](http://autostakkert.com)) and use the wavelet function in RegiStax ([astronomie.be/registax](http://astronomie.be/registax)) to sharpen the result. 



Expert processing tips to enhance your astrophotos

# ASTROPHOTOGRAPHY PROCESSING

## IIAPY Masterclass: Unravelling Jupiter

How to use images taken at different times of Jupiter's rotation to create a cylindrical map



Insight Investment  
**Astronomy**  
**Photographer**  
**of the Year**

Advice from a  
2018 shortlisted  
Planets, Comets  
and Asteroids  
entrant

◀ The processed  
images of Jupiter  
are stacked in  
AutoStakkert!,  
sharpened  
in RegiStax,  
with finishing  
touches added in  
WinJUPOS

When it comes to planetary imaging, there is relatively little room for artistic interpretation when you are creating an image. Unlike nebulas and galaxies – which appear as dim and grey blobs to the naked eye, but as beautifully coloured in photos – the planets you see in a telescope are similar to those you often see in images. Despite this, there is still an opportunity to create an image portraying something unique about a planet.


Occasionally, planetary imagers with multiple images taken on a beautiful night or two as the target rotated, will create a map of their target. But incomplete maps often have artefacts on the edges, since pixels near the planet's limb in the original photo are stretched on the map to compensate for the planet's surface that is barely facing us, resulting

in an uneven resolution. A way to deal with this problem is to replace the low-resolution edges with parts of normal images that curve away naturally, to give the map a capsule shape.

To get started, we'll need a set of multiple images, captured under excellent conditions within a few nights. The images of the planet Jupiter used here were taken on 18 and 19 March 2017 in Cibolo, Texas with a Celestron C11 EdgeHD telescope and a ZWO ASI290MM camera. We follow the typical workflow for planetary imaging: stacking the highest quality frames from videos using AutoStakkert!, sharpening those images using wavelets in a program like RegiStax, and de-rotating them in WinJUPOS to reduce graininess and to transform monochrome images into colour if necessary.

### Time for a map

With our normal images finished, we're nearly ready to generate maps from them, which is also done in WinJUPOS. Incidentally, the de-rotation process makes this easier by automatically saving the images it creates with measurement files, which can be used for map generation. We generate maps using the tool under Analysis > Map computation. While there are many options to fiddle with, most of the defaults work fine for our purpose. WinJUPOS recommends a width for the maps that also matches the height with the original image. Taking advantage of this will be convenient later. While we can generate maps from



▲ In Adobe Photoshop each map is loaded as a stack of layers. Notice how the layer masks on the right are coloured to reveal lower layers





**Ethan Chappel** is a US-based astrophotographer who specialises in imaging planets. He was shortlisted at the IAPY in 2018 for his 'Jupiter Unravalled' map

◀ To give the map of Jupiter its distinctive capsule shape, two normal images of the planet are blended to both ends of the map

▼ To compensate for Jupiter's axial tilt, the planet's surface features need to be 'warped' by flattening the map into a single layer and moving the central region vertically


multiple images at once here, the results would contain abrupt seams between images. Alternatively, we can generate maps one-by-one and seamlessly blend them together ourselves.

Once the maps are generated, they can be loaded into Adobe Photoshop with File > Scripts > Load Files into Stack, which loads each as a layer. Only the top map will be initially visible. We'll reveal the maps hidden underneath by adding masks to each layer. Brighter areas on a mask correspond to more opaque areas on the layer and darker areas are more transparent. Removing areas from the top map by painting the corresponding area on the mask black reveals the next map below. Repeating this process for lower maps, until the bottom layer is reached, reveals the entire area photographed between the two nights.

Sometimes there's a dark seam caused by uneven lighting as a result of the planet rotating too far between images. This can be fixed by creating a new layer on top and setting the blending mode to overlay. Carefully painting shades of grey on the new layer over the seam allows it to be hidden. The border and extra information can be hidden by selecting it with the marquee tool and colouring the area black.

With the newly merged and cleaned map, it's time to insert the unmapped images to cap both ends of the map. After opening them with File > Open and copying them over to the canvas with our maps, we hide half of each photo with layer masks and move them to align the planet's poles with the top edges of the map.

The perimeter should line up nicely, but surface features are likely to be misaligned due to Jupiter's slight axial tilt, which is present in the normal photos but removed from the maps. To correct this, we need to adjust the map in such a way that



▼ The final capsule-shaped map of Jupiter is complete, with subtle corrections to brightness

preserves the perimeter while warping the area. We can achieve this by flattening the map into a single layer and warping it with Edit > Transform > Warp and moving the central region of the map vertically. Patience with this final step is crucial, as warping an area of the map to align it with one end can misalign it from the other.

Once everything is nicely lined up, our capsule-shaped map is complete. It can help to add a new layer with overlay blending, to make subtle brightness corrections with shades of grey for the final result if needed. 🪐






Your best photos submitted to the magazine this month

# ASTROPHOTOGRAPHY GALLERY

More  
**ONLINE**

A gallery containing  
these and more  
of your images



## △ Shadow Moon

Ken Florey, West Sussex, 2007–18



**Ken says:** “You never lose that feeling of first seeing a crescent Moon filling an eyepiece. I wanted to capture this magic in a ‘Full Moon’ with detail all over.

This sight is not available in nature as it requires imaging the shadows progressing during the waxing cycle. Weather and libration made this a decade-long labour of love.”

**Equipment:** Fuji FinePix bridge 6MP and 12MP cameras, Sky-Watcher 150mm f/8 refractor, Sky-Watcher HEQ5 Pro equatorial mount, 50mm Praktica DSLR lens (as eyepiece).

**Exposure:** ISO 400, multiple 0.05” and 0.025”

**Software:** Micrografx Picture Publisher

**Ken’s top tips:** “The Moon returns frequently and is bright, allowing short exposures, so take

single shots of different exposures and pick the best. The brightness range is often too great resulting in a blackened terminator, so narrow the framing and be prepared to combine different exposures in a mosaic. Overcome libration distortion by stretch-fitting each panel over a single full Moon base shot and work in a high DPI resolution, saving in a lossless format (.tif) and backing up.”

**PHOTO  
OF THE  
MONTH**



## The Bubble Nebula ▶


Martin Bradley, Chesterfield, 29 August – 10 October 2018



**Martin says:** "I wanted to capture the fine detail on the bubble and ended up with nearly 30 hours of data. I was pleased with its appearance and ionisation fronts."

**Equipment:** QSI 532wg mono CCD camera, Sky-Watcher Explorer 190MN Maksutov-Newtonian, Mesu Mount 200. **Exposure:** 34x1800' Ha, 21x1200' OIII, 16x1200' SII.

**Software:** MaximDL, CCDstack, PixInsight, Photoshop



## ◀ Horsehead and Flame Nebulae

Chris Kitson, Birmingham, 5 February 2019



**Chris says:** "Weather conditions were a little challenging due to the clouds, but I love how the wall of nebulosity pops behind the Horsehead, and the structure in the Flame Nebula is amazing. I'm looking forward to imaging this again when I have a dedicated astronomy camera."

**Equipment:** Canon EOS 600D DSLR camera, William Optics Zenithstar 103 apo refractor, Sky-Watcher EQ6-R Pro SynScan mount **Exposure:** 20x300" Ha, 35x300" RGB

**Software:** DeepSkyStacker, PixInsight, Lightroom

## SpaceX launch


William Brown, California, US  
7 October 2018




**William says:** "I went to see the SpaceX Falcon 9 launch last October from Vandenberg Air Force Base. I was not expecting much from 175 miles away but I set up my camera in case there was something worth taking a photo of. When I opened the files I was excited to see what I had captured."

**Equipment:** Nikon D7500 DSLR camera, Nikkor 10-24 f/3.5-4.5 ED AF-S DX lens

**Exposure:** 6" **Software:** Photoshop







## △ The Andromeda Galaxy

Gerard Tartalo Montardit, New Mexico, US, October 2017



**Gerard says:** "The monochromatic data is much finer and better than my colour camera. Perhaps the biggest challenge has been to correctly conjugate the three RGB (red green and blue) channels and then add it to the luminance to be processed later."

**Equipment:** SBIG STX 16803 CCD camera, Astro-Physics 305mm f/3.8 astrograph, Astro-Physics 1600 GTO mount **Exposure:** L 50x300", R 33x300", G 44x300", B 21x300" **Software:** DeepSkyStacker, Fitswork, FastStone, GIMP

## The Milky Way ▷

Anvar Ghadery, West Azerbaijan, Iran, 24 April 2018



**Anvar says:** "This is a river on the Iranian border with Iraq; a river that simply crosses the border of two countries. And beyond the border lies the Milky Way."

**Equipment:** Canon EOS 6D DSLR camera, 20mm Sigma lens  
**Exposure:** ISO 4000 f/2, 15"

## The Rosette Nebula ▷


Steve Bishop, Wakefield, 27 February 2019



**Steve says:** "Looking at other people's attempts, I like how strong the different narrowband wavelengths are and the colours you can create from them. I only started astrophotography last year and have waited a long time for the nebula to appear in my limited views of the night sky."

**Equipment:** Altair Hypercam 183M Pro mono camera, PrimaLuceLab Airy black 80T apo refractor, Sky-Watcher NEQ6 Pro SynScan mount

**Exposure:** 12x10' each Ha, OIII, SII; 10 darks, 20 flats. **Software:** Astrophotography Tool, PHD2, DeepSkyStacker, Photoshop







## △ Rising Moon

Andrew Allan, Perth and Kinross, 30 April 2018



**Andrew says:** "I had to wait for the right time of year to get clear skies and for the Moon to align with the treetops. I also needed to time it perfectly due to the Moon moving across the sky quickly when zoomed in."

**Equipment:** Canon EOS 1300D DSLR camera, Celestron Astro Fi 102 Maksutov Cassegrain.

**Exposure:** ISO 400, 0.025" **Software:** Snapseed





## Smartphone startrails

Jeff Dai, Xin Jiang, China,  
13 September 2018




**Jeff says:** "With the fast development of phone technology, I wanted to capture star trails on my smartphone. The image shows the graceful trails of the southern stars as Earth rotates on its axis. Moonlight illuminates the snow-capped mountains of the Xiate Ancient Trail."

**Equipment:** MEIZU 16 smartphone, tripod

**Exposure:** ISO 3200 f/1.8, 75x20"

**Software:** StarStaX, Photoshop



## ◁ The Seagull Nebula

Terry Hancock, Tom Masterson,  
Grand Mesa Observatory,  
Colorado, US, 1 February 2019



**Terry says:** "The nebula was in a very good position to shoot for most of the evening, starting at 7:15pm one hour after twilight in the east and finishing at 01:15am at an elevation of 31° in the west for a total acquisition time of six hours."

**Equipment:** QHY128C CMOS camera, Takahashi Epsilon-180ED f/2.8 astrograph,  
**Exposure:** 36x 600" colour  
**Software:** Maxim DL6, PixInsight, Photoshop





## ◀ M106

Mark Shelton, Marston Green,  
25–28 February 2019



**Mark says:** "I chose the target as a test for my new camera, as it was high in the sky and a worthy first light. Any new camera needs tweaks to get it right and this image proves it is pretty much spot on."

**Equipment:** Moravian G3 16200 CCD camera, Celestron C14 Schmidt-Cassegrain, Paramount MX+ mount.

**Exposure:** 22x10' RGB, 35x15' L

**Software:** PixInsight, Photoshop

## Taurus and Auriga border ▶

Nikola Milicev, Horgoš,  
Serbia, 1 January 2019



**Nikola says:** "When I aimed my camera at the Pleiades I knew I could frame

the California Nebula too, although my main target was the dust between Taurus and Auriga. As it was cold, my lens temperature dropped and dew formed on the front glass, which ended my session early."

**Equipment:** Canon EOS 1300D DSLR camera, Canon EF 50mm f/4 lens, Sky-Watcher Star Adventurer

**Exposure:** ISO 1600, 26x5'

**Software:** PixInsight, Photoshop



## ENTER TO WIN A PRIZE. HERE'S HOW:


Submit your pictures via [www.skyatnightmagazine.com/astrophotography/gallery](http://www.skyatnightmagazine.com/astrophotography/gallery) or email [contactus@skyatnightmagazine.com](mailto:contactus@skyatnightmagazine.com). Ts&Cs: [www.immediate.co.uk/terms-and-conditions](http://www.immediate.co.uk/terms-and-conditions)

We've teamed up with Altair Astro UK to offer the winner of next month's *Gallery* an Altair Astro Planet-Killer 685nm Premium IR Pass Filter with AR coating, designed to deliver sharper lunar and planetary images with mono CCD or CMOS cameras. For more info visit: [www.altairastro.com](http://www.altairastro.com) • 01263 731505



**ALTAIR★ASTRO**





**SPECIAL EDITION**

**ONLY £9.99**  
INC P&P\*



# The Complete Guide to ASTRO PHOTOGRAPHY

**Photograph the Moon, meteors and Milky Way**



Expert processing tips to enhance your photos

**Create short films from your still shots**

Night sky targets for your smartphone

**Capture the dynamic nature of our Sun**

The right kit for imaging stars, planets and more



**FROM THE MAKERS OF** **BBC Sky at Night MAGAZINE**

# The Complete Guide to ASTRO PHOTOGRAPHY

New and updated, *The Complete Guide to Astrophotography* is packed with essential advice and illustrated instructions that will give you everything you need to know about imaging the night sky. From beginner's shots with a smartphone to image processing tips for seasoned deep-sky imagers, there's something for everyone.

**Plus – subscribers to BBC Sky at Night Magazine receive FREE UK delivery on this special edition.**

**ORDER YOUR COPY TODAY**

[www.buysubscriptions.com/astrophotography](http://www.buysubscriptions.com/astrophotography)

**Alternatively call 03330 162138† and quote 'The Complete Guide to Astrophotography PRINT1'**

†Calls from landlines will cost up to 9p per minute. Call charges from mobile phones will cost between 3p and 55p per minute but are included in free call packages. Lines are open 8am–6pm weekdays and 9am–1pm Saturday for orders only.

\*Subscribers to BBC Sky at Night Magazine receive FREE UK POSTAGE on this special edition. Prices including postage are: £11.49 for all non-subscribers, £12.99 for Europe and £13.49 for the Rest of World. All orders subject to availability. Please allow up to 21 days for delivery.



The best in equipment, accessories and books each month

# REVIEWS

Find out more about how we test equipment at  
[www.skyatnightmagazine.com/scoring-categories](http://www.skyatnightmagazine.com/scoring-categories)

86

Discover how the lightweight Altair  
Starwave ASCENT 102ED F7  
refractor performed



SEE INTERACTIVE 360° MODELS OF ALL  
OUR FIRST LIGHT REVIEWS AT  
[WWW.SKYATNIGHTMAGAZINE.COM](http://WWW.SKYATNIGHTMAGAZINE.COM)

## HOW WE RATE

Each product we review is rated for performance in five categories.  
Here's what the ratings mean:

★★★★★ Outstanding ★★★★★ Very good  
★★★★★ Good ★★★★★ Average ★★★★★ Poor/avoid



Our experts tell you what they think of the latest kit

# FIRST LIGHT

Altair Starwave ASCENT

## 102ED F7 refractor telescope

An easy to use dual-purpose telescope with a lightweight frame

WORDS: PAUL MONEY

### VITAL STATS

- **Price** £549
- **Optics** Fully multi-coated ED doublet lens in collimatable cell
- **Aperture** 102mm
- **Focal length** 714mm; f/7
- **Mount** Tube rings with Vixen dovetail bar
- **Focuser** 10:1 fine focus 2.5-inch focuser, with 93mm of travel
- **Weight** 4Kg
- **Extras** Removable dew shield; 2-inch to 1.25-inch adaptor; front and back dust caps
- **Supplier** Altair Astro
- **Tel** 01263 731505
- **www.** [altairastro.com](http://altairastro.com)

Refractors are probably the most often used and sought-after type of telescope, as they are simple to set up and have no mirrors to collimate. They also have a variety of focal lengths to suit your astronomical needs, be it visual or imaging. The latest offering from Altair Astro is the Starwave Ascent 102ED, which is available as either an f11 long focus version or the f7 short focus variant we review here.

Looking smart in powdered white with a black finish focuser, the refractor comes as a basic tube with tube rings and a Vixen-style mounting bar, removeable dewshield, 10:1 fine focuser and 1.25- to 2-inch adaptor. The front objective lens is a doublet configuration, made from ED (extra dispersion) glass and all the surfaces are multi-coated for a crisper view – especially useful for planetary and lunar observation. The 102mm aperture provides 63 per cent more light-gathering power than an 80mm objective (front lens) which helps to give brighter deep-sky views too.


### Hunting for stars

For our visual tests we mounted the scope on our Sky-Watcher AZ-EQ6 in EQ mode, added our dielectric star diagonal and used our 2-inch and 1.25-inch eyepieces to give a good range of magnification. In our first clear night the Moon was high in the sky, but that didn't stop us testing the quality of the field of view by using the star Procyon in Canis Minor. For this we used our 2-inch, 21mm Tele Vue Ethos eyepiece and enjoyed a spectacular view as we moved Procyon from one side to the other in the eyepiece. We enjoyed a crisp view of the star, across 90 per cent of the field of view, before slight distortion began to show. Next, we took a tour of a variety of coloured stars – including Capella,

Betelgeuse, Pollux and Aldebaran – to assess the colour rendition and we were pleased with the Ascent 102ED's crisp views and colour.

The Moon was sharp and full of detail with no sign of chromatic aberration (blurring with coloured edges) on the bright edge of the limb. Chromatic aberration happens when colours don't all come to the same ▶

### Easy on the eye



▲ From left: A stacked image of star Algieba and crater Clavius taken with the GPCAM2 290C and 2x Barlow lens

The lightweight body of the scope made it easy to set up on our chosen mount, whether we were viewing or imaging. The quality of the views impressed us as we could add in higher magnification eyepieces and still get rewarding vistas, be it with the Moon or galaxies. To test the resolving power, we viewed the double stars of Algieba and Castor with our 9mm eyepiece, easily splitting them into their component stars with good colour contrast, especially Algieba. Adding in the x2 Barlow

lens and our Altair GPCAM2 290C camera we achieved our best images of both pairs with a clean, clear space between the stars.

The Moon has lots of fine detail, so we used the same camera combination to close in the crater Clavius. We were rewarded when we stacked 1,500 frames out of over 5,000, to get a crisp view of the small craters inside it. The higher magnification views of galaxy M82 also picked out the darker breaks in its disk, all making it an enjoyable viewing experience.



See an interactive 360° model of this scope at [www.skyatnightmagazine.com/AltairAscent](http://www.skyatnightmagazine.com/AltairAscent)



## SCALE



730mm

## Body

The tube is machined aluminium, 73cm long and weighing just 4kg, making it lightweight and easy to use. It cools down quickly, enabling you to be up and viewing or imaging quickly, which is helpful for taking advantage of those occasional clear patches of sky.

## Optics

The front objective lens element sits in a collimatable cell. It's a doublet lens with multi-coatings on all its optical surfaces, allowing for good control of colour correction.

The lens is 102mm in diameter with a focal length of 714mm, giving a focal ratio of f/7. It's ideal for visual and imaging purposes.



## Tube rings

The two tube rings gave firm grip yet could be loosened to rotate the tube if needed for a better imaging orientation. They have M6 mounting holes for attaching additional equipment such as a guide scope, while attachment to a mount is via the Vixen dovetail bar.



## Focuser

The focuser is a smooth, dual-speed, non-slip 2.5-inch geared unit with 93mm of travel and a tension adjustment screw underneath. The tension screw allows for heavy equipment such as large cameras to be attached and locked off, so the focus doesn't slip during imaging.



# FIRST LIGHT

## KIT TO ADD

1. Altair 0.8x reducer
2. Altair 2-inch star diagonal
3. Altair 18mm ULTRAFLAT eyepiece

► focus, so we were pleased to see it well controlled. After a thrilling tour across the lunar landscape with our 26mm eyepiece, we added our 2x Barlow lens to view more detail. During moments when seeing conditions were good, the floor of the crater Plato was revealed as smooth, but with indications of small craters popping into view. Our Canon EOS 50D DSLR captured a nice view of the Moon, but it was a little on the small side at f/7. Swapping to our Altair Astro GPCAM2 290c colour camera, we captured several videos of the southern and northern hemispheres of the lunar landscape to produce crisp detailed images of the area covering Clavius and Tycho. The focuser held our various imaging cameras with no slippage and we were able to test plenty of accessories. Sadly, the best planets – Jupiter and Saturn – were too low along the ecliptic for us to view, but we did manage to see Mars, despite its small disk, and there was a polar cap and some subtle surface markings for us to enjoy.

We had to wait almost to the end of our review period for a night with no Moon and one of the clearest, darkest skies we've had recently for a deep-sky appraisal. Again, we took a visual tour of the night sky's main delights, taking in wide-field views of the Sword of Orion, using the Tele Vue Ethos 21mm eyepiece, with lots of nebulosity on show in the Orion Nebula. The Pleiades star cluster, M45, sparkled like diamonds on black velvet, with the Merope Nebula just viewable with averted vision. The Andromeda Galaxy, M31, was a little low down but we could see the faint disk stretching across a large part of the almost 3° wide field of view and the companion galaxies were prominent.

Adding the DSLR camera we took images of the Sword of Orion and the Leo Triplet of galaxies. They showed reasonable colour correction, since imaging is always more demanding compared with visual, although we did note a little blurry chromatic aberration. Overall, however, the Ascent 102ED f/7 performed well and would make an excellent addition to your equipment collection. 📡

## Dew shield

The metal dewshield is 200cm in length and 12cm in diameter, and can be unscrewed for lens cleaning. Its internal surface is a matt black, cutting down on extraneous light and it worked well under damp conditions, allowing time for viewing and imaging before the lens showed signs of dew.



▲ A southern lunar landscape captured with the Ascent 102ED f/7 scope and a GPCAM2 290C camera. The stack has 2,000 frames



▲ The Leo Triplet of galaxies captured with the Ascent, 102, f/7 scope and an 0.8x focal reducer. The image is a stack of 21 frames, each 60-second exposures at ISO 800



◀ A vivid view of the Sword of Orion captured with the Ascent 102 f/7 scope and a 0.8x focal reducer. The image is a stack of 13 frames, each 60-second exposures at ISO 400

## VERDICT

Build and design	★★★★★
Ease of use	★★★★★
Features	★★★★★
Imaging quality	★★★★★
Optics	★★★★★
OVERALL	★★★★★





Discover Europe's Oldest  
Operating Theatre (1822)  
housed in the attic of St  
Thomas' Church.

**THE OLD OPERATING THEATRE  
MUSEUM & HERB GARRET**

[www.oldoperatingtheatre.com](http://www.oldoperatingtheatre.com)

Open Daily: 10:30 AM - 5:00 PM  
Admission Charge

**Increase the efficiency of your reflector by up to 25%**

Our **HI-LUX coating** can be applied to almost any reflector, in virtually any condition or no matter how old. Improves the reflective efficiency of your mirrors.



Find out more on our website: **Optics > Mirror Recoating** or call / email

**Hi-Lux**  
High Reflectivity Coating

**ORION optics UK**  
tech enquiries: [john@orionoptics.co.uk](mailto:john@orionoptics.co.uk)  
Telephone **01782 614200**

[www.orionoptics.co.uk](http://www.orionoptics.co.uk)

**ASTRONOMY HOLIDAYS!**



Holiday in our lodges near the North Devon coast and image the night sky with our dome based, fully equipped 25cm Skywatcher Quattro on an EQ6 mount. We also offer AstroScape photography and educational courses on Astronomy.

Plus visual observing with our half meter Dodsonian!

**See our website for details.**

[www.astroadventures.co.uk](http://www.astroadventures.co.uk)

**GALLOWAY ASTRONOMY CENTRE**

**Discover the Dark Skies of Galloway**

The UK has few places left with genuine dark skies. Close to the UK's first Dark Sky Park experience our night sky full of stars. Suitable for all ages. For help buying or using a telescope talk to us first. Our Stargazer Voucher is an ideal gift for everyone.

**At the Centre we provide:**

- B&B style accommodation and evening meals
- Telescopes up to 16 inch • Short astronomy courses

We are a Skywatcher and Celestron dealer

**Prices from only £28 pppn. Children welcome.**

To book contact **Mike Alexander**: Craiglemine Cottage, Glasserton, Wigtownshire, Scotland DG8 8NE • ☎ 01988 500594 • [enquiries@gallowayastro.com](mailto:enquiries@gallowayastro.com)

[www.gallowayastro.com](http://www.gallowayastro.com)

**Telescope Service any make! any age!**

Over time, your telescope will benefit from a General Service. We offer you the opportunity to help you look after your telescope, regardless of it's make or age and keep it in tip-top condition. There are many telescopes on the market but all will perform much better with regular service and maintenance.



See our website for full details

All mechanics and optics checked

**from only £50**

**ORION optics UK**  
tech enquiries: [john@orionoptics.co.uk](mailto:john@orionoptics.co.uk)  
Telephone **01782 614200**

[www.orionoptics.co.uk](http://www.orionoptics.co.uk)

FIND THE TELESCOPE SERVICE LINK ON ALL PAGES



Our experts tell you what they think of the latest kit

# FIRST LIGHT

## ZWO ASlair smart Wi-Fi ASI120MM Mini camera and 30F4 Mini guidescope

An auto-guiding bundle that makes astrophotography simpler and easier to control

WORDS: TIM JARDINE

### VITAL STATS

- **Price** £381
- **Guidescope** 30mm objective lens; 120mm focal length; 1.25-inch fitting
- **Guide camera** USB2.0 CMOS camera, 1/3-inch-sensor, 1280x960 resolution
- **Main unit** ZWO ASlair Smart Wi-Fi unit, including SkySafari bridge with ASI USB3.0 camera control
- **Weight** 500g
- **Extras** Hook and loop mounting pads, SD card reader, USB-RS232 cable, short USB cable
- **Supplier** 365 Astronomy


When Raspberry Pi devices appeared, we were excited by their potential to simplify astrophotography and the ZWO ASlair has been developed to do just that. The package we are reviewing is a 'bundle' that includes a 30F4 mini guide scope and ASI120 guide camera.

The ASlair is lightweight and compact, and designed to be fitted on or near to your telescope with hook and loop pads. With so many useful features it is difficult to accurately describe its functions in just a few words, but basically it is a stand-alone computer that can control ZWO cameras and a filter wheel, provide Wi-Fi connectivity to a mount, and auto-guiding. A 12V DC supply is required to power the ASlair's 5V converter and, once turned on, the ASlair establishes its own local Wi-Fi, either 5G for faster communication or 2.4G for greater range. Smartphone or tablet users can then connect directly to the ASlair via the downloadable ZWO ASlair app.

### Best of all worlds

The unit is compatible with most popular telescopic mounts, including Celestron and Sky-Watcher. These can in turn be controlled using a smartphone or tablet, thanks to integration with SkySafari, a popular planetarium app. We connected our 10 Micron mount with the supplied RS232 cable, and within a few moments were able to simply tap on targets within the SkySafari app and the mount happily slewed to them. Typical mount handsets can be clunky to use and require repeated button pressing and menu navigation, not to mention the trailing cables. They

always seem to end up snagging on something, so the ability to stand back from the mount and simply click your next target on a phone screen is probably reason enough to invest in an ASlair unit. But it is capable of much more, as we discovered. ▶



## Smooth operator

Not only is the ASlair unit itself nicely made, the app that controls it is slick, well designed, and simple to use. Astronomy software can become complicated and having to navigate overly technical applications in the dark with cold hands is fairly daunting.

This app is a pleasure to use and provides almost everything you need to know on one screen, including image progress, guiding graph and image preview. There's a histogram stretch, to give an idea of how much faint signal the camera is collecting.

Colour images can also be debayered – where colour filters are adjusted – while you are on the move.

The ASlair app runs on recent Android and iOS devices. When tested, it ran smoothly on a recent smartphone and an older Android tablet. It would have been nice to see a night vision mode with red controls. The ASlair could be used at public astronomy events, displaying the object the scope is trained on easily for all to see on a screen, without hindrance of cables.

See an interactive 360° model of this bundle at [www.skyatnightmagazine.com/ZWOASlair](http://www.skyatnightmagazine.com/ZWOASlair)





SCALE

120mm

## 30F4 Mini guidescope

Mounted on a standard finder-scope shoe, this 30mm, f/4 scope has a helical focusing method with 20mm of travel. Lightweight and extremely compact, it nonetheless provides a clear, wide image of the sky for plenty of guide star options without adding too much weight. There are two thumbscrews for holding a 1.25-inch camera.

## ASlair unit

The lightweight ASlair unit provides four USB2.0 ports, ethernet connection, and an SD memory card slot, with a 32GB SD card included. It is powered by the supplied 5V USB lead, using a 12V DC power source (not supplied) and establishes a local 5G or 2.4G Wi-Fi within seconds of being switched on.


## ASI120MM mini camera

Nicely matched to the guidescope, the monochrome ASI120MM Mini camera has 1280X960 resolution, with a 12-bit ADC (analogue to digital converter) and can be used as a planetary or lunar camera in its own right. As a guide camera we found it to be amply sensitive using a medium gain setting, with images demonstrating low read noise.





# FIRST LIGHT




## Focus assistant

Accurately focused images are essential for good quality results. Within the ASlair app there is a focusing assistant tool which allows coarse and fine adjustments and displays the results as a numerical value. Alternatively, the live view star image displayed on a phone or tablet works well with Bahtinov mask focusing, a diffraction-based technique.

► All ZWO USB3.0 cameras, cooled cameras and ASI mini cameras are recognised by the ASlair. Our supplier kindly made an ASI294MC camera available to test the imaging capability of the system. Before starting the imaging run though we set up the 30F4 guidescope, attaching it to our telescope, along with the ASI120MM Mini camera. There are four USB2.0 ports on the rear of the ASlair and the cameras were immediately recognised, with all their key characteristics available to the control app. The guide camera has a USB-C (24-pin) connection, along with an ST4 connection if required. We were impressed with the sheer simplicity of setting it all up; astrophotography is so much more rewarding when the technology just works.


Opening up the autoguiding interface revealed a familiar setting, as PHD2 scope-guiding software is incorporated into the app. After finding a suitable guide star we started the calibration process. A short while later, as autoguiding began to work, our attention turned to the imaging process itself. Controlling the imaging camera is straightforward; just choose whether Light, Dark, Bias or Flat frames are required. Next, set the exposure time and number of pictures to take and hit the go button. This is hassle-free astroimaging with no laptop required. The pictures taken are saved on to a 32GB SD card, and can be transferred to a computer for processing, either by removing the SD card from the ASlair and using the supplied USB adaptor, or via Wi-Fi or Ethernet. The operating system for the ASlair is installed on the SD card. Basic instructions are provided but remember to take care when first using the equipment and to make a backup of the software.

Once everything was set up and running, the guiding was moving along happily and the images were being taken and saved, with a progress report displayed live



## Plate solving

The off-line plate solving function works by comparing an image of the sky taken by the camera against a database, and accurately identifying the mount's position. After syncing the mount accordingly, the Go-To positioning accuracy of the mount will be improved, allowing targets to be located more effectively.



on our phone. We even wandered away from the equipment, out of range of the Wi-Fi signal. When we returned the connection automatically refreshed itself and brought the app on our phone up to speed with what the camera had been doing while we were away, again, the process was seamless.

If you already have the appropriate ZWO cameras then the ASlair and auto-guiding bundle really simplifies astrophotography, making it easy to control everything using the phone in your pocket. 🌌

## VERDICT

Assembly	★★★★★
Connectivity	★★★★★
Ease of use	★★★★★
Features	★★★★★
Guiding Accuracy	★★★★★
OVERALL	★★★★★

▲ An image of the Orion Nebula, M42, as captured by a Sky-Watcher Esprit 150ED PRO refractor and an ASI294MC camera, controlled by the ASlair

### KIT TO ADD

1. 12V 5A mains power unit
2. ZWO ASI294MC PRO USB3.0 Deep Sky Camera
3. TS-Optics 71SDQ APO refractor



VISIT US AT


**The Practical  
Astronomy Show**on 9 March 2019  
Kettering Conference  
Centre

# 365 Astronomy

Discovery for every day!

## Moravian Instruments

Best value research grade CCD cameras used by scientific institutions &amp; serious amateur astro photographers.

**Most Popular Cameras:**  
**G2-8300, G3-16200**  
**G4-9000, G4-16000**

- Superior low noise electronics
- Optional ENHANCED cooling to further reduce electronic noise
- Internal or external filter wheels
- Off Axis Guider adaptor for G2, G3, and G4 models
- Now available with a slight touch of colour

**NEW - MKII  
G2, G3, G4  
CAMERAS  
AVAILABLE NOW!**

- Faster download
- Built-in tilting
- New modern design
- Top quality electronics
- Precise mechanical construction




## PRIMALUCE LAB

**EAGLE2 & EAGLE2 PRO**Advanced remote control units for mobile telescope setups and observatories. A **MUST HAVE** for serious astro-photographers**EAGLE CORE** WiFi control unit for astrophotography with a DSLR camera**ECCO** environmental computerised controller for Eagle2 & Eagle2 Pro**SESTO SENSO** Sixth sense robotic focusing stepper motor**PLUS! WIDE RANGE  
OF SUPERIOR QUALITY  
ACCESSORIES**Guidescope, tube rings,  
guiding rings, clamps,  
dovetail bars, reducers

PRODUCTS AVAILABLE FROM 365ASTRONOMY.COM OR OUR DEALER NETWORK

## FORNAX MOUNTS

Observatory grade equatorial mounts with high payloads of 50, 100, 150 & 200kg  
High precision belt driven with easily replaceable separate controller. Also available with absolute encoders for highest demands**TeleVue  
Visionary**Legendary eyepieces,  
telescopes,  
Barlow lenses,  
Powermates

## Paramount

No introduction needed!  
Greatest robotic telescope mounts on Earth.  
All sizes available:

- Portable MyT
- Medium sized MX+
- Largest ME II
- Equatorial fork Taurus



## CMOS Cameras

Wide range of astro photography cameras for every need and budget

Full frame, APS-C &amp; M4/3 cooled CMOS cameras for deep sky:

**ASI094, ASI128, ASI071, ASI1600, ASI183, ASI294****BEST CMOS  
SOLAR IMAGER: ASI174**

Popular planetary imagers at incredible value:

**ASI120, ASI178, ASI224, ASI290, ASI385****Wide range of accessories**

(electronic filter wheels, off-axis guiders, atmospheric dispersion correctors, LRGB and narrowband filters) and spare parts available from UK stock



DISTRIBUTION OF THE GREATEST ASTRONOMY PRODUCTS IN THE UK AND EUROPE

Call us 9am-8pm Mon-Fri.  
(Casual visitors welcome 7 days a week by appointment only).**020 33 845 187**

365astronomy

@365astronomy


365astronomy.com

sales@365astronomy.com



New astronomy and space titles reviewed

# BOOKS



## The Vinyl Frontier

**Jonathan Scott**  
Bloomsbury  
£16.99 • HB

Lots of music books in recent years have told behind-the-scenes tales of how individual classic albums came to be. Here's another; except this album was crafted not for the music charts, but to document life on Earth for aliens who might discover it in some dim and distant future. In the summer of 1977 astronomer Carl Sagan led a small group of scientists and artists to create a copper and gold-plated record to be bolted onto the twin Voyager spacecraft before their journey to the outer Solar System. They had just six weeks to assemble a mixtape from humankind and make it flight ready,

and as music journalist Jonathan Scott entertainingly recounts, they very nearly didn't make it.

The Voyager Golden Record contained sound and pictures (encoded into audio, 1990s internet dial-up style), including greetings in 55 languages (and whale song) plus sounds from everyday life – including a kiss – as well as 26 pieces of music from around the globe, which the book takes us through track by track.

This is not a standard space book, more resembling something like Nick Hornby's *High Fidelity*, with frequent asides, digressive footnotes and a comparison between Beethoven and the Stone Roses. Like *High Fidelity*, there's also a romance, as the author recounts how Sagan got together with the love of his life, writer Ann Druyan, as they worked on the project.

The book recalls Tim Ferris, the record's producer (and awkwardly Ann Druyan's then-fiancé), talking to Sagan and the latter saying "We got away with it" once the spacecraft were flying, adding to the sense that it was a lucky fluke somehow miraculously avoiding death by

committee. Scott portrays the Golden Record as hailing from a specific time and sensibility, when


sitting listening to an album without doing anything else at the same time was a normal thing to do.

As he points out, it is a time capsule of post-1960s expansiveness and optimism, long since evaporated. Scott also notes that when the New Horizons spacecraft launched for Pluto and the Kuiper Belt in 2006 it carried no equivalent of the Golden

Record; nobody even raised the idea. We should ask ourselves why that is.

★★★★★

**Sean Blair** writes for the *European Space Agency website*



▲ Scientists mounting the Golden record onto one of the Voyager probes

## Interview with the author Jonathan Scott



**How different do you think the Golden Record would be, if it were made today?**

It might be strangled by committee or commercialism. Carl Sagan acted as a bulkhead between the creative team and NASA, which minimised meddling. That's not to say a version today would be bad, just that the 1977 environment allowed some idiosyncrasies, ordinary Joes and oddities to make it onto the record.

**What are the main issues with creating a cosmic mixtape?**

It's like choosing a tattoo that will still seem like a good idea in a billion years. In 1977 there was too little time to procrastinate. They had to ignore the magnitude of what they were attempting and make decisions.

**What would you hope an alien civilisation might get from the record?**

I hope they'd appreciate the effort. It might take them a while to crack the code of those cover hieroglyphs. Assuming they can see and hear, and that they manage to build a turntable and set the record revolving at the correct speed, and drop a needle in the right place, I suspect the rasping, beeping white noise of the picture sequence might leave them bemused at first. I imagine one saying: 'Well this one is little too avant-garde for me. Put 'Johnny B. Goode' on again!'


**What would you add to the record?**

I'd add 'Misalliance' by Flanders & Swann. It's a tale of forbidden love between two climbing plants, a hymn to freedom of choice and the destructive power of division.

**Jonathan Scott** is a music writer, astronomy enthusiast and former contributing editor to *Record Collector Magazine*



## Mars: The Missions That Have Transformed Our Understanding of the Red Planet



**Rod Pyle**  
**Andre Deutsch**  
£20 • PB

Since antiquity, humans have been curious about Mars, although mankind's

biggest steps towards really seeing the Red Planet were made in the 20th century. From the first flybys to the orbiters and current rovers on Mars, they have all revealed our neighbouring planet in mind-blowing detail and have their own bright history to share.

Author and NASA consultant Rod Pyle has written a lot about the history of space exploration, but his latest book is a masterpiece. Just as the legendary Mars Opportunity rover's mission has ended, this book captures the stories of the beginning of the mission and its fruitful working days on Mars. It also gives insight into other Mars missions from behind the scenes. Pyle

writes about the mission scientists and the emotions felt as they witnessed the first ever landing on the Red Planet. He reveals the doubts and challenges the mission teams were facing while most of us on Earth were unaware of what was happening far beyond our own planet.

This book illustrates the brightest moments from different Mars missions and also talks about failures and lost spacecraft, spelling out the history of our species' curiosity with Mars and explorations of its surface. Mistakes transformed into victories, challenges turned into inventions and beautiful landscapes were explored as part of incredible scientific discoveries: these are the key moments of Martian exploration documented in Pyle's book. This is an excellent read, both for those who know a lot about Mars and those who have only recently become fascinated by the Red Planet. ★★★★★

**Sandra Kropa is a science journalist and writer**

## Space Shuttle: A Photographic Journey

**Luke Wesley Price**  
**Ammonite Press**  
£30 • HB

**BOOK  
OF THE  
MONTH**



It is hard to believe that nearly eight years have passed since the final orbital flight by one of NASA's fleet

of Space Shuttles. Atlantis's mission in July 2011, 30 years after Columbia first orbited Earth, marked the end of a remarkable era in space exploration. That era is recorded in *Space Shuttle: A Photographic Journey* in images.

The Shuttle was the first reusable spacecraft. Its fleet of five flew 135 times into orbit. The many successful missions were, of course, marred by two tragic accidents that cost the lives of 14 astronauts in 1986 and 2003. Those dreadful events are recalled in the book, which begins with a dedication to the crews of Challenger and Columbia. However, the photos themselves, which appear throughout, focus on the positive aspects of the Shuttle project.


After a brief introductory text, the bulk of the book's pages are packed with colour images of each of the Shuttles showing them at every stage of their missions, from launch preparations through lift-off and orbit, to landing. Some of these photos will already be familiar as classics, but a lot of them will surely be new to readers. The author, a graphic designer by trade, worked with NASA to scour many thousands of photographs of the various Shuttles, and has presented them from a range of different perspectives. They are a delight to behold.

The book ends with a gallery of all the individual mission insignia, or 'patches', followed by pages listing key data for each flight – making this book also useful as a reference work. Most of all, however, it is the splendid collection of Shuttle images that makes this book so special.

★★★★★

**Paul Sutherland is a space writer and journalist, author of Philip's Essential Guide to Space**

## Gravity's Century: From Einstein's Eclipse to Images of Black Holes



**Ron Cowen**  
**Harvard University Press**  
£19.95 • HB

The title of Cowen's first book nicely captures exactly what it's all about: the past

century of research in gravitational physics. Mixed in with the science are anecdotes about some of the physicists who conducted the research, which really does help to bring the story to life.

We start of course with Einstein and how his General Theory of Relativity was developed. Cowen describes how Einstein became the first "science superstar" when Eddington and his team observed the bending of starlight during a solar eclipse, in accordance with his theory. The book goes on to discuss the ways in which we

are trying to gain a better understanding of gravity and what it means. Cowen touches on the expansion of the Universe, imaging the black hole at our Galaxy's centre and, in my favourite chapter, quantum gravity.

The writer has a talent for explaining what can often be tough concepts and the maths behind them. Most of the time I felt I was just reading a story and the maths crept up on me. The 'deeper dive' sections are helpful additions, exploring in detail some of the ideas that would have been lost in a chapter. My only criticism is that Cowen missed an opportunity to showcase the increasing diversity of those in research when picking which stories to highlight.

*Gravity's Century* is remarkably easy to follow and read. If you are a keen beginner, or just interested in some of the people behind the science, read this book.

★★★★★

**Dr Laura Nuttall is a senior lecturer in gravitational waves at the University of Portsmouth**



Elizabeth Pearson rounds up the latest astronomical accessories

# GEAR



## 1 Apollo 10 flown foil and moon rock in acrylic

**Price £239.99 • Supplier Space Collective**  
**Tel 01342 837098 • <http://thespacecollective.com>**

Keep a piece of Apollo history on your mantelpiece. This block contains a fragment of the Apollo 10 command module alongside a piece of lunar meteorite, along with a card with details of the mission.

## 2 Astroart 7

**Price \$165 (£125) • Supplier MSB Software**  
**Tel +39 0544 527265 • [www.msb-astroart.com](http://www.msb-astroart.com)**

A complete suite of everything you need for astrophotography, from camera and telescope control through to image processing. This new version has been updated to give an easier, smoother user experience.

## 3 One giant leap socks

**Price £10 • Supplier Royal Observatory Greenwich**  
**Tel 0208 312 6700 • <https://shop.rmg.co.uk>**

Make every step a giant leap with these socks. Each depicts an astronaut walking on the Moon with a Space Shuttle zipping past behind him. Fits men's shoe sizes 7 to 13.

## 4 EQ6Rail

**Price £129 • Supplier Modern Astronomy**  
**Tel 020 8763 9953 • [www.modernastronomy.com](http://www.modernastronomy.com)**

This rail helps to remedy a common flaw with the popular EQ6 mount, where the adjustment bolt hits the mount and bends. This rail provides a curved surface, allowing smooth use of the mount between latitudes of 15–75°.

## 5 Bresser Barlow lens 5x (1.25-inch)

**Price €49 (£42) • Supplier Bresser**  
**Tel +49 2872 80740 • [www.bresser.de](http://www.bresser.de)**

Whether you're doing astrophotography or visual astronomy, this Barlow lens will let you extend the effective focal length of your telescope, increasing the magnification by a factor of five.

## 6 Orion StarShoot P1 polar alignment camera


**Price £284.99 • Supplier Orion**  
**Tel 0800 041 8146 • <http://uk.telescope.com>**

Polar align your equatorial telescope in a matter of minutes using this system. The camera attaches to your telescope, then the accompanying software offers step by step instructions to align your mount. The Orion P1 will require computer support.



PART OF THE **BBC FOCUS** MAGAZINE COLLECTION

# THE ULTIMATE GUIDE TO THE SOLAR SYSTEM



This *BBC Focus Special Edition* reveals the wonders of the Solar System and the latest missions to explore new frontiers...

## IN THIS ISSUE...

- How humans will **colonise Mars**
- **Searching for life** in Europa's oceans
- Mercury: our **ticket into outer space**
- The **ice volcanoes** of Titan
- The mission to **return to the Moon**
- The secrets of **dwarf planets**
- How the **Solar System** will die

**PLUS – subscribers to BBC Sky at Night Magazine receive FREE UK postage on this special edition**

**ONLY  
£9.99  
INC. FREE UK  
POSTAGE\***



The mission to dodge an asteroid that could one day save Earth



Incredible images of little-known phenomena on Jupiter



Cosmic enigmas that have astronomers scratching their heads



**Order online**

[www.buysubscriptions.com/solarsystem](http://www.buysubscriptions.com/solarsystem)



**Or call 03330 162 138<sup>†</sup>**

and quote **THE ULTIMATE GUIDE TO THE SOLAR SYSTEM PRINT 1**

<sup>†</sup> UK calls will cost the same as other standard fixed line numbers (starting 01 or 02) and are included as part of any inclusive or free minutes allowances (if offered by your phone tariff).

Outside of free call packages, call charges from mobile phones will cost between 3p and 55p per minute. Lines are open Mon to Fri 8am – 6pm and Sat 9am – 1pm. \*Subscribers to BBC Sky at Night Magazine receive FREE UK POSTAGE on this special edition. Prices including postage are: £11.49 for all other UK residents, £12.99 for Europe and £13.49 for Rest of World. All orders subject to availability. Please allow up to 21 days for delivery.



# Q&A WITH PATRICK MICHEL

## Grains collected from the surface of the Near-Earth Object Ryugu by JAXA's Hayabusa 2 mission could give clues to how life emerged on Earth

### How does Hayabusa 2 build on the previous mission?

Hayabusa 2 launched on 3 December 2014 and arrived at the asteroid Ryugu on 27 June 2018. The first Hayabusa mission, launched in 2003 by JAXA (the Japanese Aerospace Exploration Agency) to the asteroid Itokawa, was a technological demonstration. Itokawa was chosen because it was the 'cheapest' to get to. This time the target was chosen to match the science objectives that we had – to understand the composition of the building blocks of the planets, and also to understand the role of asteroids in the emergence of life on Earth.


**What could asteroid soil tell us about the origins of the Solar System?** It can tell us about this asteroid – its age, the shock levels it has experienced, and also about the big picture. It could tell us how the Solar System formed and how life on Earth may have come about.

Ryugu is a C-type asteroid, meaning it's a carbon-rich type. We believe these objects formed further from the Sun than silicate-type objects like Itokawa, therefore they may have experienced less heating and be more representative of the original material of the Solar System that made the planets. These objects are small so they never experience a lot of heating – unlike planets. Therefore, they can allow us to trace back the original material that made the planets.

Because Ryugu is a carbon-rich asteroid, we believe that it may be rich in organic material, and have water in the form of hydrated minerals. We built scenarios telling us that at the end of the Earth's formation there were a lot of impacts; one idea is that asteroids brought water and organic materials that made life possible.

### Why do we think the asteroids might have organics?

We've found carbon-rich meteorites – which were originally asteroids – on Earth, which contain amino acids. We also measure the properties of water, in particular the deuterium to hydrogen (D/H) ratio that matches that of Earth's oceans. But these meteorites suffer contamination, and they are also biased towards the strongest materials that can survive



▲ An artist's impression of Hayabusa 2, which is taking geological samples from the asteroid Ryugu

Earth's atmosphere. By taking a sample from an asteroid itself and returning it to Earth, you remove this bias. You also get the geological context of the samples required to understand their analysis.

### How did you collect the sample of asteroid soil?

There is a sample horn about 70cm in length, which is like a mosquito's nose. When it touches the surface it fires a small projectile of 5g which impacts at 300m/s.

Then the spacecraft goes up again – it's a 'touch and go'

approach. The impact creates ejecta and you can capture fragments as big as 1cm. The target is to collect 100mg of samples. We won't know how much and whether we have any samples until the capsule is returned to Earth. We are looking very carefully at all the images to confirm if it's likely that we've got samples.

### What other key events are planned for the mission?

In early April we will conduct a hypervelocity impact experiment. We will deploy a little box which will stay at a distance from the surface while the spacecraft goes behind the asteroid. When the spacecraft is in a safe position the box will explode and release a 2kg copper projectile that will impact the surface at 2km/s to make a crater. This allows us to test our predictions about crater size being dependent on impact energy.

This is important because we estimate the age of a surface by counting the number and size of craters. For that, we need to work out the relation between the projectile size and the size of the crater. Normally big craters need bigger projectiles, but suppose we find that with a small impact you generate a big crater?

The second aim will be to bring back the spacecraft and possibly take a sample of the subsurface from the crater. I would expect this to be sometime from mid-May to June.

The spacecraft will leave the asteroid this December, and will be back to Earth in December 2020. But before that happens, the adventure continues. My Japanese colleagues are amazing and the suspense is still at its highest level. 🖋️



**Dr Patrick Michel** is director of research at CNRS, Côte d'Azur Observatory in Nice, France, and a science team member on JAXA's Hayabusa 2 mission





Introducing the Explore Scientific iEXOS-100 PMC-Eight Mount: an innovative, highly portable German Equatorial mount. Built for both visual astronomers and astrophotographers alike, this mount will take a visual payload of 19lbs/8.6kg, or a more modest imaging payload of 15lbs/6.8kgs - held in place by a standard Vixen-profile saddle plate. This mount makes an ideal pairing with the Explore Scientific 80 and 102mm Apo Triplet refractors.

Controlled by the class-leading PMC-Eight wireless control system, this mount doesn't require a handset and will run off any modern Android device, Apple iPads (running iOS12+), or Windows 10 tablets and computers. In addition to these packages, the PMC-8 is also fully ASCOM compliant and will connect to any ASCOM Standards Compliant POTH Client from Explore Scientific (either wired or wireless) to work with virtually any sky software that supports ASCOM. The Explore Stars control app can be downloaded from Android, Apple and Windows app stores and is a very intuitive piece of software, with the ability to use your device's GPS signal to download location and time & date data - no more entering info by hand. Explore Stars allows for simple setup with the click of a button. The PMC-Eight hardware is based around 8 separate CPUs - neatly apportioning different control instructions and calculations to each processor. Tracking and slewing is quiet and the mount also comes with an ST-4 Guide port for autoguiding. Looking for a super-portable, visual and astrophotographic mount? You've found it...



**NEW**  
**Explore Scientific**  
**iEXOS-100**  
**Mount**

**Explore Scientific 127mm FCD100**  
**Carbon Fibre Apo -**  
**£2287**

**EXPLORE**  
**SCIENTIFIC**



**Explore Scientific**  
**Maksutov Newtonian - £892**



165mm & 152mm  
 + Losmandy G11  
 PMC8 Mount  
 Megadeals

Telescope House are pleased to bring you these two unique deals buy the extraordinary Explore Scientific 165mm or 152mm Apo Triplets together with the advanced Explore Scientific Losmandy G11 PMC8 Wireless Control Mount and make massive savings.



**Browse the complete**  
**TeleVue eyepiece range**  
**on our website**

**Get organised**  
**with the**  
**Explore Scientific**  
**Eyepiece &**  
**Accessory**  
**Bag-**  
**£25**



**NEW!**

**Introducing the Explore Scientific 52-Degree**  
**Eyepiece Waterproof LER range**  
**From**  
**£59.99**



**NEW!**

**Bresser Astrophoto Tracking**  
**Mount From £265**



**NEW!**

The Bresser Astrophoto Tracking Mount is designed to be used with DSLRs and small telescopes for long duration astrophotography, providing a tracking platform to counteract the Earth's rotation and create wonderful wide field shots of the skies above us.

Available in head only and wedge tripod configurations.

**Explore Scientific**  
**Sun Catcher Solar Filters**  
**From £18**



**Lunt LS50 - From**  
**£1183**



Excellent  
 pressure-tuned  
 portable Solar Scope

**Explore Scientific**  
**Solarix Solar Film Filter**  
**£18**




Excellent  
 Value 100% Safe  
 Solar Film. Ideal for DIY!

**Lunt LS60**  
**- From £1880**



**Lunt LS80/B1800 - £5214**



**Lunt**  
**LS100/**  
**B1200**  
**- £6478**



**Find the full range of ZWO**  
**Cameras at Telescope House**  
**From £151**



**Altair Astro 60 EDF**  
**Great optics and**  
**portability! £399**



**Bresser Full HD**  
**USB Camera/**  
**Eyepiece £50**



**Website:** [www.telescopehouse.com](http://www.telescopehouse.com)

**Email:** [sales@telescopehouse.com](mailto:sales@telescopehouse.com) | **For sales and advice call:** 01342 837098

**All prices correct at time of press. Subject to change. Errors and omissions excepted.**



# THE SOUTHERN HEMISPHERE



**With Glenn Dawes**

May's eastern sky offers a chance to see a close encounter of Mercury and Venus

## When to use this chart

**1 May at 00:00 AEDT (13.00 UT)**  
**15 May at 23:00 AEDT (12.00 UT)**  
**31 May at 22:00 AEDT (11.00 UT)**

The chart accurately matches the sky on the dates and times shown for Sydney, Australia. The sky is different at other times as the stars crossing it set four minutes earlier each night.

## MAY HIGHLIGHTS

The eastern dawn sky on 3 May presents a spectacular conjunction, the thin crescent (27-day old) Moon is 4° to the lower right of brilliant Venus. Mercury is also obvious being 5° directly below the Moon. The best time to observe this event is one hour before sunrise (at 05:30 AEDT). Venus is dropping towards its next solar conjunction as Uranus rises out of the Sun's glow. These planets pass each other, being closest on 19 May at only 1°, and visible in binoculars.

## STARS AND CONSTELLATIONS

Low in the northern evening sky lies the prominent star Arcturus. It is the alpha star to the constellation of Boötes, forming the top luminary of its inverted kite pattern. Arcturus also holds a place in history, with its light generating an electric charge used to open the 1933 Chicago World's Fair. But why this specific star? At the time Arcturus was thought to be 40 lightyears away and that the light used in 1933 would have left the star at the time Chicago held its previous World Fair in 1893.

## THE PLANETS

Mars continues its presence low in the northwestern twilight sky during May. As Jupiter approaches opposition next month, it arrives around the time the Red Planet departs, being visible for most of the night. Saturn soon follows its fellow

gas giant into the eastern sky, with both transiting in the morning hours. Turning to the morning, Venus rises just before dawn all month. May commences with Mercury just below Venus but this inner world is lost to the solar glare by mid month.


## DEEP-SKY OBJECTS

We take a deep-sky dive into Coma Berenices. Starting at the naked-eye (mag. +4.3) star Alpha Com, move 5° northwest to find triple star 35 Comae Berenices (RA 12h 53.3m, dec. +21° 15'). Two yellow and blue components, at mag. +5.1 and +9.1, are visible separated by 28 arcseconds. Increasing a scope's power reveals the primary to have a mag. +7.2 companion (also yellow) 1.2 arcseconds away.


Almost sharing the same field with 35 Com (0.9° NE) is one of Coma's gems, the 'Black Eye Galaxy' NGC 4826 or M64 (RA 12h 56.7m, dec. +21° 41'). This mag. +8.4 spiral has a bright, mottled surface. Large 15cm telescopes reveal its core has a dark region in the northeast quadrant, giving rise to its nickname. Larger apertures shows it as a narrow black band just inside the core's edge.

## Chart key

GALAXY	DIFFUSE NEBULOSITY	ASTEROID TRACK	STAR BRIGHTNESS: ● MAG. 0 & BRIGHTER ● MAG. +1 ● MAG. +2 ● MAG. +3 ● MAG. +4 & FAINTER
OPEN CLUSTER	DOUBLE STAR	METEOR RADIANT	
GLOBULAR CLUSTER	VARIABLE STAR	QUASAR	
PLANETARY NEBULA	COMET TRACK	PLANET	









# Sky-Watcher®

# Performance, Precision and Value

Sky-Watcher astronomical telescopes perfectly integrate modern optical technology with precision mechanical engineering, resulting in designs of superb functionality, versatility and uncompromising levels of performance. The Sky-Watcher EXPLORER range of Parabolic Newtonian Reflectors cater superbly for astronomers of all levels. Whether your interest is Deep-Sky Observations, the Moon and Planets, or a combination of both, the EXPLORER range offers excellent all round Diffraction-Limited performance.

## EXPLORER-200P (EQ5)

200mm (8") f/1000  
PARABOLIC NEWTONIAN  
REFLECTOR

Prod.Code  
10923/20464

OTA SRP £279  
EQ5 SRP £279

**SRP £559**

### Standard Specification

- Magnifications (with eyepieces supplied) x40, x80, x100, x200
- Highest Practical Power (Potential) x400
- Diameter of Primary Mirror 200mm
- Telescope Focal Length 1000mm (f/5)
- Eyepieces Supplied 10mm & 25mm
- x2 Deluxe Barlow Lens • 6x30 Finderscope
- Parabolic Primary Mirror
- 0.5mm Ultra-Thin Secondary Mirror Supports • Fully GO-TO Upgradeable
- EQ5 Equatorial Mount with Stainless Steel Tripod
- 77% more Light Gathering than 150mm

*"The Explorer-200P passed all our tests with flying colours and was a delight to use both optically and mechanically"*  
BBC Sky At Night Magazine (July '09 Issue)



## HERITAGE-76

76mm (3") f/300  
MINI DOBSONIAN  
Prod.Code 10212

**SRP £59.99**

## HERITAGE-100P

100mm (4") f/400  
PARABOLIC DOBSONIAN  
Prod.Code 10245

**SRP £109**

**SRP £169**

## HERITAGE-130P FlexTube™

130mm (5.1") f/650  
PARABOLIC DOBSONIAN

Prod.Code  
10213

Sky at Night  
MAGAZINE  
GROUP TEST  
WINNER  
93%

## EXPLORER-150P (EQ3-2)

150mm (6") f/750 PARABOLIC  
NEWTONIAN REFLECTOR

### Standard Specification

- Magnifications (with eyepieces supplied) x30, x60, x75, x150
- Highest Practical Power (Potential) x300
- Diameter of Primary Mirror 150mm
- Telescope Focal Length 750mm (f/5)
- Eyepieces Supplied 10mm & 25mm
- 6x30 Finderscope • Fully GO-TO Upgradeable
- x2 Deluxe Barlow Lens • Parabolic Primary Mirror
- 0.5mm Ultra-Thin Secondary Mirror Supports
- EQ3-2 Equatorial Mount with Aluminium Tripod
- 33% more Light Gathering than 130mm



*"Good for advanced observing".....  
"Saturn was a stunning sight"*  
BBC Sky At Night Magazine

Prod.Code  
10912/20448

**SRP £379**

OTA SRP £199  
EQ3-2 SRP £199

Prod.Code 10949/20448

**SRP £379**

OTA SRP £199  
EQ3-2 SRP £199

## EXPLORER-150PL (EQ3-2)

150mm (6") f/1200  
PARABOLIC NEWTONIAN REFLECTOR


### Standard Specification

- Magnifications (with eyepieces supplied) x48, x96, x120, x240
- Highest Practical Power (Potential) x300
- Diameter of Primary Mirror 150mm
- Telescope Focal Length 1200mm (f/8)
- Eyepieces Supplied 10mm & 25mm
- x2 Deluxe Barlow Lens
- 6x30 Finderscope
- Parabolic Primary Mirror
- 0.5mm Ultra-Thin Secondary Mirror Supports
- Fully GO-TO Upgradeable
- EQ3-2 Equatorial Mount with Aluminium Tripod
- 33% more Light Gathering than 130mm



*"Verdict: a reborn classic that I can't recommend highly enough for the price.."*  
Ade Ashford,  
www.scopetest.com

**ADVANCED FEATURES** All Sky-Watcher f/4 & f/5 Newtonian Reflectors feature high quality Paraboloidal primary mirrors to eliminate spherical aberrations, producing sharp, contrasty images, which are full of detail. In addition they feature 0.5mm Ultra-Thin secondary mirror supports to reduce diffraction spikes and light loss. All Sky-Watcher reflectors are Multi-Coated with Silicon Dioxide as standard for Optimum Durability and Long Term Performance.



## Sir Patrick Moore Endorsed Sky-Watcher Telescopes



*"I have used a great number of telescopes; some are good, some mediocre and some bad. To me the Sky-Watcher range of instruments are very good indeed, & suited to amateurs of all kinds - and they are not priced out of the market! Excellent value. Use them and enjoy them."*  
Sir Patrick Moore CBE FRS (1923-2012)

**76 Page Colour Catalogue**

**Order Your FREE Copy Today**

FAX: 01359 244255  
EMAIL: [info@opticalvision.co.uk](mailto:info@opticalvision.co.uk)



Our Products are Available from Dealers throughout the UK

Please contact us, or Check our Website for your Nearest Stockist

OPTICAL VISION LTD  
UNIT 3, WOOLPIT BUSINESS PARK  
WOOLPIT, BURY ST. EDMUNDS  
SUFFOLK IP30 9UP

**OPTICAL VISION LIMITED**

[www.opticalvision.co.uk](http://www.opticalvision.co.uk)  
[www.barrandstroud.com](http://www.barrandstroud.com)

Importers and Distributors of Sky-Watcher  
Astronomical Telescopes, Helios, Acuter,  
Barr and Stroud Binoculars & Spotting Scopes  
and 'Zenith' Microscopes.